## **PCT**

### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

- (51) International Patent Classification 6: G06F 17/60, G06G 7/52
- (11) International Publication Number: A1

WO 97/41524

(43) International Publication Date:

6 November 1997 (06.11.97)

(21) International Application Number:

PCT/US97/07207

(22) International Filing Date:

30 April 1997 (30.04.97)

(30) Priority Data:

60/016.486

30 April 1996 (30.04.96)

US

- (71) Applicant: IC2 SOLUTIONS, INC. [US/US]; Station House, Suite 110, 900 Haddon Avenue, Collingswood, NJ 08108-2110 (US).
- (72) Inventors: JONES, Steven, P.; 545 Newton Lake Drive, 811C, Oakland, NJ 08107 (US). ROSANO, Gregory, D.; 26 Jefferson Road, Glenmont, NY 12077 (US).
- (74) Agents: MILLER, Suzanne, E. et al.; Woodcock Washburn Kurtz Mackiewicz & Norris L.L.P., 46th floor, One Liberty Place. Philadelphia, PA 19103 (US).
- (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD,


#### Published

With international search report.

(54) Title: LEGAL CLAIMS PROCESSING SYSTEM AND METHODS OF LITIGATION MANAGEMENT USING THE SAME

#### (57) Abstract

An Integrated and automated system for use in caseload management is disclosed. The system includes a central hub (20) having an authorized subscriber database (26), a routeur (22), and a selector (24). Each authorized subscriber is linked (27) to the central hub (20) via a subscriber system (30). The subscriber system (30) includes a workstation at which information may be displayed and entered and a data storage medium having a new cases database (34), a communications management database (36), and a billing database. Each source or insurer is connected (28) to the central hub (20) via a source system (40). The source system includes a workstation at which information may be displayed and entered and a data storage medium having a new claims database (42), a communication management database (44), and billing database (46). New claims are submitted by the source and undergo a new claims authorization process carried out by the disclosed system. The claims authorization process involves the selection of a subscriber and an option conflict check process and a budget approval process. After a new case is authorized, a communication link is established through the central hub (20) between the source (40) where the claim originated and the selected and authorized subscriber (30). The system also provides processes for requesting approval in connection with certain activities for cost-containment purposes.



#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	Albania	ES	Spain	LS	1.esotho	SI	Slovenia
AL AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
	Amenia	FR	France	LU	Luxembourg	SN	Senegal
AT	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AU		GB	United Kingdom	MC	Monaco	TD	Chad
AZ.	Azerbaijan	GE GB	Georgia	MD	Republic of Moldova	TG	Togo
BA	Bosnia and Herzegovina	GII	Ghana	MG	Madagascar	TJ	Tajikistan
BB	Barbados	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BE	Belgium	GR	Greece		Republic of Macedonia	TR	Turkey
BF	Burkina Faso	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BG	Bulgaria	1E	Ireland	MN	Mongolia	UA	Ukraine
BJ	Benin	IL	Israel	MR	Mauritania	UG	Uganda
BR	Brazil		Iceland	MW	Malawi	US	United States of America
BY	Belarus	IS		MX	Mexico	UZ	Uzbekistan
CA	Canada	lT.	ltaly	NE	Niger	VN	Viet Nam
CF	Central African Republic	JP	Japan	NL	Netherlands	YU	Yugoslavia
CC	Congo	KE	Kenya	NO	Norway	zw	Zimbabwe
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand		
Cl	Côte d'Ivoire	KP	Democratic People's	PL	Poland		
CM	Cameroon		Republic of Korea	PT	Portugal		
CN	China	KR	Republic of Korea		Romania		
CU	Cuba	KZ	Kazakstan	RO	Russian Federation		
CZ	Czech Republic	LC	Saint Lucia	RU			
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
ı							

# LEGAL CLAIMS PROCESSING SYSTEM AND METHODS OF LITIGATION MANAGEMENT USING THE SAME

#### FIELD OF THE INVENTION

The present invention relates generally to data processing systems and networks. More particularly, the present invention relates to a legal claims processing system and methods of using the legal claims processing system for caseload management.

#### **BACKGROUND**

10 prompted a concerted effort by both legal service providers and insurers to establish cost-containment measures. Such measures have been implemented with technology-based solutions. These solutions have included, for example, automated computer systems used by a legal service provider for tracking the status and managing cases handled by that legal service provider (see e.g., U.S. Patent No. 5,182,705 issued 15 January 26, 1993). However, such system fail to provide automated processes between the insurers and legal service providers whereby necessary information can be easily communicated and exchanged. For example, when a claim is filed by an insured with his or her insurance company, a claims adjuster must make personal contact with a legal service provider to represent the insurance company in relation to that claim.
20 The claim adjuster currently makes this contact by telephone or by mail. The legal service provider often will perform an internal conflict check to ensure that it can represent the insurer on the designated claim. If the legal service provider requires

5

15

20

additional information to perform this conflict check, then the legal service provider must call the claims adjuster and request additional information. Often what ensues is a series of telephone tag between legal service provider and claims adjuster even before the claim is successfully assigned to counsel. Therefore, there is a need for a more efficient process to assign a claim to counsel.

Once a legal service provider acknowledges that it has no conflict and is willing to represent the insurance company on the claim, the insurer often request a proposed budget plan from the legal service provider. The budget plan may be transferred by mail. In the event that the budget plan requires modifications or is otherwise unacceptable to the insurer, the claims adjuster must convey that information by telephone or by mail back to the legal service provider. The process of agreeing on an acceptable budget for the case often requires substantial time. Thus, there exists a need for a more expeditious budget proposal and acceptance process for case management purposes.

After a claim is assigned, information from the claims adjuster's files or electronic data that may already be available in an automated insurance policy tracking and management system such as that disclosed in U.S. Patent No. 5,191,522 issued March 2, 1993, must be forwarded to the legal service provider. That information is typically transferred via mail and thus the legal service provider upon receipt of that information must manually enter into its internal case tracking and management system or merely maintain a paper file. As more information is received either by the insurer or the legal service provider, the information is routed up and back via mail in paper form so that both the insurer and the legal service provider can maintain complete files relating to the adjudication of the claim. Therefore, there is a need for a more efficient means for both legal service providers and insures to share and access relevant information.

During the course of litigation, the insurer often requires that the legal service providers request authorization before proceeding with certain litigation related tasks, e.g., deposition of an expert witness, filing of a motion for summary judgment, etc. Thus legal service providers, typically must request authorization in writing by mail or facsimile and await written authorization from the claims adjuster via mail or by facsimile before proceeding with the task. If the insurer or claims adjuster needs

more information before providing authorization, the claims adjuster and the legal service provider may then engage in further rounds of telephone tag until the requisite information can be obtained. This process often takes days or even weeks before authorization is granted by the claims adjuster and received by the legal service provider. Consequently, there exists a need for an expedient method of authorizing litigation tasks during the course of litigation.

Decisions regarding settlement and alternative dispute resolution are made by the insurer, and therefore, the claims adjuster should have access to the same information maintained by the legal service provider to track and manage cases being handled by the legal service providers. Thus, there additionally, exists a further need for the insurer to have access to the information maintained by the legal service provider.

While much of the claim-related information may now be transmitted between legal service providers and insurers using electronic communications, no integrated system currently exists for management and control of this information in one system. Importantly, without such a system there currently exists no integrated and automated approach to case assignment procedures, budget proposal acceptance, case tracking and evaluation by both legal service providers and insurers, litigation task authorization and the like.

#### 20 SUMMARY OF THE INVENTION

10

25

The present invention fulfills the aforementioned needs by providing an automated litigation management system and methods for automating the different cost-containment approaches utilized by insurers and legal service providers in a single integrated efficient system. This is accomplished by providing a method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub. The method includes steps for entering new claim information relating to a new litigation into a source new claims databases associated with the source; transmitting a new claim signal in response to the entry of the new claim information into the source new claim database to a central processing means associated with the central hub and interfaced to a plurality of subscriber processing means each being associated with one of the plurality

- 4 -

of subscribers; selecting one of the plurality of subscribers in response to the transmission of the new claims signal; transmitting at least some of the new claims information to the selected subscriber; and automatically storing the new claim information so transmitted in a subscriber new cases database accessible by the subscriber processing means associated with the selected subscriber.

In a preferred embodiment, the method additionally includes steps for verifying that no conflict exists within the selected subscriber based on the new case information stored in the subscriber new cases database; and generating an electronic response indicative of the verification and transmitting the same to the source. In another preferred embodiment, the method also includes selecting a different one of the plurality of subscribers if based on the electronic response a conflict exists. In a more preferred embodiment, the method further includes steps for preparing a litigation proposal based on the new claim information stored in the subscriber new cases database; transmitting proposal data indicative of the litigation proposal to the source; 15 storing the proposal data in the source new cases database; and transmitting a proposal response to the selected subscriber indicating whether the litigation proposal is acceptable. Preferably, the proposal response is representative of any one of a proposal acceptance, a proposal denial, and a request for more information. The new case information may be stored in a subscriber case database associated with the selected subscriber if the litigation proposal is acceptable. 20

The aforemention needs are also fulfilled by the present invention in which another method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub is disclosed. This method includes steps for generating a request for approval to perform a litigation activity; transmitting the request for approval from a subscriber processing means associated with one of the plurality of subscribers to a source processing means associated with the source; transmitting an activity response indicative of a decision to approve or deny the activity request; and updating a subscriber authorization database accessible by a subscriber processing means associated with the one subscriber. In a preferred embodiment, this method also includes steps for generating a request for payment associated with the activity when the activity is completed; enabling a transmission of the request for payment if the

25

activity request was approved; and disabling the transmission of the request for payment if the activity request was denied.

5

10

15

20

25

- 5 -

A litigation management system interconnecting at least one source of information and a plurality of subscribers where each of the plurality of subscribers has an associated office litigation administration system for facilitating the administration of litigation by the subscriber is also provided by the present invention. The system according to the invention includes a source system for providing source information relating to new and on-going litigations and for receiving subscriber information relating to the same litigations; a plurality of subscriber interfaces configured to receive source information and store the source information in the associated office litigation administration systems and to retrieve subscriber information from the associated office litigation administration systems and transmit the subscriber information so retrieved to the source system; and a central processing means interfaced to receive source information from the source system and subscriber information from the plurality of subscriber interfaces for establishing authorized links between the source and the plurality of subscribers based on predetermined criteria.

In a preferred embodiment, the system also includes a subscriber database interfaced with the central processing means for storing data relating to each of the plurality of subscribers. The central processing means preferably includes a selection means for selecting one of the plurality of subscribers based on at least some of the source information and the data stored in the subscriber database. In yet another preferred embodiment, the system includes a new claims database for storing new case information relating to new litigations. The source system preferably transmits at least some of the new claim information as source information to the central processing means thereby initiating a procedure to establish one authorized link. In a more preferred embodiment, the system additionally includes a database or multiple databases for storing subscriber information relating to the authorization of the predefined activities carried out by each subscriber connected to the source through one of the authorized links established by the central processing means. Still further, the system preferably includes a new cases database for storing source information received from the central processing means to establish one authorized link between the subscriber associated with the same subscriber interface. The same subscriber

interface preferably transfers the new case information from the new cases database to the associated office litigation administration system after the central processing means establishes the authorized link.

#### BRIEF DESCRIPTION OF THE DRAWINGS

5

15

30

The present invention will be better understood, and its numerous objects and advantages will become apparent by reference to the following detailed description of the invention, when taken in conjunction with the following drawings, in which:

Figure 1 shows an exemplary network provided by a litigation 10 management system according to the present invention;

Figure 2 shows a block diagram of a legal claims processing system according to the present invention including its functional and database components and the interfaces between those components;

Figure 3 shows a flow diagram of the overall process carried out in accordance with the present invention;

Figures 4A and 4B show a more detailed flow diagram of the steps carried out in connection with the new case authorization process in accordance with the present invention;

Figure 5 shows a detailed flow diagram of the activity authorization 20 process in accordance with the present invention;

Figure 6 shows a block diagram of the billing control function residing within the subscriber system in accordance with a preferred embodiment of the invention;

Figure 7 shows an example of a main menu displayed when logging into the subscriber system in accordance with a preferred embodiment of the invention;

Figure 7A shows an example of an initial screen displayed in connection with the insurance claims database;

Figure 8 shows an example of a new claim database interface in accordance with a preferred embodiment of the invention;

Figure 8A shows an example of a policy information field used in

25

accordance with the claims database with a preferred embodiment of the invention;

Figure 9 shows an example of the claims database interface in "Edit" function mode in a preferred embodiment of the invention;

Figure 9A shows an example of "request types" available in the new claim database within the source system in a preferred embodiment of the invention;

Figure 9B shows an example of a list of subscribers available within the source system to assign a new claim in a preferred embodiment of the invention;

Figure 9C shows an example of a screen in the claim database to add additional notes to a claim within the source system in a preferred embodiment of the invention;

Figure 10 shows an example of a screen with a product liability claim available in the claims database within the source system in a preferred embodiment of the invention;

Figure 11 shows an example of a screen with a workers' compensation claim available in the new claim database within the source system in a preferred embodiment of the invention;

Figure 12 show an example of options for selecting a claim type available in the claims database within the source system in a preferred embodiment of the invention;

Figure 13 shows an example of a selected claim type in the claims database within the source system in a preferred embodiment of the invention;

Figure 14 shows that a claims processor has selected a product liability claim type from the claims database within the source system in a preferred embodiment of the invention;

Figure 15 shows an example of a screen available to allow a claims processor to select a subscriber to assign a new claim in a preferred embodiment of the invention;

Figure 15A shows a partially completed claim screen as imputed by a claim processor within the source system in a preferred embodiment of the invention;

Figure 15B shows a new claim assignment selection process in which a claims processor selects a subscriber to assign to a new claim within the source system in a preferred embodiment of the invention;

Figure 15C shows an acknowledgment of a successfully completed assignment of a new claim by the source system in a preferred embodiment of the invention;

Figure 16 shows an assignment of an investigation request from a claims processor to an outside investigator or adjuster within a source system in a preferred embodiment of the invention;

Figure 16A shows a completed investigation report sent by an investigator or adjuster to a claims processor in a preferred embodiment of the invention;

10

15

Figure 17 shows an example of a request for a status report available within the source system sent by claims processor to subscriber in a preferred embodiment of the invention;

Figure 17A shows an example of a collapsed status report and how a subscriber returns it to the claims processor in a preferred embodiment of the invention;

Figure 18 shows the lists of requests available to a subscriber in the cases database within the subscriber system in a preferred embodiment of the invention;

Figure 18A shows an example of a requestor comments pop-up box available to a subscriber in the cases database in a preferred embodiment of the invention;

Figure 19 shows an authorization request as completed by a subscriber and sent to the source system in a preferred embodiment of the invention;

Figure 19A shows an example of how source transmits acceptance or rejection of authorization back to the subscriber in a preferred embodiment of the invention;

Figure 20 shows an example of a deposition report completed and sent by a subscriber to the claims processor in a preferred embodiment of the invention;

Figure 21 shows a request for a pre-trial report sent by a claims processor to a subscriber available within the source system in a preferred embodiment of the invention;

Figure 21A shows how the pre-trial report is transmitted back to the

claims processor by the subscriber in a preferred embodiment of the invention; and

Figure 22 shows an example of the communications management
database within both the source and subscriber systems in a preferred embodiment of
the invention.

PCT/US97/07207

#### 5 DETAILED DESCRIPTION OF THE INVENTION

The present invention provides an automated data processing system adapted to network providers of legal services such as law firms, clients, and other necessary parties such as court reporters, investigators, expert witnesses, etc. to enhance communication between these entities and to improve workflow and efficiency.

While the present invention will be described herein by reference to a litigation management system for law firms (hereinafter "subscribers") and the insurance companies which process a substantial volume of claims filed against insured individuals, it should be understood that the invention may be used to provide caseload management between legal service providers, clients other than insurers, and a variety of legal support vendors, informational sources, and other third party users of the system. Thus a detailed description of one embodiment of the invention is described in connection with Figure 1-22 wherein like reference numerals refer to like elements in the respective drawings.

according to the invention is shown in Figure 1. Each insurer provides an insurer server 2 that is interconnected to a central server system (hereinafter "central server") 4 via communication links 3. The central server 4 functions as a central hub such that all information transported in the network passes through the hub. As shown in Figure 1, the central server 4 also interfaces with a plurality of subscriber servers 6 via communication links 5. Each subscriber server is associated with one particular subscriber. Each of the subscriber servers 6 may be coupled to one or more terminals or workstations 11 (only a single terminal is generally designated in the figure). Similarly each of the insurer servers 2 and the central server 4 is connected to one or more terminals or server/workstations 9 and 13 respectively. Thus, the network effectively provides communications between a plurality of subscribers and a number of insurers through the central hub. While only two insurer servers and three

- 10 -

subscriber servers are shown, it should be understood that any number of either may be supported by the network within practical limitations of the network hardware and software.

The hardware and software required to support the invention are substantially unrestricted. The servers 2, 4, 6 may be supported by a variety of platforms such as X86 Intel platforms including WINDOWS/NT, OS/2 and NOVELL NETWARE and UNIX platforms including SUN SPARC, IBM R/6000 and HP PARisc, to name a few examples. The communication links 3, 5, may be implemented via standard telephone lines and interconnected via local area networks (LANs), wide area networks (WANs), or Internet access links. However, other forms of communications could also be used and the invention is not intended to be so limited to the examples set forth herein. Server/workstations 9, 11, 13, are also essentially application independent in that they may be configured for various platforms such as WINDOWS 3.1, WINDOWS 95, WINDOWS/NT, OS/2 and MACOS.

To provide such a platform independent system, LOTUS NOTES which is available from Lotus Development Corp. is preferably used to implement the present invention. However, other database and network software applications could similarly be used.

15

25

In a preferred embodiment, one or more affiliated users having user

workstation 8 may also be included in the network through a communication link 7 to
the central server 4. It should be understood that each user may alternatively provide a
server with one or more terminals or workstations connected thereto. The users may
be legal support vendors or other third party users of the litigation management system
(i.e., travel agents).

In a further preferred embodiment, the central server 4 and terminal 13 are duplicated to provide system redundancy. As shown in Figure 1 a central back-up server 10 and a terminal or workstation 14 coupled thereto are connected to the central server 4 with its terminals or workstations 13 through a high speed interconnection 12, such as ISDN so that all of the information stored on the central server 4 may be duplicated and stored on the central back-up server 10. Preferably, the central back-up server(s) and workstations are physically located at a different facility than the central server. In the event of a failure at the central hub, communications can be promptly

· reestablished through the central back-up server.

Figure 2 is a block diagram showing the legal claims processing system according to the invention including its functional and database components and the interfaces between those components. A router 22, selector 24 and a subscriber database are preferably provided by the central hub system 20. Each subscriber has a subscriber system 30 which transmits subscriber information via links 27 to the central hub system 20. Router 22 receives subscriber information transmitted from any of the subscriber systems and routes the transmission to the intended source system 40.

Because an insurer is a source of new claims, it is referred to as a

"source." Each insurer or source has a source system 40 connected to the central hub
through a link 28 over which subscriber information may be routed from router 22. In
a similar manner, source information which is described in detail below is generated by
the source systems and transmitted to the router over links 28. The router 22 operates
to transmit the source information to a designated subscriber system via the appropriate

link 27.

Each subscriber system functions as an interface between an internal office case administration system 32 and the legal claims processing system.

Conventional internal office case administration system may store information relating to each case being handled in the office, client information and staff assignments.

Moreover, such systems may also be capable of tracking the status of calls, appointments, documents, litigation activities and client billing. One such system is INTERTRAC FOR LAW which was developed and is marketed by Computer works, Inc. Albany, NY.

The subscriber systems 30 each preferably include an insurance claims

database 34, a communications management database 36, and a billing controller 38.

The source systems 40 each preferably include a new claims database 42, a

communications management database 44, and a billing status database 46. The

functionality of each of the components shown and the use of each database will

become apparent by reference to Figures 3-22 and the following description which

accompanies the figures.

Figure 3 shows a flow diagram of the overall process carried out in accordance with the invention. A claims processor at an insurer receives a new claim

- 12 -

50 and initiates a new case authorization process at step 52. Once a subscriber is selected and approved by the insurer as is described in detail below in connection with the description of the new case authorization process, the central hub system establishes an authorized link between the source system and the selected subscriber s subscriber system at step 54.

During on-going litigation, the subscriber may be required to seek approval from the insurer for certain activities such as taking various depositions, retaining an expert witness, attending a settlement conference, etc. The selected subscriber may transmit a request and receive approval through the activity authorization process shown at step 56. Once an approved activity has been completed, the billing controller may be used to control the transmission of requests for payment of services associated with the activity as shown at step 58.

10

20

30

In addition, during an on-going litigation the claims processor may review the status of the insurer s cases or status of the billing for cases handled for that insurer as shown at 62 and described in more detail below.

In a preferred embodiment, a record keeping utility may be provided to store any of the case billing, activity, case disposition, etc. information for a given case after its final disposition so that information may be purged from the system s working databases and used subsequently for analysis, statistics, and educational purposes.

Figures 4A and 4B show a more detailed flow diagram of the steps carried out in connection with the new case authorization process in accordance with the invention. When a new claim is submitted to the insurer, information relating to the claim is entered into the source insurance claims database at step 70. The source system transmits at least some of the information that is entered as new claim information to the central hub system at step 72. The new claims information may be processed by the central to access a list of possible subscribers which are transmitted to the source system and displayed by the claims adjuster. The selector may be used in this process for identifying possible subscribers based on criteria specified by the source, e.g. particular subscribers that the source likes to work with. The claims adjuster may then select one of the subscribers from the list and transmit the selection to the central hub. The router establishes an initial communications link between the

- 13 -

selected subscriber and the source transmitting the new claim information at step 78.

Upon doing so, the router forwards at least some of the new claim information to the subscriber system of the selected subscriber.

In an alternative embodiment, the selection of the subscriber may be

made automatically by the litigation management system. In this embodiment, the new
claims information contains at least certain predetermined fields with information that
may be extracted by the router and provided to the selector at step 74. The subscriber
database contains information relating to each of the subscribers in the network such as
identification and address. The selector searches the subscriber database at step 76 to
select one of the subscribers based on the extracted information. The selector then
outputs the identity of the selected subscriber to the router.

The selected subscriber system receives the information transmitted by the router and stores it in the subscriber new cases database at step 80. The subscriber may perform an internal conflict check at step 82 and enter a new case budget proposal at step 86 if no conflict exists. If a conflict exists as determined at step 82, a conflict resolution procedure is initiated at step 84 so that a new subscriber may be selected at step 76. In a preferred embodiment, the subscriber new cases database is purged once a conflict is identified and prior to initiation of the conflict resolution procedure to select a different subscriber. The selection of a subscriber at step 76 and the conflict resolution procedure shown at step 84 are described in more detail below.

15

20

25

The new case budget proposal includes budget proposal data indicative of the strategy for litigating the claim and the anticipated costs associated with that strategy. The new case budget is transmitted from the selected subscriber s subscriber system through the router and ultimately to the source system that transmitted the new claim information as shown at step 88. The budget proposal data is stored in the source new claims database at step 91 so that it can be reviewed by the claims processor or insurer. If the new case budget proposal is acceptable as determined at step 90, an acceptance is transmitted back to the selected subscriber at step 96. The central hub system then may establish an authorized link between the selected subscriber and the source at step 98. Upon receipt of the acceptance, the selected subscriber transfers the new case information stored in the subscriber new cases database to the internal office case administration system associated with the selected

- 14 -

subscriber at step 100.

30

If the insurer does not accept the new case budget proposal, then the insurer and subscriber may negotiate or the new claim information may be purged from the subscriber's new cases database. Alternatively, the insurer may ask for additional information or modification of the new case budget proposal as shown at step 92 and 102 until acceptance is obtained.

Figure 5 shows a detailed flow diagram of the activity authorization process in accordance with the invention. Certain litigation-related activities may be designated as requiring authorization from the insurer prior to performance of such activities. For example, authorization might be required before a subscriber deposes an expert witness. If such authorization is required, the litigation management system in accordance with the invention provides an automated system for seeking and receiving approval for such activities. In addition, the automated authorization can be used in connection with an automated billing control function. As is described below, the billing control function disables any request for payment from being submitted until authorization for the services, i.e., the activity, has been received.

As shown in Figure 5, a subscriber may request authorization by entering activity related information into the subscriber new case database at step 110. The activity information is then submitted with a request for authorization at step 112. The source communications management database is then updated with the request for authorization and the related activity information at step 114. A claims processor at the insurer may then review the request and information and decide whether or not to approve the activity at step 116. If the claims processor approves the activity, the approval is entered through the source communications management database and submitted at step 118. The subscriber communications management database is then updated to reflect the approval at step 119 and the billing controller may likewise be notified of the approval at step 120.

If the claims processor requires more information to evaluate the request for authorization at steps 116 and 122, the claims processor may specify the additional information needed by entering the information into the source communications management database and submitting the request for more information at step 124.

The subscriber communications management database is then updated to reflect the

- 15 -

additional information required at step 126. The subscriber may respond by repeating steps 110 and 112 with the requested activity information.

If the claims processor denies the request at steps 116 and 122, the claims processor enters the denial response into the source communications

management database and submits it at step 128. The subscriber communications management database is then updated at step 129 to reflect that authorization for the designated activity has been denied. If the request for authorization is denied the subscriber may appeal the denial at step 125 by effectively resending the request with a modified case budget proposal. In a preferred embodiment, the billing controller may be notified that the request was denied as shown at step 120.

As discussed in connection with Figures 4A and 4B, the central hub system is preferably configured to select an appropriate subscriber or a multiplicity of possible subscribers to handle a new claim filed against a connected insurer. In one preferred embodiment, a primary and alternate subscriber per specified geographic region, e.g., based on judicial jurisdiction, may be networked to the litigation management system. In such an embodiment, a field may be provided in the insurance claims database to indicate in which jurisdiction the claim has been filed. The central hub system preferably has access to the information contained in this field so that the information may be extracted. In this embodiment, the subscriber database may list each primary and alternate subscriber by jurisdiction or geographic region. The selector at the central hub shown in Figure 2, may then search the subscriber database to identify the primary subscriber in the jurisdiction identified in the new claim information transmitted from a source system. The central hub system then transmits the new claim information to the primary subscriber. In a more preferred embodiment, however, the central hub identifies each connected subscriber within the judicial district and transmits a list of identified subscribers to the source from which the new claim information originated for the purpose so that a claims processor may select one of the identified subscribers.

15

25

If the first selected subscriber has a conflict as discussed above or if the insurer is unable to approve the first selected subscriber s case budget proposal, another subscriber in the same jurisdiction may be selected by the claims processor or by the litigation management system. The alternate subscriber would follow the same

- 16 -

authorization process described above in connection with Figures 4A and 4B. It should be understood, that more than one alternate subscriber may be referenced to a particular jurisdiction to increase the probability of a successful authorization.

It should further be understood that subscribers could be selected based on numerous other criteria. If such other criteria are used, then the subscriber database would contain the networked subscribers referenced to the selection criteria. Consequently, the invention is not intended to be limited to the selection of the subscriber based on location.

10

Referring back to Figures 4A and 4B, it is also preferred to provide the insurers with a means for monitoring the insurers' cases handled by each of the subscribers. So long as the subscribers use an internal office case administration system that stores status and other information related to the cases handled by the subscriber, such information can be transferred to the source cases database so that the insurer has access to this information through the source system. It should be understood that the information may be transferred at regular programmed intervals, upon status changes or upon request.

Similarly, an insurer may wish to review the billing status as time to matters for that insurer accrue. So long as this information is maintained by the internal office case administration system used by the subscriber, the billing status information may be transferred to the source billing status database. Again it should be understood that the information may be transferred at regular programmed intervals, upon status changes or upon request.

A block diagram showing the billing control function residing in the subscriber system is shown in Figure 6. A request for payment 130 may be generated by the internal office case administration system. The request is preferably received by the billing controller 132. The billing controller may then check an activity approval database 134. The activity approval database may be incorporated in the subscriber Communications Management database or may be a separate database including only the activities that were approved or denied by the insurers. If the activity for which the request for payment has been generated was approved, then the billing controller may transmit the request for payment 136 to the source system. If the request for authorization for the activity for which payment is required had been

- 17 -

5

15

25

denied, the billing controller may hold the request for payment in a preferred embodiment and provide an indication 138 that the request for payment has held to the internal office case administration system. This may signal a billing discrepancy and permits staff at the subscriber to take whatever action is appropriate.

While the invention has been described in detail regarding the communication and procedures employed between subscriber systems and source systems, it should be understood that other user systems may communicate in a similar fashion. For example, after the taking of a deposition is approved, the activity information may be transferred through the central hub to a selected court reporter having a networked reporting system. In this example, the activity information might include, the name and address of the person to be deposed, the place of deposition, and the date and time of the deposition. The court reporting system could indicate the availability of its court reporters, and moreover, include the deposition testimony after the deposition is taken in fields relating to the case information. The deposition testimony text may be formatted based on network specifications.

To better describe the new claim authorization process and the activity authorization process described above, the processes will again be described in connection with examples of the user interfaces provided to carry out these procedures. Figure 7 shows an example of the main menu that might be displayed when logging into the subscriber system. A number of buttons are shown, however, only the Insurance Claims button 200 and the Communications Management button 202 are described herein in connection with the invention. Many of the other buttons shown are provided by an internal office case administration system. Thus, a similar menu is preferably displayed by the source system that may contain internal office administration buttons for the source, but they are separate and distinct from the subscriber's internal office administration system.

Selecting the Insurance Claims button 200 from the main menu from the source system preferably brings up the insurance claims database user interface. Figure 7A shows an example of an initial screen displayed in connection with the insurance claims database. Each claim currently entered in the insurance claims database is preferably listed in selection area 204. A single claim can be selected to display the information stored in the database or new claim information may be entered

- 18 -

· by clicking on the new claim button 212.

25

A claim may be selected, for example claim number C0011 in Figure 7A and then opened by clicking on the open designator to bring up the claims interface with the information stored pertaining to the selected claim. An example of a claim 5 interface is shown in Figure 8. The components of the interface will change depending on the type of claim, i.e., a product liability claim will preferably employ a product liability screen and a workers' compensation claim will preferably employ a workers' compensation screen. The interface shown in Figure 8 is shown in PREVIEW mode which allow the viewer to review the data. As shown, the claims processor is provided with a number of fields 208 that may be selected to open a pop-up box or entry interface 206, shown in Figure 8A. For example, in Figure 8A, the policy information field has been selected and the entry interface associated therewith has been opened. The entry interface shows the data input from the claims processor relating to policy information, such as limits of insurance, deductibles and 15 endorsements, etc. Returning to Figure 8, each of the fields 208 preferably has an entry interface for receiving and storing the data input from either the claims processor or subscriber.

If the user wishes to edit the data, the "Edit" function 209 may be selected from the menu bar to bring up an edit interface screen. An example of a claim information edit interface screen is shown in Figure 9. Once the editing is complete, the claims processor clicks on the Save button 231 to retain the edited information. If the user wishes to delete the edited material, the Cancel button 232 is clicked.

A plurality of buttons 214 are shown in Figure 8 to, for example, request an action as shown in Figure 9A by clicking on the "Request" button, to assign a legal service provider as shown in Figure 9B by clicking on the "Assign" button, or to add additional notes as shown in Figure 9C by clicking on the "Notes" button.

The entry interface shown in Figure 8 preferably serves as the Conflict Check screen. The Conflict Check screen allows the claims processor to check with the selected subscriber or other player (i.e., claims processor, investigator, etc.) for any conflict of interest within that subscriber/player that might prevent assignment of the claim. The Conflict Check screen is the same for all types of claims, i.e.,

workers' compensation, products liability, auto, etc. The last action field 220 on the Conflict Check screen in Figure 8 preferably indicates the last completed action by any player connected to the litigation management system.

Use of the Conflict Check screen signified by interface 210 in Figure 8 is preferably made optional for the claims processor. In a preferred embodiment of the invention, the claims processor completes a conflict check by entering the appropriate information in claims interface 210, assigning a law firm in connection with Figure 9A, and transmitting just the information entered in interface 210 to the selected subscriber. The system is designed to transmit the conflict check information only when the claims processor chooses this option. The claims processor upon receipt of an approval from the subscriber preferably completes the remaining fields 208 and then transmits that information to the selected subscriber.

In a preferred embodiment, a new claim may be added to the litigation management system. As mentioned above, the claims processor clicks on the new claim button 212, shown in Figure 7A. A screen is then preferably displayed with options for selecting a claim type as shown in Figure 12. In a more preferred embodiment, a general claim type may be highlighted as shown in Figure 13, whereupon the OK button is selected to proceed to more specific claim types as shown in Figure 14. After the claim type selection has been made, the claims processor preferably proceeds to fill in the information required in the claims interface 210 and relevant fields 208 as shown in Figures 8, 10, and 11. For example, a workers' compensation claim preferably employs a workers' compensation screen and additional screens such as one for the employer, the employee, relating to the occurrence of the accident or injury, one for contacts or witnesses, and one for treatment information (see Figure 11).

15

20

25

After the sub-fields of entry interface 208 have been completed as partially shown in Figure 15A, the claims processor then preferably clicks on the assign button 221 in Figure 15 to assign the selected subscriber. An exemplary listing of potential subscribers 224 are shown in Figure 15B. The source system then preferably displays the assignment of the claim to the selected subscriber as shown in Figure 15C.

Referring back to Figure 9A, as the claim adjudication process

WO 97/41524

PCT/US97/07207

progresses, the claims processor may select options from the list shown. If an investigation, for example, is needed to be conducted by an outside adjuster or investigator, the claims adjuster selects the "investigation" option and clicks on the OK button. That action preferably brings up a listing of the possible investigative companies from a listing in the central hub database similar to the subscriber listing shown in Figure 9B. Preferably, the subscriber database shown in figure 2 stores information related to each of the systems intended users. Upon selection of a company, Figure 16 will appear and the claims processor completes instructions in the Requestor Comments section. The claims processor sends the Investigation Request through the central server system to the Investigator. The selected investigator 10 receives the request as shown in Figure 16. When the investigation is completed, the investigator fills out the report and clicks on the Return button 225 to send it back to the claims processor as shown in Figure 16A.

If the claims processor desires a status report on the claim from the subscriber, the claims processor selects the "Status Report" shown in Figure 9A and clicks on the OK button. The request goes to the subscriber as shown in Figure 17, which shows the expanded pre-designed categories. After the subscriber completes the report by filling in information in each pre-designed category, the Return button 226 is clicked as shown in Figure 17A, which shows the categories in a collapsed state.

15

20

30

If the subscriber requires authorization from the claims processor to perform a task, the subscriber clicks on the request button in the cases database, which brings up Figure 18. The subscriber clicks on the Authorization button as shown in Figure 18. A pop-up box entitled Requester Comments is then preferably brought up by the system as shown in Figure 18A. The subscriber preferably describes the 25 specific authority request in the box and submits it to the user by clicking the OK button. The claims processor reviews the request as shown in Figure 19 and clicks on the Edit button 227. The screen changes to allow the claims processor to either Accept or Reject the request, with or without comment as shown in Figure 19A. The claims processor then clicks on the Return button 228 in Figure 19A to transmit the acceptance or rejection back to the subscriber.

The subscriber can report to the source on the results of the deposition by clicking on the Deposition Report button shown in Figure 18. The subscriber

- 21 -

completes the report as shown in Figure 20 and clicks on the Return button. The report is sent on to the source.

The claims processor may request a Pre-Trial Report from the subscriber by selecting "Pre-Trial Report" from the option list shown in Figure 9A and then

5 clicking on the OK button. An example of a pre-trial report is shown in Figure 21 and is then transmitted to the subscriber. The subscriber is notified by assessing the Communications Management database of the request and completes the information in the pre-designed categories, then clicks on the Return button as shown in Figure 21A.

The Communications Management Database is designed to maintain the various Request Types when they are sent by the source or subscriber and are awaiting action. An example of the Communication Management screen is shown in Figure 22 and the Request Types are shown in field 229. To view a particular Request Type, the user highlights the Request 230, and clicks on it. Figure 19 shows the displayed Request. In a preferred embodiment, this screen provides the same information at both the source system and the subscriber system. Once the request has been acted upon and is completed, the Request Type will then be transferred and made part of the source claim and the subscriber case databases.

10

20

25

Examples of specific database structure and programs that may be used to implement the invention are included in Appendix A attached hereto. Appendix A is a printout of an exemplary LOTUSNOTES synopsis used to implement a preferred embodiment of the invention.

While the invention has been described and illustrated with reference to specific embodiments, those skilled in the art will recognize that modification and variations may be made without departing from the principles of the invention as described hereinabove and set forth in the following claims..

#### - 22 - APPENDIX A

## Insurance Claims File Synopsis

Lotus Notes Database Synopsis - Generated at 01:28:52 PM on 04/11/97

## Form Information:

m intermation.	A Annual Farm
Form:	Access_Control_Form
Last Modification:	12/16/96 10:29:13 AM
Type:	Document
Window Title Formula:	SELECT *Document Access
	Control"
Include in Compose Menu:	Yes
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Document_Author
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	•
Field:	Document_Readers
Datatype:	Reader Names
Input Multi-Value Separator(s):	Comma, Semicolon, New Line
Display Multi-Value Separator.	New Line
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disab <del>le</del> d
Update Requires Editor Access:	No
Formula:	eep.
Field:	Document_Editors
Datatype:	Author Names
Input Multi-Value Separator(s):	Comma, Semicolon, New Line
Display Multi-Value Separator.	New Line
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled

	2.2	
Update Requires Editor Access:	- 23 -	No
Formula: Field:		
		Author
Datatype:		Author Names
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		-
Field:		Document_Managers
Datatype:		Author Names
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		••
Farm.		
Form:		Automobile
Last Modification:		12/15/96 12:59:15 PM
Type:		Document
Window Title Formula:		SELECT "Automobile"
Include in Compose Menu:		No
Include in Query by Form:		Yes
Default Database Form:		No
Automatically Refresh Fields:		No
Mail New Documents When Saving: Store Form in Documents:		No
Inherit Default Field Values:		No
Updates Become Responses:		No
Retain Prior Versions As Responses:		No
Activate Objects When Composing:		No
Activate Objects When Editing:		No
Activate Objects When Reading:		No
Document Encryption Keys:		No
Composed Documents May Be Read By:		[None Assigned]
Form May Be Composed By:		All Users
Field:		All Users
Datatype:		Ins_Policy
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Policy
Datatype:		Ins_Policy_From
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
		Disabled

	- 24 -	0.1-
Update Requires Editor Access:	- 24 -	No
Default Value Formula:		Policy_Period_From
Field:		ins Policy To
		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:	•	Editable
		No
Sign When Mailing/In Section:		
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
		Ins_Claim_Number
Field:		
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
		No
Sign When Mailing/In Section:		
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editab <del>le</del>
Sign When Mailing/In Section:		No
		Disabled
Encryption:		
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		FName
		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Address
Datatype:		Text
Help Description:		[Not Assigned]
•		Editable
Field Type:		
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence Made
Field:		City
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
		Disabled
Encryption:		<del></del>
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		State
		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
ели урлоп.		

	_	25	_	
Update Requires Editor Access:				No
Default Value Formula:				Occurence_Made
Field:				Zip
Datatype:				Text .
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Occurence Made
Field:				Caption Caption
Datatype:				Text
Help Description:				
Field Type:				[Not Assigned]
Sign When Mailing/In Section:				Editable
Encryption:				No Disabled
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				Caption
				Jurisdiction
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Jurisdiction
Field:				Opposing_Counsel
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Opposing_Counsel
Field:				Opp_Counsel_Address
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Malling/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Insured_Address
Field:				Last Action
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				
Formula:				No Lost Astiss
Field:				Last_Action
Datatype:				TimesModified
Number Format:				Number
Percentage (value * 100)%:				General
Parentheses on Negative Numbers:				No
				No
Punctuated at Thousands:				No

The number of times that the

- 26 -

Help Description:

document has been modified Computed Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No @If(@IsNewDoc; 0; Formula: TimesModified != ""; TimesModified + @IsDocBeingSaved; 0); **PastAuthors** Field: Text Datatype: Input Multi-Value Separator(s): Semicolon Semicolon Display Multi-Value Separator: This field will track the past Help Description: authors Computed Field Type: Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** @V2If(@isDocBeingSaved; Formula: @V2If(TimesModified <= 0: @ProperCase(@Name(ICN]; @V3UserName)); PastAuthors: @Name([CN]; @V3UserName)); PastAuthors) **PastEditDates** Field: Text Datatype: Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator. Semicolon This field will track the past edit Help Description: dates Computed Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No @V2lf(@lsDocBeingSaved; Formula: @V2lf(TimesModified <= 0; @Text(@Now); PastEditDates: @Text(@Now)); PastEditDates) Field: Author Datatype: Text [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/in Section: Disabled Encryption: **Update Requires Editor Access:** No @ProperCase(@Name([CN]; Formula: @V3UserName)) Field: Created Datatype: Time 04/11/97 01:28:53 PM Time Format: [Not Assigned] Help Description: Field Type: Computed when composed Sign When Mailing/In Section: No Disabled **Encryption:** 

Update Requires Editor Access: Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Formula:	- 27 -	No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified :=
Field: Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Formula:		0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2lf(@IsNew Doc; " "; @V2lf(y >= 0; @Text(x - 1) + " "; " ")) A1 Text [Not Assigned] Computed for display No Disabled No @V2lf(@IsNewDoc; " ";
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		@ProperCase(@Subset(@Subset(@Subset(PastAuthors; -1); 1))) D1 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat
Field: Datatype: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Formula:		es; -1); 1); "")) E2 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; "";
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:		@V2lf(X - 1 >= 0; @Text(x - 1) + "."; ")) A2 Text [Not Assigned] Computed for display No Disabled

set(PastAuthors; -2); 1)); " ")	Sub )
Field: D2	
Datatype: 16xt	
Heln Description: [Not Assigned]	
Field Type: Computed for display	
Sign William Maining III Section.	
Encryption.	
Update Requires Editor Access.	
Formula: @VZII(@isiteWb00;	
@Subset(@Subset(PastEdi	Dat
es; -2); 1); " "))	
Field: E3	
Datatype: Text	
Help Description: [Not Assigned]	
Field Type: Computed for display	
Sign When Mailing/In Section:	
Encryption: Disabled	
Update Requires Editor Access:  DEFAULT PastAuthors :=	
Formula: DEFAULT TimesModified	:22
0;X := @Elements(PastAuti	
- 2;@V2If(@IsNewDoc; " ";	
@V2If(X-1) = 0; $@Text(X)$	- 1)
+ "."; * "))	
Field: A3	
Datatype: Text	
Help Description: [Not Assigned]	
Field Type: Computed for display	
Sign When Mailing/In Section:  No Disabled	
Encryption.	
Update Requires Editor Access:  Formula:  No  @V2If(@IsNewDoc; * ";	
@V2If(TimesModified >= 2	)• ••
@ProperCase(@Subset(@	)Sub
set(PastAuthors; -3); 1)); "	ን)
Field: D3	
Datatype: Text	
Help Description: [Not Assigned] Field Type: Computed for display	
i idig i ypo.	
Sign variety maining in Countries	
Encryption: District Update Requires Editor Access: No	
Opulie Requires Editor Access.	
	2;
@V2If(TimesModified >= 1	ditDat
@V2If(TimesModified >= : @Subset(@Subset(PastE	_,
@V2lf(TimesModified >= : @Subset(@Subset(PastE) es; -3); 1); " "))	
@V2lf(TimesModified >= : @Subset(@Subset(PastE) es; -3); 1); " ")) Field:	_,,,,,,,,,,,
@V2lf(TimesModified >= : @Subset(@Subset(PastE es; -3); 1); " "))  Field: Datatype: Text	
Field:  Datatype: Help Description:  @V2lf(TimesModified >= : @Subset(@Subset(PastE) es; -3); 1); " "))  E4 Text [Not Assigned]	
@V2lf(TimesModified >= : @Subset(@Subset(PastE es; -3); 1); " "))  Field: Datatype: Text	

Encryption: - 29 -	
Update Requires Editor Access:	Disabled
Formula:	No
7 Official.	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
•	0;X := @Elements(PastAuthors) - 3;@V2If(@IsNewDoc; " ":
	@V2lf(X - 1 >= 0; @Text(x - 1)
Field:	+ "."; " ")) A4
Datatype:	
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
	@V2If(@IsNewDoc; " ";
	@V2lf(TimesModified >= 3;
	@ProperCase(@Subset(@Sub
Field;	set(PastAuthors; -4); 1)); " "))
Datatype:	D4
Help Description:	Text
Field Type:	(Not Assigned)
Sign When Mailing/in Section:	Computed for display
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
i offiting.	@V2if(@isNewDoc; " ";
	@V2If(TimesModified >= 3;
	@Subset(@Subset(PastEditDat
Field:	es; -4); 1); " "))
	E5 "
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Formula:	No
romula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 4;@V2lf(@lsNewDoc; " ":
	@V2 f(X-1)=0; @Text(x-1)
Field:	+ " "; " "))
	A5 "
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ":
	@V2If(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
Field	set(PastAuthors; -5); 1)); " "))
Field:	D5
Datatype:	Text
	• • • • • • • • • • • • • • • • • • • •

Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	-	30	-	[Not Assigned] Computed for display No Disabled No
Formula:				@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @Subset(@Subset(PastEditDat es; -5); 1); " ")) Status
Field:				Text
Datatype:				[Not Assigned]
Help Description:				Computed when composed
Field Type:				No
Sign When Mailing/In Section:				Disabled
Encryption:				No
Update Requires Editor Access:				*0*
Formula:				Date_Closed
Field:				Time
Datatype: Time Format:				04/11/97 01:28:53 PM
Help Description:				[Not Assigned]
Field Type:				Computed when composed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Formula:				-
Field:				Closed_By
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Computed when composed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Formula:				ID Claim
Field:				ID_Claim
Datatype:				Text [Not Assigned]
Help Description:				Editable
Field Type:				No
Sign When Mailing/In Section:				Disabled
Encryption:				No
Update Requires Editor Access	•			ID_Case
Field: Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access	:			No
Field:				ID_Budget
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/in Section:				No
Encryption:				Disabled
Update Requires Editor Acces	S:			No
Field:				Contact_Name

- 31 -Datatype: Text Help Description: [Not Assigned] Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: @If(LName != " & FName != ""; LName + ", " + FName: LName = ""; FName; LName) Field: Document\_Author Datatype: **Author Names** Input Multi-Value Separator(s): Comma Display Multi-Value Separator. Comma Help Description: [Not Assigned] Field Type: Computed when composed Sign When Malling/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName):Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @if(@isError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\* @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := QIf(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @lf(Direction = "Remote"; View1; View2);Key := Olf(Direction = "Remote": Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; 2);

Document\_Editors

**Author Names** 

Field:

Datatype:

Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	- 32 -	Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled
Update Requires Editor Access:		No 
Encryption:		Disabled No
		"Server"; "NoAccess"); View :=

**Encryption:** 

- 33 -@lf(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote": Key1; Key2):@DbLookup(ClassCache ; Server : Database; View; Key: Field: Ins\_Company Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/in Section: No Encryption: Disabled **Update Requires Editor Access:** Nο Default Value Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := Dif(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); Field: Ins Contact Datatype: Text Help Description: [Not Assigned] Field Type: Computed Sign When Mailing/In Section:

No

Disabled

- 34 -No Update Requires Editor Access: @ProperCase(@Name([CN]; Formula: @V3UserName)); Ins\_Contact\_Phone Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/in Section: Disabled Encryption: No Update Requires Editor Access: DBName := Default Value Formula: @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\");Database := @If(path = "; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess");View := @If(Direction = "Remote"; View1; View2):Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Phone"): **ScratchHist** Field: Text Datatype: [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access:

Form:

Formula:

Environment

Last Modification: + 35 -	4044500 40 50 50 50
Last modification.	12/15/96 12:59:59 PM
Type:	Document
. Window Title Formula:	SELECT "Environment"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	• • •
Inherit Default Field Values:	No
·····	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	<u> </u>
Update Requires Editor Access:	Disabled
Default Value Formula:	No Della
Field:	Policy
Datatype:	Ins_Policy_From
Help Description:	Text
_ ' . '	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No District
Jhnau.	Disabled

	- 36 -	
Update Requires Editor Access:	30	No
Default Value Formula:		Occurence_Made
Field:		FName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
		Occurence_Made
Field:		Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		City
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence Made
Field:		State
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		
Encryption:		No Disabled
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
		Zip
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Caption
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Caption
Field:		Jurisdiction
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		• • •
		Disabled

Update Requires Editor Access:	-	37	-	No
Default Value Formula:				Jurisdiction
. Field:				Opposing Counse!
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Opposing_Counsel
Field:				Opp_Counsel_Address
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Insured_Address
.Field:				Last Action
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Formula:				Last_Action
Field:				TimesModified
Datatype:				Number
Number Format:				General
Percentage (value * 100)%:				No
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
Help Description:				The number of times that the
				document has been modified
Field Type:				Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Formula:				@lf(@lsNewDoc; 0;
				TimesModified != **:
				TimesModified +
Ciald.				@lsDocBeingSaved; 0);
Field:				PastAuthors
Datatype:				Text
Input Multi-Value Separator(s):				Semicolon
Display Multi-Value Separator:				Semicolon
Help Description:				This field will track the past
Field Type.				authors
Field Type:				Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access: Formula:				No
romula.				@V2If(@IsDocBeingSaved;
				@V2If(TimesModified <= 0;
				@ProperCase(@Name(ICNI:
				@V3UserName)); PastAuthors :

- 38 -	@Name([CN];
	@V3UserName)); PastAuthors)
Field:	PastEditDates
Datatype:	Text .
input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past edit
110.0000.000.000.0000.0000.0000.0000.0000.0000	dates
Field Type:	Computed
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsDocBeingSaved;
Pomula.	@V2If(TimesModified <= 0;
	@Text(@Now); PastEditDates:
	@Text(@Now)); PastEditDates)
Flaids	Author
Field:	Text
Datatype:	[Not Assigned]
Help Description:	Computed when composed
Field Type:	No.
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	@ProperCase(@Name([CN];
Formula:	@V3UserName))
	Created
Field:	
Datatype:	Time 04/11/97 01:28:53 PM
Time Format:	
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@Now
Field:	E1
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
( Citivata.	0:DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 0;y := x -
	TimesModified;@V2lf(@IsNew
	Doc; " "; @V2If(y >= 0;
	@Text(x - 1) + "."; ""))
F1 ald.	A1
Field:	Text
Datatype:	[Not Assigned]
Help Description:	Computed for display
Field Type:	No No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	% @V2lf(@lsNewDoc; " ";
Formula:	MASHIMBHAMPOC.

<b>-</b> 39 <b>-</b>	@ProperCase(@Subset(@Sub
Plate.	set(PastAuthors; -1); 1)))
Field:	D1
Datatype:	Text
Help Description: Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No.
Update Requires Editor Access:	Disabled
Formula:	No .
	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 0;
	@Subset(@Subset(PastEditDates; -1); 1); " "))
Field:	E2
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Formula:	No
roilliula.	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 1;@V2lf(@lsNewDoc; * ";
	@V2If(X-1)=0; @Text(x-1)
Field:	+ "."; " ")) A2
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Formula:	No
· omea.	@V2lf(@lsNewDoc; " ";
	@V2If(TimesModified >= 1;
	@ProperCase(@Subset(@Sub
Field:	set(PastAuthors; -2); 1)); " ")) D2
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Formula:	No
r omigia.	@V2lf(@lsNewDoc; * *;
	@V2If(TimesModified >= 1;
	@Subset(@Subset(PastEditDat
Field:	es; -2); 1); " "))
Datatype:	E3
Help Description:	Text [Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=

- 40 -	0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 2;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))
	A3
Field:	Text
Datatype: Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; * *; @V2If(TimesModified >= 2; @ProperCase(@Subset(@Sub set(PastAuthors; -3); 1)); * *))
Field:	D3
Datatype:	Text [Not Assigned]
Help Description:	Computed for display
Field Type: Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2!f(@lsNewDoc; " "; @V2!f(TimesModified >= 2; @Subset(@Subset(PastEditDat es; -3); 1); " "))
Field:	E4 Text
Datatype:	[Not Assigned]
Help Description:	Computed for display
Field Type: Sign When Mailing/In Section:	No.
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 3;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))
Field:	A4 "
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " "; @V2If(TimesModIfied >= 3; @ProperCase(@Subset(@S
Field:	<b>D4</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display No
Sign When Mailing/In Section:	140

Encryption:	- 41 -	Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; " ";
		@V2lf(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
<b>27.1</b> 4		es; -4); 1); " "))
Field:		E5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section: Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
Totthola.		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 4;@V2if(@isNewDoc; " ";
		@V2if(X-1>=0; @Text(x-1)
Field:		+ "."; " ")) A5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No.
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; * ";
		@V2if(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
Field.		set(PastAuthors; -5); 1)); " "))
Field:		D5
Datatype: Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No ONDERGO LANDON DO LA TRA
		@V2If(@IsNewDoc; * ";
		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDates; -5); 1); " "))
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Malling/In Section:		No
Encryption: Update Requires Editor Access:		Disabled
Formula:		No
Field:		<b>"0"</b>
Datatype:		Date_Closed
Time Format:		Time
Help Description:		04/11/97 01:28:53 PM
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No Displace
		Disabled

WO 97/41524 - 42 -

No Update Requires Editor Access: Formula: Closed By . Field: Text Datatype: [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/in Section: No **Disabled** Encryption: No Update Requires Editor Access: Formula: ID\_Claim Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** Update Requires Editor Access: No ID Case Fleld: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No ID Budget Field: Text Datatype: [Not Assigned] **Help Description:** Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No **Update Requires Editor Access:** Contact\_Name Field: Datatype: Text [Not Assigned] Help Description: Computed Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No @lf(LName != \*\*\* & FName != Formula: ; LName + ", " + FName; LName = ""; FName; LName) Document\_Author Field: **Author Names** Datatype: Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Malling/In Section: Disabled Encryption: No Update Requires Editor Access: Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e: -1); "\\");Database := @lf(path = "";

- 43 -

"ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 ;= @Name([Abbreviate]: @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*; @DbLookup(ClassCache; Server : Database; View1: Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); = @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @!f(Hit1 != "; "Remote"; Hit2 != "; "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := Off(Direction = "Remote"; Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; Document\_Editors **Author Names** Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Readers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Managers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed

"ITPLAYER.NSF"; path + "\\" +

Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Heip Description: Field Type: Sign When Mailing/In Section: Encryption: **Update Requires Editor Access:** Formula: Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype: input Multi-Value Separator(s): Display Multi-Value Separator: Help Description:

Field Type:

- 44 -

Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:

Field:

Datatype: Help Description: Field Type:

Sign When Mailing/in Section:

Encryption:

Update Requires Editor Access:

Default Value Formula:

Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @If(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName);Hit1 := @If(@lsError(@Dbl.ookup(Clas sCache; Server : Database; View1; Key1; 1)); "" @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @if(Hit1 |= ""; "Remote"; Hit2 != "" "Server"; "NaAccess"); View := @If(Direction = "Remote"; View1; View2):Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; Ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e: -1); "\\");Database := @lf(path = \*\*\*; "TTPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := \*Remote\_View\*;Key1 :=

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Help Description:

Help Description:

- 45 -@Name([Abbreviate]: @V3UserName):View2 := "Server\_View";Key2 := @Name([O]; QV3UserName):Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ™; @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @lf(Hlt1 != ""; "Remote"; Hit2 != ""; "Server": "NoAccess"): View := @lf(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); Ins Contact Text (Not Assigned) Computed Sign When Mailing/In Section: No Disabled **Update Requires Editor Access:** No @ProperCase(@Name([CN]; @V3UserName)); Ins\_Contact\_Phone Text [Not Assigned] Editable Sign When Mailing/In Section: No Disabled **Update Requires Editor Access:** No Default Value Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = "; "ITPLAYER.NSF": peth + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 :=

> @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 :=

@Name(IO1:

Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	@V3UserName);Hit1 := @lf(@lsError(@DbLookup(ClassCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hlt2 := @lf(@lsError(@DbLookup(ClassCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess");View := @lf(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache; Server : Database; View; Key; "Phone"); ScratchHist Text [Not Assigned] Computed when composed No Disabled
Update Requires Editor Access:	No
Formula:	<del></del>
Form:	Excess
Last Modification:	12/15/96 01:01:11 PM
Type:	Document
Window Title Formula:	SELECT "Excess"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mall New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled

	- 47 -	
Update Requires Editor Access:	• .	No
Default Value Formula:		Policy
Field:		Ins_Policy_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_From
Field:		ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
Field:		Ins_Claim_Number
Datatype:		Text
Heip Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		Claim
Datatype:		LName
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
Datatype:		FName
Help Description:		Text
Field Type:		[Not Assigned] Editable
Sign When Mailing/In Section:		No No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Fleid:		Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		City
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled

Field:

Datatype:

Field Type:

Encryption:

Help Description:

Sign When Mailing/In Section:

Insured\_Address

Last\_Action

Computed

Disabled

[Not Assigned]

**Text** 

Nο

WO 97/41524 48 -Update Requires Editor Access: No Default Value Formula: Occurence\_Made State Field: Text Datatype: Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Occurence Made Field: Zip Text Datatype: Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/in Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Occurence\_Made Field: Caption Datatype: Text Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Caption Jurisdiction Field: Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Default Value Formula: Jurisdiction Field: Opposing Counsel Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Opposing Counsel Field: Opp\_Counsel\_Address Datatype: Text Help Description: (Not Assigned) Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula:

@ProperCase(@Name([CN];

- 49 -

**Update Requires Editor Access:** No Formula: Last Action Field: **TimesModified** Datatype: Number Number Format: General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: The number of times that the document has been modified Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @lf(@lsNewDoc; 0: TimesModified != \*\*\* TimesModified + @IsDocBeingSaved; 0); Field: **PastAuthors** Datatype: Text input Mutti-Value Separator(s): Semicolon Display Multi-Value Separator: Semicolon Help Description: This field will track the past authors Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Formula: @V2lf(@lsDocBeingSaved: @V2If(TimesModified <= 0: @ProperCase(@Name([CN]; @V3UserName)); PastAuthors: @Name([CN]; @V3UserName)); PastAuthors) Field: **PastEditDates** Datatype: Text Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: Semicolon Help Description: This field will track the past edit dates Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Formula: @V2If(@IsDocBeingSaved: @V2If(TimesModified <= 0: @Text(@Now); PastEditDates : @Text(@Now)); PastEditDates) Field: **Author** Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: Encryption: Disabled Update Requires Editor Access: No Formula:

- 50 -	@V3UserName))
Field:	Created
Datatype:	Time
Time Format:	04/11/97 01:28:53 PM .
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@Now
Field:	E1 .
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No Disabled
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors := 0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 0;y := x -
	TimesModified;@V2lf(@lsNew
	Doc; " "; @V2If(y >= 0;
	@Text(x - 1) + "."; " "))
Claid.	A1
Field:	Text
Datatype: Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2lf(@lsNewDoc; " ";
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -1); 1)))
Field:	D1
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat
	es; -1); 1); ""))
	65,-1), 1), )) E2
Field:	Text
Datatype:	[Not Assigned]
Help Description: Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
, yiiida.	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors
	- 1;@V2lf(@lsNewDoc; " ";

- 5		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; " "))
, Field:		A2 .
Datatype:		Text .
Help Description:		[Not Assigned]
Field Type:	•	Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:	1	No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -2); 1)); " "))
Field:	1	D2
Datatype:	•	Text
Help Description:		[Not Assigned]
Field Type:	1	Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; * ";
		@V2If(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
		es; -2); 1); " "))
Field:		E3 "
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
	1	0;DEFAULT TimesModified :=
	1	0;X := @Elements(PastAuthors)
		- 2;@V2lf(@lsNewDoc; * *;
		@V2lf(X - 1) = 0; @Text(x - 1)
		+ "."; " "))
Field:		A3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 2;
		@ProperCase(@Subset(@Sub
Plata.		set(PastAuthors; -3); 1)); ""))
Field:		D3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; " ";

<del>-</del> 52 -	@V2II(TimesModified >= 2;
	@Subset(@Subset(PastEditDat
Field:	es; -3); 1); * "))
Datatype:	E4
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 3;@V2!f(@IsNewDoc; " ";
	@V2If(X - 1 >= 0; @Text(x - 1)
	+ "."; " "))
Field:	AA "
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2lf(TimesModified >= 3;
	@ProperCase(@Subset(@Sub
Field:	set(PastAuthors; -4); 1)); ""))
Datatype:	D4 Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 3;
	@Subset(@Subset(PastEditDat
Plata	es; -4); 1); " "))
Fleid:	E5
Datatype:	Text
Help Description: Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No Disabled
Update Requires Editor Access:	Disabled No
Formula:	DEFAULT PastAuthors :=
, <del></del>	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 4;@V2lf(@lsNewDoc; * *:
•	@V2If(X-1)=0; @Text(x-1)
	+ "."; " "))
Field:	A5 "
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No

- 53 -	
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	
	@V2lf(@lsNewDoc; * ";
	@V2If(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
Field:	set(PastAuthors; -5); 1)); * "))
· · · · · · · ·	<b>D5</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2lf(TimesModified >= 4;
	Weilpoot/Weilpoot/Octation -
	@Subset(@Subset(PastEditDat
Field:	es; -5); 1); " ")) Status
Datatype:	
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	*0*
Datatype:	Date_Closed
Time Format:	Time
Help Description:	04/11/97 01:28:53 PM
Field Type:	[Not Assigned]
Sign When Mailing/in Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Field:	•
Datatype:	Closed_By
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
Encryption:	No
	Disabled
Update Requires Editor Access: Formula:	No
Field:	-
_	ID_Cleim
Datatype: Help Description:	Text
Field:Type:	[Not Assigned]
	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
	170

- 54 -

-	54 -	
Field:	31	ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
· _		Editable .
Field Type:		No
Sign When Mailing/In Section:	•	Disabled
Encryption:		No
Update Requires Editor Access:		
Field:		Contact_Name
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@lf(LName != ™ & FName !=
rumuia.		"; LName + ", " + FName;
		LName = "; FName; LName)
		Document_Author
Field:		Author Names
Datatype:		
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access		No
Formula:		DBName :=
i dittale.		@Text(@DbName);Server :=
		@Subset(DBName; 1);Path :=
		@LeftBack(@Subset(@DbNam
		e; -1); "\");Database :=
		@lf(path = ";
		"ITPLAYER.NSF"; path + "\" +
		"ITPLAYER.NSF");ClassCache
		:= "Notes" : "NoCache"; View1 :=
		"Remote_View";Key1 :=
		@Name([Abbreviate];
		@V3UserName);View2 :=
		"Server_Viow";Key2 :=
		@Name([O];
		@V3UserName);Hit1 :=
		@H(@IsError(@DbLookup(Clas
		sCache; Server : Database;
		View1; Key1; 1)); "";
		@DbLookup(ClassCache;
		Server : Database; View1;
		Key1; 1));Hit2 :=
		@ff(@isError(@DbLookup(Clas
		sCache; Server : Database;
		View2; Key2; 1)); **;
•		@DbLookup(ClassCache;
		Server : Database; View2;
		Key2; 1));Direction := @lf(Hit1
		Nays, 1)),Dracton Wil(rat)
		!= ""; "Remote"; Hit2 != "";
		"Server"; "NoAccess"); View :=
		Otf(Direction = "Remote";

- 55 -	View1; View2);Key :=
	@lf(Direction = "Remote":
	Key1;
	Key2);@DbLookup(ClassCach
	; Server : Database; View; Key
Field:	2);
_	Document_Editors
Datatype:	Author Names
input Multi-Value Separator(s):	Comma, Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	140
ield:	Bara
Datatype:	Document_Readers
Input Multi-Value Separator(s):	Reader Names
Circles Mustr-Value Separator(S):	Comma, Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	an .
ield:	Document_Managers
Datatype:	Reader Names
Input Multi-Value Separator(s):	
Display Multi-Value Separator:	Comma, Semicolon
Help Description:	Semicolon
Field Type:	[Not Assigned]
Sign When Mailing/in Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
romua.	DBName :=
	@Text(@DbName);Server :=
	@Subset(DBName; 1);Path :=
	@LeftBack(@Subset(@DbNam
	e; -1); "\");Database :=
	Qif(path = "";
	"ITPLAYER.NSF"; path + "\\" +
	"ITPLAYER.NSF");ClassCache
	:= "Notes" : "NoCache"; View1 :=
	"Remote_View";Key1 :=
•	@Name([Abbreviate];
	@V3UserName);View2 :=
	"Server_View";Key2 :=
	@Name([O];
•	@V3UserName);Hit1 :=
	@if(@isError(@DbLookup(Clas
	sCache; Server : Database;
	Mand: Mand: 422 ==
	View1; Key1; 1)); ***;
	@DbLookup(ClassCache;
	Server : Database; View1;
	Key1; 1));Hit2 :=

- 56 -

@lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); "; @Dbl.ookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 != "; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @lf(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; Ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subsel(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\");Database := @lf(path = "": "TPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); " @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 |= ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache

Field:

Datatype:
Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Undate Requires Editor Access:

Default Value Formula:

Datatype:

- 57 -; Server : Database; View; Key; "Company\_Name"); Field: Ins\_Contact Datatype: Text Help Description: [Not Assigned] Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @ProperCase(@Name([CN]; @V3UserName)); Field: Ins\_Contact\_Phone Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @lf(path = ": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName);Hit1 := @ff(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*\*; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key: "Phone"): Field: **ScratchHist** 

Text

- 58 -

[Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Formula: Form: General Liability - Damages -Shared 11/02/96 02:58:18 PM Last Modification: Document Type: Include in Compose Menu: No Include in Query by Form: Yes Default Database Form: No **Automatically Refresh Fields:** No Mail New Documents When Saving: No Store Form In Documents: No Inherit Default Field Values: No Updates Become Responses: No Retain Prior Versions As Responses: No **Activate Objects When Composing:** No Activate Objects When Editing: No Activate Objects When Reading: No **Document Encryption Keys:** [None Assigned] All Users Composed Documents May Be Read By: Form May Be Composed By: All Users Field: **Property Description** Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula: Field: Property\_Estimate Datatype: Number Number Format: Currency (2 Decimal Places) Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Property\_Seen\_Location Datatype: Text Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Field: Property\_Seen

Keywords

Datatype:

	- 59 -	
input Multi-Value Separator(s):	3,7	Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Property Seen? Y
Sign When Mailing/In Section:		No Property Seeming
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No L
Field:		Description Comm. Darks
Datatype:		Property_Seen_Date
Time Format:		Time
Help Description:		04/11/97
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
Datatype:		Witness_Name
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		***
Datatype:		Witness_Address
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Fleid:		
Datatype:		Witness_Phone
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
Datatype:		Reported_To
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
Datatype:		Date_Reported
Time Format:		Time
Help Description:		04/11/97
Field Type:		[Not Assigned]
i lore Type.		Editable

- 60 -	
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	<u> </u>
Field:	Reinsurer_Notified
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator.	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Excess/Reinsurer Notified?[Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	***
Field:	Reinsurer_Notifed_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Fleid Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Form:	General Liability - Details -
Tom.	Shared
Last Modification:	11/03/96 01:40:59 PM
Type:	Document
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Claiment
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•••
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
• • • • • • • • • • • • • • • • • • •	

	_	61	1	_	_
Help Description:		0.1		_	[Not Assigned]
Field Type:					Editable
Sign When Mailing/In Section:					No
Encryption:					Disabled
Update Requires Editor Access:					
Default Value Formula:					No
Field:					
Datatype:					Loss_Location
Help Description:					Text
Field Type:					[Not Assigned]
Sign When Mailing/In Section:					Editable
Encryption:					No
					Disabled
Update Requires Editor Access:					No
Default Value Formula:					•
Field:					Alleged_Damages
Datatype:					Keywords
Help Description:					[Not Assigned]
Field Type:					Editable
Keyword User Interface:					Radio Buttons
Allowable Keywords:					Bodily Injury
					Property Damage
Sign When Mailing/In Section:					No
Encryption:					Disabled
Update Requires Editor Access:					No
Default Value Formula:					••
Field:					Fatality
Datatype:					Keywords
Input Multi-Value Separator(s):					Comma
Display Multi-Value Separator:					Comma
Help Description:					[Not Assigned]
Field Type:					Computed when composed
Keyword User Interface:					Check Boxes
Allowable Keywords:					Fatality? Y
Sign When Mailing/In Section:					No
Encryption:					Disabled
Update Requires Editor Access:					No No
Formula:					m 140
Field:					Date Of Death
Datatype:					Date_Of_Death Time
Time Format:					2 11 11 1
Help Description:					04/11/97
Field Type:					[Not Assigned]
Sign When Malling/In Section:					Editable
Encryption:					No
Update Requires Editor Access:					Disabled
Default Value Formula:					No
Field:					
Datatype:					<u>Claims_Facts</u>
Help Description:					Text
Field Type:					[Not Assigned]
Sign When Malling/In Section:					Editable
Encryption:					No
					Disabled
Update Requires Editor Access:					No
Default Value Formula: Field:					-
					Claim_In_Suit
Datatype:					Keywords

WO 97/41524

- 62 -

Input Multi-Value Separator(s): Comma Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Claim In Suit?[Y Allowable Keywords: No Sign When Mailing/In Section: Disabled Encryption: No **Undate Requires Editor Access:** Default Value Formula: Date\_Sult\_Filed Field: Time Datatype: 04/11/97 Time Format: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Default Value Formula: Date\_Suit\_Served Field: Time Datatype: 04/11/97 Time Format: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled **Encryption:** Update Requires Editor Access: No Default Value Formula: Liability Claimant\_Pct Field: Number Datatype: General Number Format: Yes Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Liability insured\_Pct Field: Number Datatype: General **Number Format:** Yes Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: Curr\_Reserve\_Loss Field: Text Datatype: (Not Assigned) Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled Encryption:

- 63 -	
Update Requires Editor Access:	No
Field:	
	Cum_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
form:	General Liability - Incident
	Shared
Last Modification:	11/03/96 01:40:13 PM
Type:	Document
Include in Compose Menu:	
Include in Query by Form:	No
Default Database Form:	Yes
Automatically Refresh Fields:	No
Mail New Documents Makes Coults	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	
Composed Documents May Be Read By:	[None Assigned]
Form May Be Composed By:	All Users
Field:	All Users
Datatype:	injury_Type
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	***
Field:	O_Cause
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	
Datatype:	Defense_MD
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•
Field:	Defence Event
Datatype:	Defense_Expert
Help Description:	Text
Field Type:	[Not Assigned]
i ioni Typo.	Editable

- 64 -

No Sign When Mailing/In Section: Disabled **Encryption:** No Update Requires Editor Access: Default Value Formula: Plaintiff MD Field: Number Datatype: General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled **Encryption:** Update Requires Editor Access: No Default Value Formula: Plaintiff\_Expert Flekt: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/in Section: No Disabled **Encryption: Update Requires Editor Access:** No Default Value Formula: Disc\_Int Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Display Multi-Value Separator: Comma [Not Assigned] Help Description: Editable Field Type: Keyword User Interface: Check Boxes Interrogatories?|Y Allowable Keywords: Sign When Mailing/In Section: No Disabled Encryption: Undate Requires Editor Access: No Default Value Formula: Disc\_Req Field: Keywords Datatype: Input Multi-Value Separator(s): Comma Display Multi-Value Separator. Comma [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Request for Prod. of Doc.|Y Allowable Keywords: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Default Value Formula: **Depositions** Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Display Multi-Value Separator: Comma [Not Assigned] Help Description: Editable Field Type: Keyword User Interface: Check Boxes Depositions Taken?|Y Allowable Keywords:

	_	65	_	
Sign When Mailing/In Section:		0,5		No
Encryption:				Disabled
<ul> <li>Update Requires Editor Access:</li> </ul>				No
Default Value Formula:				***
Field:				Casa Data
Datatype:	٠			Case_Date
Time Format:				Time
Help Description:				04/11/97
Field Type:				[Not Assigned]
Sign When Mailing/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				***
				Plaintiff_Demand
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Field:				Defense_Offer
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Field:				
Datatype:				Settlement_Value Text
Help Description:				
Field Type:				[Not Assigned] Editable
Sign When Mailing/In Section:				
Encryption:				No Disabled
Update Requires Editor Access:				Disabled
Field:				No Mondiet For
Datatype:				Verdict_From
Help Description:				Text
Field Type:				[Not Assigned]
Sign When Malling/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Field:				No
Datatype:				Verdict_To
Help Description:				Text
Field Type:				[Not Assigned]
Sign When Mailing/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Field:				No
Datatype:				Mediation
				Keywords
Input Multi-Value Separator(s):				Comma
Display Multi-Value Separator:				Comma
Help Description:				[Not Assigned]
Field Type:				Editable
Keyword User Interface:				Check Boxes
Allowable Keywords:				Mediation/Arbitration

- 66 <b>-</b>	Attempted? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No .
Default Value Formula:	
Field:	Defense_Pct
	Number
Datatype: Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Plaintiff_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Fleid:	Medical_Bills
Datatype:	Keywords
input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Medical Bills? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Lost_Wages
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Lost Wages? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Out_Of_Work_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No

<b>.</b>	- 67 -	
Default Value Formula:		-
Field:		Out_Of_Work_To
Datatype:		Text
Help Description: Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
Datatype:		WC_Eligible
input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable Chash Bassas
Allowable Keywords:		Check Boxes
Sign When Mailing/In Section:		Eligible for WC? Y
Encryption:		No Disabled
Update Requires Editor Access:		No No
Default Value Formula:		140
Field:		WC_Paid
Datatype:		Text
Help Description:		[Not Assigned]
Fleid Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		WC_Medical
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section: Encryption:		No
Update Requires Editor Access:		Disabled
Field:		No
Datatype:		WC_Indemnity
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
		No
Form:		General Liability - Policy
1		Shared
Last Modification:		11/01/96 04:36:25 PM
Type:		Document
Include in Compose Menu:		No
Include in Query by Form:		Yes
Default Database Form:		No
Automatically Refresh Fields:		No
Mall New Documents When Saving: Store Form In Documents:		No
Inherit Default Field Values:		No
Updates Become Responses:		No
Retain Prior Versions As Responses:		No
. Account the Actionolis We Meaboulses;		No

68 -

**Encryption:** 

No Activate Objects When Composing: No Activate Objects When Editing: Activate Objects When Reading: No [None Assigned] **Document Encryption Keys:** Composed Documents May Be Read By: All Users All Users -Form May Be Composed By: Claims\_Made Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator. [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Claims Made?|Y Allowable Keywords: Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Claims Made Default Value Formula: Retro Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Malling/In Section: Disabled Encryption: No Update Requires Editor Access: Retro Date Default Value Formula: PL\_Ext\_Period Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No **Undate Requires Editor Access:** PL Ext Period Default Value Formula: PL Agg Limit Field: Number Datatype: Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: PL\_Aggegrate\_Limit Default Value Formula: PL Prod\_Limit Field: Number Datatype: Currency (2 Decimal Places) **Number Format:** No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled

	_	69	 _	
Update Requires Editor Access:		U J		No
Default Value Formula:				PL_Prod_Limit
. Field:				PL_Personal_Limit
Datatype:				Number
Number Format:				Currency (2 Decimal Places)
Percentage (value * 100)%:				No
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Pt_Personal_Limit
Field:				PL_Each_Limit
Datatype:				Number
Number Format:				Currency (2 Decimal Places)
Percentage (value * 100)%:				No
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				PL_Each_Limit
• ••••				PL_Fire_Limit
Datatype:				Number
Number Format:				Currency (2 Decimal Places)
Percentage (value * 100)%:				No
Parentheses on Negative Numbers: Punctuated at Thousands:				No
Help Description:				No
Field Type:				[Not Assigned]
Sign When Malling/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				PL_Fire_Llmit
Datatype:				PL_Medical_Limit
Number Format:				Number
Percentage (value * 100)%:				Currency (2 Decimal Places)
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
Help Description:				No
Field Type:				[Not Assigned]
Sign When Mailing/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				PL_Medical_Limit
Datatype:				DED_Per
Number Format:				Number
Percentage (value * 100)%:				Currency (2 Decimal Places)
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
The state of the s				No

- 70 -(Not Assigned) Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No **DED Per** Default Value Formula: DED\_Aggregate Field: Number Datatype: **Currency (2 Decimal Places) Number Format:** No Percentage (value \* 100)%: Parentheses on Negative Numbers: No No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Undate Requires Editor Access: No **DED\_Aggregate** Default Value Formula: **DED** Retained Field: Number Datatype: Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: Parentheses on Negative Numbers: No No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No **DED\_Retained** Default Value Formula: Occurence\_Made Field: Keywords Datatype: Comma input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Allowable Keywords: Occurence Made?[Y Sign When Mailing/In Section: No Disabled **Encryption:** Update Requires Editor Access: No Occurence Made Default Value Formula: **Endorsements** Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: **Endorsements** Default Value Formula: **General Liability Completed** Form: Operations GL Complete Form Alias: 12/15/96 01:02:41 PM Last Modification:

Type:

Document

- 71 -Window Title Formula: SELECT "General Liability Claim - Completed Operations\* . Include in Compose Menu: No include in Query by Form: Yes Default Database Form: No Automatically Refresh Fields: No Mail New Documents When Saving: No Store Form in Documents: No Inherit Default Field Values: No **Updates Become Responses:** No Retain Prior Versions As Responses: No Activate Objects When Composing: No Activate Objects When Editing: No Activate Objects When Reading: No **Document Encryption Keys:** [None Assigned] Composed Documents May Be Read By: All Users Form May Be Composed By: All Users Field: ins Policy Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/in Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula: **Policy** Field: Ins\_Policy\_From Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Default Value Formula: Policy\_Period From Field: Ins\_Policy\_To Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula: Policy\_Period\_To Fleid: Ins\_Claim\_Number Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Claim Field: LName Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No

- 72 -Occurence\_Made Default Value Formula: **FName** Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: Occurence\_Made Default Value Formula: Address Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Occurence\_Made Default Value Formula: City Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Occurence\_Made Default Value Formula: State Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No **Update Requires Editor Access:** Occurence\_Made Default Value Formula: Zip Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: Occurence Made Default Value Formula: Caption Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Caption Default Value Formula: Jurisdiction Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled Encryption: No **Undate Requires Editor Access:** 

	_	73	_	
Default Value Formula:	_	13	_	Jurisdiction
Field:				Opposing Counsel
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:	•			No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Opposing_Counsel
Field:				Opp_Counsel_Address
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access: Default Value Formuta:				No
Field:				Insured_Address
Datatype:				Last_Action
Help Description:				Text
Field Type:				[Not Assigned]
Sign When Mailing/in Section:				Computed
Encryption:				No
Update Requires Editor Access:				Disabled
Formula:				No
Field:				Last_Action
Datatype:				TimesModified
Number Format:				Number
Percentage (value * 100)%:				General
Parentheses on Negative Numbers:				No
Punctuated at Thousands:				No
Help Description:				No The suppose of the sea to the sea
•				The number of times that the
Field Type:				document has been modified Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Formula:				@lf(@lsNewDoc; 0;
				TimesModified != **:
				TimesModified +
				@IsDocBeingSaved; 0);
Field:				PastAuthors
Datatype:				Text
input Multi-Value Separator(s):				Semicolon
Display Multi-Value Separator:				Semicolon
Help Description:				This field will track the past
Field Towns				authors
Field Type:				Computed
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access: Formula:				No
· Grinas.				@V2If(@IsDocBeingSaved;
				@V2If(TimesModified <= 0;
				@ProperCase(@Name(ICNI:
				@V3UserName)); PastAuthors :
				@Name([CN];
				· · · · · · · · · · · · · · · · · · ·

	74 -	@V3UserName)); PastAuthors)
Field:		PastEditDates
Datatype:		Text
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:	•	This field will track the past edit
•		dates
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0;
		<pre>@Text(@Now); PastEditDates : @Text(@Now)); PastEditDates)</pre>
Field:		Author
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@ProperCase(@Name([CN];
( Officia.		@V3UserName))
Field:		Created
Datatype:		Time
Time Format:		04/11/97 01:28:54 PM
Help Description:		[Not Assigned]
		Computed when composed
Field Type: Sign When Mailing/In Section:		No
		Disabled
Encryption:		No
Update Requires Editor Access: Formula:		@Now
		E1
Field:		Ξ'
Datatype:		Text
Help Description:		[Not Assigned] Computed for display
Field Type:		•
Sign When Mailing/In Section:		No Disabled
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0:DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0;
		@Text(x - 1) + "."; " "))
Fleid:		Ā1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@ProperCase(@Subset(@Sub

WO 97/41524

PCT/US97/07207

Field:	- 75 -	Set(PastAuthors; -1); 1)))
**		D1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:	•	No.
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
Torrida.		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
Field:		es; -1); 1); ""))
Datatype:		<b>E</b> 2
Help Description:		Text
Field Type:		[Not Assigned]
Sign Whon Maillead - 0		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		• • •
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 1;@V2lf(@lsNewDoc; " ":
		@V2lf(X-1)=0; @Text(x-1)
Plate		+ "."; " "))
Field:		A2 "
Datatype:		
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; * ":
		MANUTE CONTRACTOR
		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -2); 1)); " "))
Datatype:		D2 "
Help Description:		Text
Field Type:		[Not Assigned]
Cinc 145		Computed for display
Sign When Mailing/In Section:		No No
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
		@V2lf(@lsNewDoc; " ";
		@V2if(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
Field:		es; -2); 1); " "))
		E3 "
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access: Formula:		No
TVIIIUIA,		DEFAULT PastAuthors :=
		O-DEEALU Z T
		0;DEFAULT TimesModified :=

- 76 -	0;X := @Elements(PastAuthors) - 2;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))
Field:	A3
Datatype:	Text
Help Description:	[Not Assigned]
The state of the s	Computed for display
Field Type: Sign When Malling/In Section:	No
	Disabled
Encryption:	No
Update Requires Editor Access:	@V2if(@isNewDac; " ";
Formula:	@V2If(TimesModified >= 2;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -3); 1)); ""))
	The state of the s
Field:	D3
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/in Section:	No.
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2if(@IsNewDoc; * *;
	@V2If(TimesModified >= 2;
	@Subset(@Subset(PastEditDat
	es; -3); 1); " "))
Field:	<b>E4</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 3;@V2If(@IsNewDoc; " ";
	+ "."; " "))
Field:	<b>M</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 3;
	@ProperCase(@Subset(@Sub
•	set(PastAuthors; -4); 1)); " "))
Field:	D4
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled

	- 77 -	
Update Requires Editor Access:	- // -	No
Formula:		@V2If(@IsNewDoc; " ";
•		@V2If(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
		es; -4); 1); " "))
Field:	•	E5
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Computed for display No
Encryption:		
Update Requires Editor Access:		Disabled No
Formula:		• • • •
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		-4;@V2lf(@lsNewDoc; "";
		@V2If(X - 1 >= 0; @Text(x - 1) + "."; ""))
Field:		A5
Datatype:		Text
Help Description:		(Not Assigned)
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2if(@isNewDoc; * *;
		@V2If(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -5); 1)); " "))
Field:		D5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
romua;		@V2If(@IsNewDoc; " ":
		@V2lf(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
Field:		es; -5); 1); " "))
Datatype:		Status
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
Field:		<b>"0"</b>
Datatype:		Date_Closed
Time Format:		Time
Help Description:		04/11/97 01:28:54 PM
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No Disabled
Update Requires Editor Access:		Disabled No.
		No

<b>-</b> 78 -	<b></b>
Formula:	Closed_By
Field:	
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
	Disabled
Encryption:	No
Update Requires Editor Access:	÷-
Formula:	ID_Claim
Field:	
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Case
Datatype:	Text
	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	***
Field:	ID_Budget
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Contact_Name
	Text
Datatype: Help Description:	[Not Assigned]
	Computed
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	@if(LName != " & FName !=
Formula:	
	"; LName + ", " + FName;
	LName = "; FName; LName)
Field:	Document_Author
Datatype:	Author Names
input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
	Disabled
Encryption:	No
Update Requires Editor Access:	DBName :=
Formula:	@Text(@DbName);Server :≖
	WIGHIGHTON 41:044
	@Subset(DBName; 1);Path :=
	@LeftBack(@Subset(@DbNam
	e; -1); "\");Database :=
	@lf(path = **;
	"ITPLAYER.NSF"; path + "\\" +

Field:

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Help Description:

Help Description:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Help Description:

input Multi-Value Separator(s):

Display Multi-Value Separator.

Sign When Mailing/In Section:

Update Requires Editor Access:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

Update Requires Editor Access:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

- 79 -

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := \*Server\_View\*;Key2 := @Name([O]: @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ": @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @lf(@isError(@DbLookup(Clas sCache; Server : Database: Vlew2; Key2; 1)); "; @DbLookup(ClassCache; Server: Database: View2: Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @lf(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key: 2): Document\_Editors **Author Names** Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Readers Reader Names Comma, Semicolon Semicoton [Not Assigned] Computed when composed No Disabled No Document\_Managers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No

- 80 -

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

Undate Requires Editor Access:

Default Value Formula:

Disabled

No

DBName :=

@Text(@DbName);Server := @Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\"); Database :=

@lf(path = "":

"ITPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=

"Server\_View";Key2 :=

@Name([O]:

@V3UserName);Hit1 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View1; Key1; 1)); "";

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hlt2 :=

@lf(@lsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); ";

mDbLookup(ClassCache;

Server : Database; View2;

Key2; 1));Direction := @ff(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View :=

Off(Direction = "Remote";

View1; View2);Key :=

@lf(Direction = "Remote";

Key1;

Key2);@Dbl.ookup(ClassCache

; Server : Database; View; Key;

5);

Ins\_Company

Text

[Not Assigned]

Editable

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(path = \*\*;

"TTPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF"); ClassCache

:= "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

- 81 -

@V3UserName);View2 := "Server\_View";Key2 := @Name(IO): @V3UserName);Hit1 :=. @lf(@tsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); " @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); \*\*\* @DbLookup(ClassCache: Server : Database: View2: Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := Dif(Direction = "Remote": View1: View2):Kev := Off(Direction = "Remote": Key1: Key2);@DbLookup(ClassCache : Server : Database; View; Key; "Company\_Name"); ins Contact Text [Not Assigned] Computed No Disabled No @ProperCase(@Name([CN]; @V3UserName)); Ins\_Contact Phone Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName: 1):Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @lf(path = ": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]: @V3UserName);View2 := "Server\_View";Key2 := @Name(IO): @V3UserName);Hit1 :=

## Fleid:

Datatype:

Help Description:

Field Type:

Sign When Mailing/in Section:

**Encryption:** 

**Update Requires Editor Access:** 

Formula:

## Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

**Update Requires Editor Access:** 

Default Value Formula:

- 82 -

@lf(@lsError(@DbLookup(Clas

sCache: Server : Database:

View1; Key1; 1)); " @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); "" @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 != "; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := @lf(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote": Kev1: Key2);@DbLookup(ClassCache : Server : Database: View: Key: "Phone"): Claims\_Made Field: Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma [Not Assigned] Help Description: Field Type: Editable Keyword User Interface: **Check Boxes** Allowable Keywords: Claims Made?!Y Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Claims\_Made Field: Retro Text Datatype: **Help Description:** [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Retro\_Date PL\_Ext\_Period Field: Text Datatype: Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: PL\_Ext\_Period Field: PL\_Agg\_Limit Datatype: Number Currency (2 Decimal Places) Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned]

Field Type: - 83 -	<b>4</b> .414 . 4 4
Sign When Mailing/In Section:	Editable
Encryption:	No
	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggegrate_Limit
Field:	PL_Prod_Limit
Datatype:	Number
Number Format:	
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption;	No
	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Prod_Limit
Field:	PL_Personal_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	PL_Personal_Limit
Datatype:	PL_Each_Limit
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Mailing/in Section:	Editable
Encryption:	No
Indite Decision Editor A.	Disabled
Update Requires Editor Access: Default Value Formula:	No
	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	·
Field Type:	[Not Assigned] Editable
Sign When Mailing/In Section:	
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	PL_Fire_Limit
Datatype:	PL_Medical_Limit
Number Format:	Number
amisor i dilimit.	Currency (2 Decimal Places)

- 84 -Percentage (value \* 100)%: No No Parentheses on Negative Numbers: No **Punctuated at Thousands:** [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** No **Undate Requires Editor Access:** PL Medical\_Limit Default Value Formula: **DED Per** Field: Number Datatype: Currency (2 Decimal Places) **Number Format:** No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: DED\_Per Default Value Formula: DED\_Aggregate Field: Number Datatype: **Currency (2 Decimal Places)** Number Format: No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No DED\_Aggregate Default Value Formula: **DED** Retained Field: Number Datatype: Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: Parentheses on Negative Numbers: No No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: **DED** Retained Default Value Formula: Occurence Made Field: Keywords Datatype: Comma input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Occurence Made?!Y Allowable Keywords: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access:

	_	85		
Default Value Formula:		6.5	_	Occurence_Made
Field:				Endorsements
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/in Section:	٠			No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				Endorsements
Field:				Claimant
Datatype:				Text
Help Description:				[Not Assigned]
Field Type:				Editable
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula: Field:				***
				Loss_Date
Datatype: Time Format:				Time
Help Description:				04/11/97
Field Type:				[Not Assigned]
Sign When Mailing/in Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				
Datatype:				Loss_Location
Help Description:				Text
Field Type:				[Not Assigned]
Sign When Mailing/In Section:				Editable
Encryption:				No
Update Requires Editor Access:				Disabled
Default Value Formula:				No
Field:				Alleged Domeste
Datatype:				Alleged_Damages Keywords
Help Description:				[Not Assigned]
Field Type:				Editable
Keyword User Interface:				Radio Buttons
Allowable Keywords:				Bodily Injury
<b>6. 1.5 1. 1.</b>				Property Damage
Sign When Mailing/In Section:				No
Encryption:				Disabled
Update Requires Editor Access:				No
Default Value Formula:				•••
Datatype:				Fatality
				Keywords
Input Multi-Value Separator(s):				Comma
Display Multi-Value Separator: Help Description:				Comma
Field Type:				[Not Assigned]
Keyword User Interface:				Computed when composed
Allowable Keywords:				Check Boxes
Sign When Mailing/In Section:				Fatality?[Y
Encryption:				No
Update Requires Editor Access:				Disabled
-barro madanes Folia Vonges;				No

Formula:

- 86 -

Field:	Date_Of_Death
Datatype:	Time
Time Format:	04/11/97
Heip Description:	[Not Assigned]
Field Type:	Editab <del>le</del>
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	<b>a</b> a
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Ciaim_in_Sult
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Aliowabie Keywords:	Claim in Suit? Y
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•••
Field:	Date_Suit_Filed
Datatype:	Time
Time Format:	04/11/97
Heip Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•••
Field:	Date_Suit_Served
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	
Field:	Liability_Claimant_Po
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Tune:	Editable

Sign When Mailing/In Section: - 87 -	
Cight Wilch MidMightt Coccott.	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Liability_insured_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Loss
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Curr_Reserve_Exp
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Field:	No
· · · · ·	Property_Description
Datatype:	Text
Help Description: Field Type:	[Not Assigned]
Gian Mana Malling de Const	Editable
Sign When Mailing/In Section: Encryption:	No
	Disabled
Update Requires Editor Access: Default Value Formula:	No
Field:	
Datatype:	Property_Estimate
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
Field Type:	[Not Assigned]
Sign When Malling/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formule:	No
Field:	-
Datatype:	Property_Seen_Location
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Malling/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No

WO 97/41524 - 88 -Property\_Seen Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Property Seen?|Y Allowable Keywords: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Default Value Formula: Property\_Seen\_Date Field: Time Datatype: 04/11/97 Time Format: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Undate Requires Editor Access: Default Value Formula: Witness\_Name Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No **Update Requires Editor Access:** Default Value Formula: Witness Address Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption: Update Requires Editor Access:** No Default Value Formula: Witness\_Phone Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Reported\_To Field: Text Datatype: Help Description: [Not Assigned] Editable

Field Type:

Sign When Malling/In Section: Encryption:

Update Requires Editor Access: Default Value Formula:

Field: Datatype: Time Format: Date\_Reported

Time 04/11/97

No Disabled

No

	- 89	_
Help Description:	•	[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No .
Encryption:		Disabled .
Update Requires Editor Access:		No
Default Value Formula:	•	•••
Field:		Reinsurer_Notified
Datatype:		Keywords
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Excess/Reinsurer Notified?
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Reinsurer_Notifed_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		<u>injury_Type</u>
Datatype:		Text
Help Description:		[Not Assigned]
Field Type: Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
Datatype:		O_Cause
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Editable
Encryption:		No Disabled
Undate Requires Editor Access		Disabled
Default Value Formula:		No
Field:		Defense MD
Datatype:		Defense_MD Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		40
Field:		Defence Event
Datatype:		Defense_Expert Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable No

- 90 -

Encryption: Disabled **Undate Requires Editor Access:** No Default Value Formula: Field: Plaintiff\_MD Datatype: Number **Number Format:** General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Plaintiff\_Expert Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Disc Int Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Editable Keyword User Interface: **Check Boxes** Allowable Keywords: Interrogatories?!Y Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Disc\_Req Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Editable Keyword User Interface: **Check Boxes** Allowable Keywords: Request for Prod. of Doc.|Y Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Depositions Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma **Help Description:** [Not Assigned] Field Type: Editable Keyword User Interface: Check Boxes Allowable Keywords: Depositions Taken?[Y

No

Sign When Mailing/In Section:

Encryption:	91	Disabled
Update Requires Editor Access:		No
Default Value Formula:		<b>ne</b>
Field:		Case_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		140
Field:		District Demand
Datatype:		Plaintiff_Demand
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
		No
Encryption:		Disabled
Update Requires Editor Access: Field:		No
-		Defense_Offer
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Settlement_Value
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Verdict_From
Datatype:		Text:
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Verdict_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Mediation
Datatype:		
Input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
Allowable Naywolds:		Mediation/Arbitration
		Attempted? Y

	92	
Sign When Mailing/In Section:	/	No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Defense_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Plaintiff_Pct
Datatype:		Number
Number Formst:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Medical_Bills
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Medical Bills? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Lost_Wages
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Lost Wages? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Out_Of_Work_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		•

Flate: 93	
Field: 75	Out_Of_Work_To
Datatype:	Text
. Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•••
Field:	WC_Eligible
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Eligible for WC7 Y
Sign When Mailing/In Section: Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	•
Datatype:	WC_Paid
Halp Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	WC_Medical
Help Description:	Text
Field Type:	[Not Assigned] Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	WC_Indemnity
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/in Section: Encryption:	No
	Disabled
Update Requires Editor Access:	No
	•
Form:	General Linksite.
	General Liability
Form Alias:	Construction Defect GL_Construct
Last Modification:	12/15/96 01:03:24 PM
Type:	Document
Window Title Formula:	
	SELECT "General Liability

	94	Claim - Construction Defect®
Include in Compose Menu:	•	No
Include in Query by Form:		Yes
Default Database Form:		No .
Automatically Refresh Fields:		No
Mail New Documents When Saving:		No
Store Form in Documents:		No
Inherit Default Field Values:		No
Updates Become Responses:		No
Retain Prior Versions As Responses:		No
Activate Objects When Composing:		No
Activate Objects When Editing:		No
Activate Objects When Reading:		No
Document Encryption Keys:		[None Assigned]
Composed Documents May Be Read By		All Users
Form May Be Composed By:		All Users
Field:		Ins_Policy
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy
Field:		Ins_Policy_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Default Value Formula:		Policy_Period_From
Field:		Ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No Disabled
Encryption:		No
Update Requires Editor Access:		Policy_Period_To
Default Value Formula:		Ins_Claim_Number
Field:		Text
Datatype:		[Not Assigned]
Help Description:		Editable
Field Type: Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Paidair Asiso I silling.		

	a	
Field:	95	FName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Occurence_Made
Datatype:		Address
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
Datatype:		City
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		State
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Zip
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Default Value Formula:		• • •
Field:		Occurence_Made
Datatype:		Caption
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Caption
Datatype:		Jurisdiction
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Jurisdiction

Field:	96	Opposing_Counsel
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Opposing_Counsel
		Opp_Counsel_Address
Field:		Text
Datatype:		[Not Assigned]
Help Description:		Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		
Update Requires Editor Access:		No
Default Value Formula:		Insured_Address
Field:		Last_Action
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		Last_Action
Field:		TimesModified
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers	•	No
Punctuated at Thousands:	•	No
Help Description:		The number of times that the
Help Description.		document has been modified
Field Tomos		Computed
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		No
Update Requires Editor Access:		മ്പ് (@isNewDoc; 0;
Formula:		TimesModified != "";
		TimesModified +
		@isDocBeingSaved; 0);
		PastAuthors
Field:		
Datatype:		Text
input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		This field will track the past
		authors
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved;
, -,,,,-,-,		@V2If(TimesModified <= 0;
		@ProperCase(@Name([CN];
		QV3UserName)); PastAuthors :
		@Name([CN];
		@V3UserName)); PastAuthors)

Field:	97
	PastEditDates
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past edit
	dates
Field Type:	
Sign When Mailing/In Section:	Computed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
Formula.	@V2lf(@lsDocBeingSaved;
	@V2If(TimesModified <= 0;
	@Text(@Now); PastEditDates:
	@Text(@Now)); PastEditDates)
Field:	Author
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
, dividid.	@ProperCase(@Name([CN];
Fleid:	@V3UserName))
	Created
Datatype:	Time
Time Format:	04/11/97 01:28:55 PM
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No No
Encryption:	Disabled
Update Requires Editor Access:	
Formula:	No
Field:	@Now
Datatype:	<b>E</b> 1
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No
	Disabled
Update Requires Editor Access: Formula:	No
romua.	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 0;y := x -
	TimesModified;@V2If(@IsNew
	Doc: * *: @\@K = 0
	Doc; ""; @V2If(y >= 0;
Field:	@Text(x - 1) + "."; " "))
Datatype:	A1
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
i Villruig.	@V2lf(@lsNewDoc; * *;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -1); 1)))
	(i(i), 1)))

	71	
Field:	, .	D1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
		Disabled
Encryption:		No
Update Requires Editor Access:		@V2If(@IsNewDoc; * ";
Formula:		@V2If(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
		es; -1); 1); ""))
Field:		E2 .
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
,		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 1;@V2lf(@lsNewDoc; " ";
		$\emptyset$ V2If(X - 1 >= 0; $\emptyset$ Text(x - 1)
		+ *.*; * 7)
Field:		A2
		Text
Datatype:		[Not Assigned]
Help Description:		Computed for display
Field Type:		No
Sign When Malling/In Section:		Disabled
Encryption:		No
Update Requires Editor Access:		@V2If(@isNewDoc; * *;
Formula:		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -2); 1)); " "))
		D2
Field:		Text
Datatype:		[Not Assigned]
Help Description:		Computed for display
Field Type:		· · · · · · · · · · · · · · · · · · ·
Sign When Mailing/In Section:		No Disabled
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; ";
		@V2lf(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
		es; -2); 1); " "))
Field:		E3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
1 Villiam.		0:DEFAULT TimesModified :=
		0:X := @Elements(PastAuthors

	99	
	77	- 2;@V2lf(@lsNewDoc; " ";
		@V2If(X-1)=0; @Text(x-1)
		+ *.*; * *))
Field:		A3 "
Datatype:		<u></u>
Help Description:	-	Text
		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
, omidie.		@V2lf(@lsNewDoc; " ";
		<pre> @V2If(TimesModified &gt;= 2:</pre>
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -3); 1)); " "))
Field:		D3
Datatype:		
Help Description:		Text
		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
· o.maia.		@V2lf(@lsNewDoc; * *;
		@V2If(TimesModified >= 2;
		@Subset(@Subset(PastEditDat
		es; -3); 1); " "))
Field:		E4
Datatype:		<del></del>
Help Description:		Text
Field Type:		[Not Assigned]
		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		• • •
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 3;@V2lf(@lsNewDoc; " ";
		@ $V2If(X - 1) = 0; @Text(x - 1)$
		+ "."; " "))
Field:		
Datatype:		A4
Help Description:		Text
Field Trans		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
		@V2lf(@lsNewDoc; * *;
		@V2lf(TimesModified >= 3;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -4); 1)); " "))
Fleld: -		D4
Datatype:		
Help Description:		Text
Field Type:		[Not Assigned]
		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
		No

Formula:	@V2If(@isNewDoc; ; @V2If(TimesModified >= 3;
•	@Subset(@Subset(PastEditDat
	es; -4); 1); * ")) E5
Field:	
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No Disabled
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 4;@V2lf(@lsNewDoc; " ";
	@V2if(X-1)=0; @Text(x-1)
	+ · · · · · · ))
Field:	A5 .
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No .
Formula:	@V2If(@IsNewDoc; * ";
	@V2If(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -5); 1)); " "))
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No Disabled
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 4;
	@Subset(@Subset(PastEditDa
PP - A.J.	es; -5); 1); " ")) Status
Field:	<u>_</u>
Datatype:	Text
Help Description:	[Not Assigned] Computed when composed
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No No
Update Requires Editor Access:	<b>"0"</b>
Formula:	Date_Closed
Field:	Time
Datatype:	04/11/97 01:28:55 PM
Time Format:	[Not Assigned]
Help Description:	Computed when composed
Field Type:	No
Sign When Mailing/In Section:	117
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	

	707
Field:	Closed_By
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed when composed
	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	•
Field:	ID_Claim
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	
Encryption:	No.
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	ID_Case
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ID_Budget
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No.
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	Contact_Name
Help Description:	Text
Field Type:	[Not Assigned]
Sign Million Matter at the state of the stat	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@lf(LName != " & FName !=
	"; LName + ", " + FName;
Field:	LName = ""; FName; LName)
Datatype:	Document_Author
Input Multi-Value Separator(s):	Author Names
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DBName :=
•	@Text(@DbName);Server :=
	RIENT(RDDINEUL);Selvel :=
	@Subset(DBName; 1);Path :=
	@LeftBack(@Subset(@DbNam
	e; -1); "\\");Database :=
	@lf(path = "";
	"ITPLAYER.NSF"; path + "\\" +
	"ITPLAYER.NSF");ClassCache

102 := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := Name([Abbreviate]; @V3UserName);View2 := "Server View":Key2 := @Name([O]: @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); " @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 |= ""; "Remote"; Hit2 != ""; "Server"; "NoAccess");View := @If(Direction = "Remote"; View1: View2);Key := Off(Direction = "Remote"; Kev1: Key2);@DbLookup(ClassCache ; Server : Database; View, Key; Document\_Editors Field: **Author Names** Datatype: Comma, Semicolon input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Formula: Document\_Readers Field: Reader Names Datatype: Comma, Semicolon Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Formula: Document\_Managers Field: Reader Names Datatype: Comma, Semicolon

Semicolon
[Not Assigned]

Disabled

No

Computed when composed

Input Multi-Value Separator(s): Display Multi-Value Separator:

Sign When Mailing/In Section:

Help Description:

Field Type:

Encryption:

Field:

Datatype:

Field Type:

**Encryption:** 

Help Description:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

No

DBName :=

@Text(@DbName);Server := @Subset(DBName; 1);Path :=

Update Requires Editor Access: Formula:

@LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache": View1 := "Remote\_View";Key1 := @Name([Abbreviate]: @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); " @DbLookup(ClassCache: Server: Database; View1: Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); " @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @!f(Hit1 != "; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := Olf(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := Olf(path = ": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache": View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 :=

104

Field:

Fleid:

Datatype: Help Description:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

**Encryption:** 

Help Description:

Sign When Mailing/in Section:

**Update Requires Editor Access:** 

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

"Server View"; Key2 := @Name([O]: @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ™; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Htt2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server": "NoAccess"); View := @lf(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote": Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); ins Contact Text [Not Assigned] Computed No Disabled No @ProperCase(@Name([CN]; @V3UserName)); Ins\_Contact\_Phone Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @ff(path = \*\*\*; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 :≖ "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @H(@IsError(@DbLookup(Clas

Field:

sCache; Server : Database;

105

View1; Key1; 1)); " @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Htt2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); \*\* @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @If(Hit1 |= ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := Off(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1; Key2); @DbLookup(ClassCache : Server : Database; View, Key; "Phone"); Claims Made Keywords Comma Comma [Not Assigned] Editable **Check Boxes** Claims Made?!Y No Disabled No Claims\_Made Retro Text [Not Assigned] Editable No Disabled No Retro Date PL\_Ext\_Period Text [Not Assigned] Editable No Disabled No PL\_Ext\_Period PL\_Agg\_Limit Number Currency (2 Decimal Places) No No No [Not Assigned] Editable

Datatype: Input Mutti-Value Separator(s): Display Multi-Value Separator. Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: **Update Requires Editor Access:** Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: **Encryption: Update Requires Editor Access:** Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/in Section: **Encryption: Update Requires Editor Access:** Default Value Formula: Field: Datatype: Number Format: Percentage (value \* 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type:

Percentage (value \* 100)%:

Sign When Mailing/In Section: No Disabled Encryption: No Undate Requires Editor Access: PL\_Aggegrate\_Limit Default Value Formula: PL Prod Limit Field: Number Datatype: Currency (2 Decimal Places) Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No PL Prod Limit Default Value Formula: PL\_Personal\_Limit Field: Number Datatype: Currency (2 Decimal Places) **Number Format:** Percentage (value \* 100)%: No Parentheses on Negative Numbers: No No **Punctuated at Thousands:** [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No PL Personal Limit Default Value Formula: PL\_Each\_Limit Field: Number Datatype: Currency (2 Decimal Places) Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: Disabled **Encryption:** No Update Requires Editor Access: PL Each Limit Default Value Formula: PL Fire Limit Field: Number Datatype: Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No PL Fire Limit Default Value Formula: PL\_Medical\_Limit Field: Number Datatype: **Currency (2 Decimal Places)** Number Format: No

Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: PL\_Medical\_Limit Field: DED Per Datatype: Number **Number Format:** Currency (2 Decimal Places) Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: DED Per Field: DED\_Aggregate Datatype: Number **Number Format:** Currency (2 Decimal Places) Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: DED\_Aggregate Field: DED\_Retained Datatype: Number **Number Format:** Currency (2 Decimal Places) Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: **DED** Retained Field: Occurence\_Made Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Editable Keyword User Interface: **Check Boxes** Allowable Keywords: Occurence Made?[Y Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Occurence\_Made

**Endorsements** Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: **Endorsements** C\_Project Field: Text Datatype: [Not Assigned] Help Description: Field Type: Editable Sign When Mailing/In Section: No Disabled **Encryption: Update Requires Editor Access:** No Default Value Formula: C Location Field: Datatype: Text [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled **Encryption: Undate Requires Editor Access:** No Default Value Formula: C\_Type Field: Datatype: Keywords [Not Assigned] Help Description: Field Type: Editable Keyword User Interface: Radio Buttons Single family home Allowable Keywords: **Townhomes** Condominiums Commercial buildings Sign When Mailing/In Section: No Disabled **Encryption: Update Requires Editor Access:** No Default Value Formula: C\_involvement Field: Datatype: Keywords Help Description: [Not Assigned] Field Type: Editable Radio Buttons Keyword User Interface: Developer Allowable Keywords: **General Contractor** Subcontractor Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Field: C\_Date\_Construction Datatype: Time Time Format: 04/11/97 Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Editable Field Type:

Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula: Field:	•
	C_Date_Completion
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	140
Field:	C Data Madead
Datatype:	C_Date_Worked
Time Format:	Time
input Multi-Value Separator(s):	04/11/97
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
	Disabled
Update Requires Editor Access: Default Value Formula:	No
Field:	•
	C_Date_init_Defect
Datatype:	Time
Time Format:	04/11/97
input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	140
Field:	C Date Defect
Datatype:	C_Date_Defect
Time Format:	Time
Input Multi-Value Separator(s):	04/11/97
Display Multi-Value Separator.	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Sign When Malling/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	•••
Datatype:	C_Nature
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	*** 140
Field:	C Cort Bassia
Datatype:	C_Cost_Repair
- '	Number

Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: No Parentheses on Negative Numbers: Punctuated at Thousands: No [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Undate Requires Editor Access: Default Value Formula: C Cost Defense Field: Number Datatype: **Currency (2 Decimal Places) Number Format:** No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled Encryption: Update Requires Editor Access: No Default Value Formula: C\_Cost\_Trade Field: Number Datatype: Currency (2 Decimal Places) Number Format: No Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** No **Undate Requires Editor Access:** Default Value Formula: C Cost Insured Field: Number Datatype: **Currency (2 Decimal Places)** Number Format: Percentage (value \* 100)%: No No Parenthases on Negative Numbers: No Punctuated at Thousands: (Not Assigned) Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Default Value Formula: C Other Carriers\_Share Fleld: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** No Update Requires Editor Access: C\_Other\_Carriers\_Indem Field: Text Datatype: [Not Assigned] Help Description:

Clan Miner Meiling the Continue	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	C_Other_Carriers
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	•
Datatype:	Injury_Type
Help Description:	Text
Field Type:	[Not Assigned]
	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	***
Field:	O Corne
Datatype:	O_Cause
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
	•
F-14701	
Field:	Defense_MD
Datatype:	Defense_MD Text
Datatype: Help Description:	Text
Datatype: Help Description: Field Type:	Text [Not Assigned]
Datatype: Help Description: Field Type: Sign When Mailing/in Section:	Text [Not Assigned] Editable
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption:	Text [Not Assigned] Editable No
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access:	Text [Not Assigned] Editable No Disabled
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	Text [Not Assigned] Editable No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:	Text [Not Assigned] Editable No Disabled No
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:	Text [Not Assigned] Editable No Disabled No m Defense_Expert
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:	Text [Not Assigned] Editable No Disabled No  Defense_Expert Text
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned]
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned]
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No
Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled No Disabled No Plaintiff_MD
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%:	Text [Not Assigned] Editable No Disabled No Defense_Expert Text [Not Assigned] Editable No Disabled No Disabled No Plaintiff_MD Number General
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No Text Plaintiff_MD Number General No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No Text Plaintiff_MD Number General No No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No Text Plaintiff_MD Number General No No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No Text [Not Assigned] Editable No No Text Plaintiff_MD Number General No No No No No No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No No Text Plaintiff_MD Number General No Editable No No No Editable No Editable No Editable No Editable No Editable No No Editable No Editable
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No No Text Plaintiff_MD Number General No
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Text [Not Assigned] Editable No Disabled No m Defense_Expert Text [Not Assigned] Editable No Disabled No Plaintiff_MD Number General No No No No No Control No No No Control No No Control
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section:	Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Disabled No No Text Plaintiff_MD Number General No

1/2

	1/ ~	
Field:		Plaintiff_Expert
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
		No
Sign When Mailing/in Section:		Disabled
Encryption:		
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Disc_Int
Datatype:		Keywords
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
		Editable
Field Type:		Check Boxes
Keyword User Interface:		· · ·
Allowable Keywords:		Interrogatories? Y
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:	:	No
Default Value Formula:		***
Field:		Disc_Req
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
•		Comma
Display Multi-Value Separator.		[Not Assigned]
Help Description:		
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Request for Prod. of Doc. Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	:	No
Default Value Formula:		•
Field:		Depositions
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
		Comma
Display Multi-Value Separator.		[Not Assigned]
Help Description:		Editable
Field Type:		
Keyword User Interface:		Check Boxes
Allowable Keywords:		Depositions Taken? Y
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	<b>5</b> :	No
Default Value Formula:		-
Field:		Case_Date
Datatype:		Time
Time Format:		04/11/97
• • • • • • • • • • • • • • • • • • • •		[Not Assigned]
Help Description:		Editable
Field Type:		
Sign When Mailing/in Section:		No Disabled
Encryption:	•	Disabled
Update Requires Editor Acces	s:	No
Default Value Formula:		0.00
Field:		Plaintiff_Demand
Datatype:		Text
Help Description:		[Not 'Assigned]

	113
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Defense_Offer
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Field:	No
	Settlement_Value
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Fleid:	Verdict_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	Verdict_To
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No Disable d
Update Requires Editor Access:	Disabled
Field:	No
Datatype:	Mediation
input Multi-Value Separator(s):	Keywords
Display Multi-Value Separator:	Comma
Help Description:	Comma
Field Type:	[Not Assigned]
Keyword User Interface:	Editable
Allowable Keywords:	Check Boxes
Allowabila Naywolus.	Mediation/Arbitration
Cign Minon Malling the Continu	Attempted?[Y
Sign When Mailing/In Section: Encryption:	No
Lindric Descions Editor Association	Disabled
Update Requires Editor Access:	No
Default Value Formula:	-
Field:	Defense_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No Editable
Encryption:	
Update Requires Editor Access	Disabled

, , ,	
Field:	Plaintiff_Pct
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	Yes .
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Form:	General Liability Premises
Form Alias:	GL_Premises
Last Modification:	12/15/96 01:04:04 PM
Type:	Document
Window Title Formula:	SELECT "General Liability
AARMOM TIME I OHIIGAG.	Claim - Premises"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Undate Requires Editor Access:	No

//5	
Default Value Formula:	Policy Desired Form
Field:	Policy_Period_From
. Datatype:	Ins_Policy_To
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Policy_Period_To
Datatype:	Ins_Claim_Number
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Ciaim
Field:	LName
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
Datatype:	FName
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	
Datatype:	City Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
Datatype:	State
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mallingto Same	Editable
Sign When Mailing/In Section: Encryption:	No
Lindria Dansima Esti	Disabled
Update Requires Editor Access:	No

Occurence Made Default Value Formula: Zip Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Occurence\_Made Default Value Formula: Caption Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** No **Update Requires Editor Access:** Caption Defautt Value Formula: Jurisdiction Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled **Encryption:** No Undate Requires Editor Access: Jurisdiction Default Value Formula: Opposing\_Counsel Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: Opposing\_Counsel Default Value Formula: Opp\_Counsel\_Address Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Insured Address Default Value Formula: Last\_Action Field: Text Datatype: [Not Assigned] Help Description: Computed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Last\_Action Formula: **TimesModified** Field: Number Datatype: General Number Format: No Percentage (value \* 100)%: Parentheses on Negative Numbers: No No Punctuated at Thousands: The number of times that the Help Description:

document has been modified

117

Computed Field Type: No Sign When Mailing/In Section: Disabled **Encryption: Update Requires Editor Access:** No @lf(@lsNewDoc; 0; Formula: TimesModified != ": TimesModified + @IsDocBeingSaved; 0); **PastAuthors** Field: Datatype: Text Semicolon input Multi-Value Separator(s): Display Multi-Value Separator: Semicolon Help Description: This field will track the past authors Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: @V2If(@IsDocBeingSaved; QV2If(TimesModified <= 0; @ProperCase(@Name([CN]; @V3UserName)); PastAuthors: @Name([CN]; @V3UserName)); PastAuthors) Field: **PastEditDates** Datatype: Text input Multi-Value Separator(s): Semicolon Display Multi-Value Separator. Semicolon Help Description: This field will track the past edit dates Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0; @Text(@Now); PastEditDates: @Text(@Now)); PastEditDates) Field: Author Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @ProperCase(@Name([CN]; @V3UserName)) Field: Created Datatype: Time Time Format: 04/11/97 01:28:55 PM Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No

	118	
Formula:	,, ·	@Now
Field:		E1
. Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:	•	No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
Formula.		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2lf(@isNew
		Dan S. O.
		Doc; " "; @V2If(y >= 0;
#1.4.4		@Text(x - 1) + "."; " "))
Field:		A1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -1); 1)))
Field:		D1
Datatype:		
		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2if(@isNewDoc; " ";
		@V2lf(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
mmt - A. A		es; -1); 1); ""))
Field:		E2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/in Section:		· · · ·
Encryption:		No Disabled
		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 1;@V2if(@isNewDoc; " ";
		@V2if(X - 1) = 0; @Text(x - 1)
Eight.		+ * * * ")
Field:		A2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Malling/In Section:		No
Encryption:		
I Indate Requires Editor Access:		Disabled

		PCT/US97/07207
	4. 0	
Formula:	119	@V2If(@IsNewDoc; * *; @V2If(TimesModified >= 1; @ProperCase(@Subset(@Subset(PastAuthors; -2); 1)); * *))
Field:		D2
Datatype:	•	Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
· · · · · · · · · · · · · · · · · · ·		@V2If(@IsNewDoc; " "; @V2If(TimesModified >= 1; @Subset(@Subset(PastEditDat es; -2); 1); " "))
Field:		E3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 2;@V2lf(@isNewDoc; " ";
		@V2lf(X - 1 >= 0; @Text(x - 1)
Field:		+ "."; " ")) A3
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Computed for display
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 2;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -3); 1)); * ")) D3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No Ostriputed for display
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ":
		@V2if(TimesModified >= 2;
		@Subset(@Subset(PastEditDat
Elald:		es; -3); 1); " "))
Field:		E4
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled

	/20
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
Fullione.	0;DEFAULT TimesModified :=
	0:X := @Elements(PastAuthors)
	- 3;@V2 f(@IsNewDoc; * ";
	- 3, WYZII (WISHENDOO, ,
•	@V2If(X-1)=0: @Text(x-1)
	+ "."; " "))
Field:	A4
Datatype:	Text
	[Not Assigned]
Help Description:	Computed for display
Field Type:	No
Sign When Mailing/In Section:	
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2lf(TimesModified >= 3;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -4); 1)); ""))
Field:	D4
V 12.12.	Text
Datatype:	(Not Assigned)
Help Description:	Computed for display
Field Type:	No No
Sign When Mailing/In Section:	
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; " ";
	@V2lf(TimesModified >= 3;
	@Subset(@Subset(PastEditDat
	es; -4); 1); " "))
Field:	<b>E5</b>
Datatype:	Text
Help Description:	[Not Assigned]
	Computed for display
Field Type: Sign When Mailing/In Section:	No
	Disabled
Encryption:	No
Update Requires Editor Access:	DEFAULT PastAuthors :=
Formula:	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 4;@VŽIf(@IsNewDoc; " ";
	@V2If(X-1)=0; @Text(x-1)
	+ "."; ""))
Field:	<u>A</u> 5
Datatype:	Text
Heip Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Encryption.	No
Update Requires Editor Access:	@V2if(@lsNewDoc; " ";
Formula:	@V2if(TimesModified >= 4;
	@ProperCase(@Subset(@Sub
	set(PastAuthors; -5); 1)); ""))
Field:	D5
Datatype:	Text
Help Description:	[Not Assigned]
·	

Field Type:	/2/	Computed for direct
Sign When Mailing/In Section:	,	Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No .
romula.		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 4:
		@Subset@Subset(PastEditDa
<b></b>		es; -5); 1); " "))
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		*0*
Field:		Date_Closed
Datatype:		Time
Time Format:		
Help Description:		04/11/97 01:28:55 PM
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No.
Update Requires Editor Access:		Disabled
Formula:		<u>N</u> o
Field:		
Datatype:		Closed_By
Help Description;		Text
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Computed when composed
Encryption:		No
		Disabled
Update Requires Editor Access: Formula:		No
Field:		•
_		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
ield:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
ield:		No Sector News
Datatype:		Contact_Name
••		Text

Help Description: Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/in Section:

Encryption:

Update Requires Editor Access:

Formula:

Field:

Datatype:

Input Multi-Value Separator(s):

[Not Assigned]

Computed

No

Disabled

No

@if(LName != " & FName !=

"; LName + ", " + FName;

LName = "; FName; LName)

Document\_Author

**Author Names** 

Comma

Comma

[Not Assigned]

Computed when composed

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(path = \*\*;

"ITPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF"); ClassCache

:= "Notes" : "NoCache";View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 := "Server\_View";Key2 :=

@Name([O]:

@V3UserName);Hit1 :=

@lf(@lsError(@DbLookup(Clas

sCache; Server : Database;

View1; Key1; 1)); "";

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hit2 :=

@lf(@lsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); ";

@DbLookup(ClassCache:

Server : Database; View2;

Key2; 1));Direction := @lf(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View := @lf(Direction = "Remote";

View1; View2);Key :=

OKO:---

@If(Direction = "Remote";

Kent:

Key1;

Key2);@DbLookup(ClassCache

; Server : Database; View, Key;

2);

Document\_Editors

**Author Names** 

Comma, Semicolon

Display Multi-Value Separator:	123	Comingles
Help Description:		Semicolon
Field Type:		[Not Assigned]
		Computed when composed
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		•
Field:		Document_Readers
Datatype:		Reader Names
Input Multi-Value Separator(s):		Comma, Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Computed when composed
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
Field:		WW .
Datatype:		Document_Managers
Input Multi-Value Separator(s):		Reader Names
Display Multi Value Separator(S):		Comma, Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DBName :=
		@Text(@DbName);Server :=
		Show(DB) == 4/204
		Subset(DBName; 1);Path :=
		@LeftBack(@Subset(@DbNam
		e; -1); "\\");Database :=
		@if(path = ";
		"ITPLAYER.NSF"; path + "\\" +
		"ITPLAYER.NSF");ClassCache
		:= "Notes" : "NoCache";View1 :=
		"Remote_View";Key1 :=
		@Name([Abbreviate];
		@V3UserName);View2 :=
		"Server_View";Key2 :=
		@Name([O];
		@V3UserName);Hit1 :=
		@lf(@lsError(@DbLookup(Clas
		sCache; Server : Database;
		View1; Key1; 1)); ";
		DbLookup(ClassCache;
		Server : Database; View1;
		Key1; 1)):Hit2 :=
		@lf(@lsError(@DbLookup(ClassCache; Server : Database;
•		Views: Keys, 4% =
		View2; Key2; 1)); =;
		@DbLookup(ClassCache;
		Server : Database; View2;
		Key2; 1));Direction := @lf(Hit1
		!= ""; "Remote"; Hit2 != "";
		"Server"; "NoAccess"); View :=
		@lf(Direction = "Remote";

WO 97/41524 PCT/US97/07207

124

View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache : Server : Database; View; Key; Ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e: -1): "\\");Database := @if(path = " "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @ff(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*\*; @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache: Server : Database; View2; Key2; 1)); ";
@DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 |= ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company Name"); ins Contact Text (Not Assigned) Computed No Disabled No

Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:
Default Value Formula:

Help Description:

Datatype:

Field:

Field:

Datatype: Help Description: Field Type: Sign When Mailin

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Field:

Datatype: Help Description:

Field Type:

Formula:

Sign When Mailing/In Section:

Encryption:

**Update Requires Editor Access:** 

Default Value Formula:

Field:

Datatype:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Help Description:

Field Type:

Keyword User Interface:

Allowable Keywords:

Sign When Mailing/In Section:

**Encryption:** 

**Update Requires Editor Access:** 

@ProperCase(@Name([CN];

@V3UserName));

ins\_Contact\_Phone

Text

[Not Assigned]

Editable

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1):Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

Olf(path = ";

"TTPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=

"Server\_View";Key2 :=

@Name([O]:

②V3UserName);Hit1:

□

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View1; Key1; 1)); '

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hit2 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); \*\*;
@DbLookup(ClassCache;

Server : Database; View2;

Key2; 1)):Direction := @If(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View :=

@If(Direction = "Remote";

View1; View2);Key :=

@If(Direction = "Remote";

Key1;

Key2);@DbLookup(ClassCache

; Server : Database; View; Key;

"Phone"):

Claims\_Made

Keywords

Comma

Comma

[Not Assigned]

Editable

**Check Boxes** 

Claims Made?[Y

No

Disabled

No

/26

/26	
Default Value Formula:	Claims_Made
Field:	Retro
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Aggegrate_Limit
Field:	PL_Prod_Limit
Datatype:	Number (C. Davis at Blaces)
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No Mark Againman
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No Disabled
Encryption:	No No
Update Requires Editor Access:	PL_Prod_Limit
Default Value Formula:	PL_Personal_Limit
Field:	Number
Datatype:	Currency (2 Decimal Places)
Number Format:	No
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	PL_Personal_Limit
Default Value Formula:	PL_Each_Limit
Fleid:	Number
Datatype:	Currency (2 Decimal Places
Number Format:	Canona / Podina i maco

	127
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section: Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	PL_Fire_Limit
Datatype:	PL_Medical_Limit
Number Format:	Number (2 Davis of State )
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Fleid:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description: Fletd Type:	[Not Assigned]
<b>.</b>	Editable
Sign When Mailing/in Section: Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	DED_Per
Datatype:	DED_Aggregate
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places)
Parentheses on Negative Numbers:	No No
Punctuated at Thousands:	No No
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable No
Encryption:	No Disabled
Update Requires Editor Access:	No Disabled
	NU

Default Value Formula:	DED_Aggregate
Field:	DED_Retained
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Retained
Field:	Occurence_Made
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Occurence Made?[Y
Sign When Mailing/In Section:	No.
Encryption:	Disabled
Update Requires Editor Access:	No No
Default Value Formula:	Occurence Made
Field:	Endorsements
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Endorsements
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	<b></b>
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•
Field:	Loss_Location
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Fire Main	PARING

	/ ~ /	
Update Requires Editor Access: Default Value Formula:	, ,	No
Field:		Alleged_Damages
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:	•	Editable
Keyword User Interface:		Radio Buttons
Allowable Keywords:		
The master May World S.		Bodily Injury
Sign When Mailing/In Section:		Property Damage
Encryption:		No
		Disabled
Update Requires Editor Access: Default Value Formula:		No
		***
Field:		Fetality
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Keyword User Interface:		Check Boxes
Allowable Keywords:		Fatality?[Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		140 m
Field:		Date Of Dooth
Datatype:		Date_Of_Death
Time Format:		Time
Help Description:		04/11/97
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		•
		Claims_Facts
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Claim_tn_Suit
Datatype:		Keywords
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
Sign When Mailing/In Section:		Claim in Suit? Y
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		•
Datatype:		Date_Suit_Filed
Janatypo.		Time

	/30	
Time Format:	700	04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Undate Requires Editor Access:		No
Default Value Formula:		••
Field:		Date_Suit_Served
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		**
Field:		Liability_Claimant_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Liability_Insured_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned] Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		No
Update Requires Editor Access:		Curr_Reserve_Loss
Field:		Text
Datatype: Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Exp
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Injury_Type
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
· · · · · · · · · · · · · · · · · · ·		_

Sign When Mailing/In Section:	/3/	No
Encryption:	, -	Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		0.00
· · · · · · · · · · · · · · · · · · ·		O_Cause
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		<b>TI</b>
Field:		Defense_MD
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		•
		Defense_Expert
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Plaintiff MD
Field: Datatype:		Plaintiff_MD Number
		Number
Datatype:		Number General
Datatype: Number Format: Percentage (value * 100)%:		Number General No
Datatype: Number Format:		Number General No No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands:		Number General No No No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description:		Number General No No No No [Not Assigned]
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type:		Number General No No No [Not Assigned] Editable
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section:		Number General No No No [Not Assigned] Editable No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/in Section: Encryption:		Number General No No No [Not Assigned] Editable No Disabled
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:		Number General No No No [Not Assigned] Editable No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/in Section: Encryption:		Number General No No No [Not Assigned] Editable No Disabled No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/in Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:		Number General No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:		Number General No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description;		Number General No No No (Not Assigned) Editable No Disabled No  Plaintiff_Expert Text [Not Assigned]
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:		Number General No No No No [Not Assigned] Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailling/In Section:		Number General No No No No [Not Assigned] Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:		Number General No No No No [Not Assigned] Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:		Number General No No No No [Not Assigned] Editable No Disabled No  Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Number General No No No No [Not Assigned] Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Field: Field:		Number General No No No No [Not Assigned] Editable No Disabled No  Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:		Number General No No No No [Not Assigned] Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s):		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No Disabled No Disabled No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s): Disptay Multi-Value Separator:		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disc_Int Keywords
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s): Disptay Multi-Value Separator: Help Description:		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No Disabled No Comma Comma
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s): Disptay Multi-Value Separator: Help Description: Field Type:		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No Disabled No Comma Comma [Not Assigned]
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface:		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No Disabled Comma Comma [Not Assigned] Editable Editable Editable
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers: Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s): Disptay Multi-Value Separator: Help Description: Field Type:		Number General No No No No (Not Assigned) Editable No Disabled No Plaintiff_Expert Text [Not Assigned] Editable No Disabled No Disabled No Disabled No Comma Comma [Not Assigned]

	/32	Ale
Sign When Mailing/In Section:	132	No Disabled
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Dies Bes
Field:		Disc_Req
Datatype:		Keywords
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable Check Boxes
Keyword User Interface:		
Allowable Keywords:		Request for Prod. of Doc. Y
Sign When Mailing/in Section:		No Disabled
Encryption:		
Update Requires Editor Access:		No
Default Value Formula:		Denogitions
Field:		Depositions Keywords
Datatype:		Comma
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		[Not Assigned]
Help Description:		Editable
Field Type:		Check Boxes
Keyword User Interface:		Depositions Taken?[Y
Allowable Keywords:		No
Sign When Malling/In Section:		Disabled
Encryption: Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Case_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		•••
Fleid:		Plaintiff_Demand
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Defense_Offer
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Field:		Settlement_Value
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No

Encryption:	/33	Disabled
Update Requires Editor Access:		No
, Fleid:		Verdict_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Fleid:		Verdict_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Mediation
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator: Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
raionasio reynolas.		Mediation/Arbitration
Sign When Mailing/In Section:		Attempted?[Y
Encryption:		No Sinchiad
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Defense Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Plaintiff_Pct
Datatype: Number Format:		Number
		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers: Punctuated at Thousands:		No
Help Description:		No
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Field:		No.
Datatype:		Medical_Bills
Input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
		[Not Assigned]

WO 97/41524 PCT/US97/07207

	134	
Field Type:	/34	Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Medical Bills? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Lost_Wages
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Lost Wages?[Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Out_Of_Work_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		140
Field:		Out_Of_Work_To
· · · · · · · · · · · · · · · · · · ·		Text
Datatype: Help Description:		(Not Assigned)
		Editable
Field Type: Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		WC_Eligible
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Eligible for WC? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		<u>N</u> o
Default Value Formula:		-
Field:		WC_Paid
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		WC_Medical
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable

WO 97/41524 PCT/US97/07207

	12
Sign When Mailing/in Section:	/35 No
Encryption:	Disabled
. Update Requires Editor Access:	No
Field:	WC_Indemnity
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	**
Form:	
	General Liability Product
Form Alles:	Liability
Last Modification:	GL_Product
Type:	12/15/96 01:04:42 PM
Window Title Formula:	Document SEL SOCIAL AND
	SELECT "General Liability
Include in Compose Menu:	Claim - Product Liability 7
Include in Query by Form:	Yes
Default Database Form:	No.
Automatically Refresh Fields:	No.
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By: Form May Be Composed By:	All Users
Field:	All Users
Datatype:	Ins_Policy
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Malling/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula;	No
Field:	Policy
Datatype:	ins_Policy_From
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Malling/In Section:	Editable
Encryption:	No Displact
Update Requires Editor Access:	<b>Disabled</b> No
	MU

	/36	
Default Value Formula:	, •	Policy_Period_From
Field:		Ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:	•	No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
		Ins_Claim_Number
Field:		Text
Datatype:		[Not Assigned]
Help Description:		Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		No
Update Requires Editor Access:		Claim
Default Value Formula:		LName
Field:		Text
Datatype:		[Not Assigned]
Help Description:		Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		
Update Requires Editor Access:		No Occurence_Made
Default Value Formula:		
Fleid:		FName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No Dischlad
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No Made
Default Value Formula:		Occurence_Made
Field:		City
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Defautt Value Formula:		Occurence_Made
Field:		State
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
-r		

	120	
Default Value Formula:	/37	
Field:	Occurence_Made Zip	
. Datatype:	Text	
Help Description:		
Field Type:	[Not Assigned]	
Sign When Mailing/In Section:	Editable	
Encryption:	No	
Update Requires Editor Access:	Disabled	
Default Value Formula:	No	
Fleid:	Occurence_Made	
Datatype:	Caption	
Help Description:	Text	
Field Type:	[Not Assigned]	
Sign When Mailing/In Section:	Editable	
Encryption:	No	
Update Requires Editor Access:	Disabled	
Default Value Formula:	No	
Field:	Caption	
Datatype:	Jurisdiction	
Help Description:	Text	
Field Type:	[Not Assigned]	
Sign When Mailing/in Section:	Editable	
Encryption:	No	
Update Requires Editor Access:	Disabled	
Default Value Formula:	No	
Field:	Jurisdiction	
Datatype:	Opposing_Counsel	
Help Description:	Text	
Field Type:	[Not Assigned]	
Sign When Mailing/In Section:	Editable	
Encryption:	No	
Update Requires Editor Access:	Disabled	
Default Value Formula:	No Constitution of the Con	
Field:	Opposing Counsel	
Datatype:	Opp_Counsel_Address	
Help Description:	Text	
Field Type:	[Not Assigned]	
Sign When Mailing/In Section:	Editable	
Encryption:	No Biophed	
Update Requires Editor Access:	Disabled	
Default Value Formula:	No Internal Address	
Field:	Insured_Address	
Datatype:	Last_Action Text	
Help Description:		
Field Type:	[Not Assigned] Computed	
Sign When Mailing/In Section:	No	
Encryption:	Disabled	
Update Requires Editor Access:	No	
Formula:	_	
Field:	Lest_Action TimesModified	
Datatype:	Number	
Number Format:	General	
Percentage (value * 100)%:	No No	
Parentheses on Negative Numbers:	No	
Punctuated at Thousands:	No No	
Help Description:		
	The number of times that	t the

WO 97/41524 PCT/US97/07207

document has been modified 138 Computed Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: @H(@IsNewDoc: 0: Formula: TimesModified != ""; TimesModified + @IsDocBeingSaved; 0); **PastAuthors** Field: Text Datatype: Semicolon Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator. This field will track the past Help Description: authors Computed Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No @V2If(@isDocBeingSaved; Formula: @V2If(TimesModified <= 0; @ProperCase(@Name([CN]; @V3UserName)); PastAuthors : @Name([CN]; @V3UserName)); PastAuthors) PestEditDates Field: Text Datatype: Semicolon input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: This field will track the past edit Help Description: dates Computed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: @V2lf(@lsDocBeingSaved; Formula: @V2If(TimesModified <= 0; @Text(@Now); PastEditDates: @Text(@Now)); PastEditDates) Author Field: Text Datatype: [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: @ProperCase(@Name([CN]; Formula: @V3UserName)) Created Fleid: Datatype: 04/11/97 01:28:56 PM Time Format: [Not Assigned] **Help Description:** Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access:

_	/39	
Formula:	137	@Now
Field:		E1
Datatype:		= = :
Help Description:		Text
Field Type:		[Not Assigned]
		Computed for display
Sign When Mailing/In Section:	•	No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2If(@IsNew
		Doc; " "; @V2If(y >= 0;
Field:		@Text(x - 1) + "."; " "))
Datatype:		<u>A</u> 1
Help Description:		Text
Field Type:		[Not Assigned]
Cion Minon Maillean		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
		@V2lf(@IsNewDoc; " ";
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -1); 1)))
Datatype:		D1
Help Description:		Text
Field Type:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No.
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
Field:		es; -1); 1); * *))
Datatype:		E2 "
		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 1;@V2lf(@lsNewDoc; " ":
		@V2If(X-1)=0; @Text(x-1)
Plats.		7 + w = w//
Field:		+ "," "))
Datatype:		A2
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access:		No

No

, , ,	
Formula:	@V2lf(@lsNewDoc; " "; @V2lf(TimesModified >= 1; @ProperCase(@Subset(@Sub set(PastAuthors; -2); 1)); " "))
Field:	D2
Datetype:	Text
Help Description:	[Not Assigned]
	Computed for display
Field Type: Sign When Malling/In Section:	No No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2if(@IsNewDoc; * *;
romme.	@V2if(TimesModified >= 1;
	@Subset(@Subset(PastEditDat
	es; -2); 1); " "))
Field:	E3
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 2;@V2If(@IsNewDoc; * ";
	@ $\sqrt{2}$ if(X - 1 >= 0; @Text(x - 1)
	+ "."; " "))
Field:	A3
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled No.
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; * *;
	@V2If(TimesModified >= 2;
	@ProperCase(@Subset(@Sub set(PastAuthors; -3); 1)); " "))
Project.	D3
Field:	Text
Datatype:	[Not Assigned]
Help Description: Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2If(@IsNewDoc; * ";
r villiois.	@V2lf(TimesModified >= 2;
	@Subset(@Subset(PastEditDat
	es; -3); 1); " "))
Field:	E4
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Malling/In Section:	No
Encountion:	Disabled

I Indata Desuine Editor Assess	141	
Update Requires Editor Access: Formula:	, , ,	No
romus:		DEFAULT PastAuthors :=
•		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 3;@V2if(@isNewDoc; " ";
	•	OVERALI (RISHAMDOC, TO
		@V2If(X-1)=0; @Text(x-1)
Field:		+ "."; " "))
Datatype:		A4
Help Description:		Text
Field Type:		[Not Assigned]
		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2lf(TimesModified >= 3;
		Marifulleswingling ># 3;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -4); 1)); " "))
Datatype:		D4
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
r Officia,		@V2lf(@IsNewDoc; " ";
		@V2If(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
Field:		es; -4); 1); " "))
		E5 //
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		• • •
		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		-4;@V2lf(@lsNewDoc; * ";
		@V2If(X-1>=0; @Text(x-1)
Fletd:		+ ··· · · · )
Datatype:		A5
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access: Formula:		No
roimus;		@V2If(@IsNewDoc; * *:
		@V2If(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
•		Set (Dect Author: 51:41): 5 5:
Field:		set(PastAuthors; -5); 1)); "")) D5
Datatype:		
Help Description:		Text
•		[Not Assigned]

Field Type:	142	Computed for display
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; " ";
1 91111313.		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDa
		es; -5); 1); * "))
Sald		Status
Fleid:		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Computed when composed No
Sign When Mailing/In Section:		Disabled
Encryption:		
Update Requires Editor Access:		No
Formula:		Total Classific
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:56 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
Field:		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Contact_Name
Datatype:		Text
Detailbo.		1

[Not Assigned]

Document\_Author

**Author Names** 

[Not Assigned]

Comma

Comma

Disabled

DBName :=

@lf(path = "";

@Name([O]:

No

No

@If(LName != " & FName != "; LName + ", " + FName; LName = ""; FName; LName)

Computed when composed

@Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam

"ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 :=

@lf(@lsError(@DbLookup(Clas sCache; Server : Database;

e; -1); "\\"); Database :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=
"Server\_View";Key2 :=

@V3UserName);Hit1 :=

View1; Key1; 1)); ""; @Dbl.ookup(ClassCache; Server : Database; View1;

Key1; 1));Hit2 :=

Document\_Editors

Comma, Semicolon

**Author Names** 

2):

Computed

Disabled

No

No

143

Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:
Formula:

## Field:

Field:

Datatype:

input Multi-Value Separator(s):

Formula:

Datatype:
Input Multi-Value Separator(s):
Display Multi-Value Separator:
Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:

@lf(@lsError(@DbLookup(ClassCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1)); Direction := @lf(Hit1!= ""; "Remote"; Hit2!= ""; "Remote"; "NoAccess"); View := @lf(Direction = "Remote"; View1; View2); Key := @lf(Direction = "Remote"; Key1; Key2); @DbLookup(ClassCache; Server : Database; View; Key;

"Server"; "NoAccess"); View := @H(Direction = "Remote";

144

Semicolon Display Multi-Value Separator: [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: **Update Requires Editor Access:** No Formula: Document Readers Field: Reader Names Datatype: Comma, Semicolon Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: [Not Assigned] Help Description: Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Formula: Document\_Managers Field: Reader Names Datatype: Comma. Semicolon Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator. [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/In Section: No Disabled **Encryption:** No Update Requires Editor Access: DBName: Formula: @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e: -1); "\\");Database := @if(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); " @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @ff(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 |= ""; "Remote"; Hit2 != "";

View1; View2);Key := Off(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @if(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := Off(Direction = "Remote": View1; View2);Key := Off(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); Ins\_Contact Text [Not Assigned] Computed No **Disabled** 

No

## l

Field:

Datatype: Help Description: Field Type:

Sign When Mailing/In Section:

145

**Encryption:** 

**Update Requires Editor Access:** 

Default Value Formula:

Field:

Datatype:
Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:

146

Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

**Update Requires Editor Access:** 

Default Value Formula:

Fleid:

Datatype:

input Multi-Value Separator(s):

Display Multi-Value Separator.

Help Description:

Field Type:

Keyword User Interface:

Allowable Keywords: Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

@ProperCase(@Name([CN];

@V3UserName));

Ins\_Contact\_Phone

Text

[Not Assigned]

Editable

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(peth = ";

"ITPLAYER.NSF"; peth + "\\" +

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache";View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=

"Server\_View";Key2 :=

@Name([0];

@V3UserName);Hit1 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database:

View1; Key1; 1)); "";
@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hit2 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); "

@DbLookup(ClassCache;

Server : Database: View2;

Key2; 1));Direction := @If(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View :=

### If (Direction = "Remote":

View1; View2);Key :=

@If(Direction = "Remote":

Kev1:

Key2);@DbLookup(ClassCache

; Server : Database; View; Key;

"Phone"):

Claims\_Made

Keywords

Comma

Comma

[Not Assigned]

Editable

**Check Boxes** 

Claims Made?IY

No

Disabled

No

Default Value Formula:	147	
Field:	777	Claims_Made
Datatype:		Retro
		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Retro_Date
Field:		PL_Ext_Period
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		PL_Ext_Period
Datatype:		PL_Agg_Limit
Number Format:		Number
		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Heip Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggegrate_Limit
Field:		PL_Prod_Limit
Datatype:		= . =
Number Format:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		No
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		PL_Prod_Limit
Datatype:		PL_Personal_Limit
Number Format:		Number
		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No Bis Barrana I I i i ii
Field:		PL_Personal_Limit
Datatype:		PL_Each_Limit
Number Format:		Number
· ·		Currency (2 Decimal Places)

/48	A.4-
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No _
Default Value Formula:	PL_Each_Limit
Field:	PL_Fire_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No _
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Fire_Limit
Field:	PL_Medical_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Medical_Limit
Field:	DED_Per
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	DED_Per
Field:	DED_Aggregate
Datatype:	Number Day of Blacco
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Undete Requires Editor Access:	No

Default Value Formula:	149	DED_Aggregate
Field:	, , ,	DED_Aggregate DED_Retained
Datatype:		Number
Number Format:		
Percentage (value * 100)%:		Currency (2 Decimal Places) No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		DED_Retained
Field:		Occurence_Made
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Occurence Made? Y
Sign When Mailing/In Section: Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
Datatype:		Endorsements
Help Description;		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No .
Field:		Endorsements
Datatype:		Claimant
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Loss_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		
Datatype:		Loss_Location
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
—		Disabled

/5	7
Update Requires Editor Access:	<u>N</u> o
Default Value Formula:	Allered Demones
Field:	Alleged_Damages
Datatype:	Keywords .
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Radio Buttons
Allowable Keywords:	Bodily Injury
	Property Damage
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	
Field:	Fatality
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Keyword User Interface:	Check Boxes
Allowable Keywords:	Fatality?[Y
Sign When Mailing/In Section:	No Disabled
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	Date Of Death
Field:	Date_Of_Death
Datatype:	Time 04/11/97
Time Format:	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access: Default Value Formula:	<b>m</b>
	Claims_Facts
Field:	Text
Datatype: Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•
Field:	Claim_In_Suit
Datatype:	Keywords
input Multi-Value Separator(s):	Comma
Display Multi-Value Separator.	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim in Suit? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•
Field:	Date_Suit_Filed
Datatype:	Time

Time Parada	,	
Time Format:	151	04/11/97
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		an
Field:		<b>5</b> -4- <b>6</b> !- <b>6</b>
Datatype:		Date_Suit_Served
Time Format:		Time
		<b>04/11/97</b>
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		***
		Liability_Claimant_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		
Parentheses on Negative Numbers:		Yes
Punctuated at Thousands:		No
Help Description:		No
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		<del>-</del>
Field:		No
Datatype:		Liability_Insured_Pct
Number Format:		Number
		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access: Field:		No
		Curr_Reserve_Loss
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access: Field:		No
		Curr_Reserve_Exp
Datatype:		Text
Help Description:		· ==- <del>-</del>
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access: Field:		No
		Injury_Type
Datatype:		Text
Help Description:		
Field Type:		(Not Assigned)
		Editable

152

No Sign When Malling/in Section: Disabled Encryption: No Undate Requires Editor Access: Default Value Formula: O\_Cause Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Default Value Formula: Defense\_MD Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Default Value Formula: Defense\_Expert Field: Text Datatype: (Not Assigned) Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No **Undate Requires Editor Access:** Default Value Formula: Plaintiff\_MD Field: Number Datatype: General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: Nο Nο Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Plaintiff\_Expert Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Disc\_Int Field: Keywords Datatype: Comma input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Interrogatories?|Y Allowable Keywords:

	/53	
Sign When Mailing/In Section:	/33	No
Encryption:		Disabled
. Update Requires Editor Access:		No
Default Value Formula:		940 99
Field:		Cina Dan
Datatype:	•	Disc_Req
Input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
Sign When Mailing/in Section:		Request for Prod. of Doc. Y
Encryption:		No
		Disabled
Update Requires Editor Access: Defautt Value Formula:		No
Field:		
		Depositions
Datatype:		Keywords
Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Depositions Taken? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		(Final Control
Field:		Case_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Plaintiff_Demand
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Defense_Offer
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Settlement_Value
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
-		.10

/54 Disabled Encryption: No **Update Requires Editor Access:** Verdict\_From Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled Encryption: No Update Requires Editor Access: Verdict\_To Field: Text Datatype: (Not Assigned) Help Description: Editable Field Type: No Sign When Mailing/in Section: Disabled Encryption: **Update Requires Editor Access:** No Mediation Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: Check Boxes Keyword User Interface: Mediation/Arbitration Allowable Keywords: Attempted?|Y No Sign When Mailing/In Section: Disabled Encryption: No Undate Requires Editor Access: Default Value Formula: Defense\_Pct Field: Number Datatype: General Number Format: Percentage (value \* 100)%: Yes Parentheses on Negative Numbers: No No Punctuated at Thousands: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled **Encryption:** No Update Requires Editor Access: Plaintiff\_Pct Field: Number Datatype: General **Number Format:** Percentage (value \* 100)%: Yes No Parentheses on Negative Numbers: Punctuated at Thousands: No [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: Medical Bills Field: Keywords Datatype: Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description:

	) puga
Field Type:	/55 Editable
Keyword User Interface:	
. Allowable Keywords:	Check Boxes
Rich Man Mailine (In Casting	Medical Bills? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Field:	
Datatype:	Lost_Wages
	Keywords
input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	
Field Type:	[Not Assigned]
Keyword User Interface:	Editable
Allowable Keywords:	Check Boxes
Cian Mana VA Milas	Lost Wages? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	
Field:	No
Datatype:	Out_Of_Work_From
	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	
Encryption:	No
Update Requires Editor Access:	Disabled
Defert Volumes Editor Access:	No
Default Value Formula:	<b>94</b>
Field:	Out Of Most To
Datatype:	Out_Of_Work_To
Help Description:	Text
Field Type:	[Not Assigned]
	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	
Default Value Formula:	No
Field:	
Datatype:	WC_Eligible
land Multi Mar	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	
Field Type:	[Not Assigned]
Keyword User Interface:	Editable
Allowable Keywords:	Check Boxes
Circ Man Reywords;	Eligible for WC? Y
Sign When Mailing/in Section:	No No
Encryption:	
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	•
	WC_Paid
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Lindeta Doguissa Calaana	Disabled
Update Requires Editor Access:	No
Field:	
Datatype:	WC_Medical
Help Description:	Text
Field Type:	[Not Assigned]
· iole i ypu.	Editable

156 Sign When Mailing/in Section: No Disabled Encryption: No Update Requires Editor Access: WC\_Indemnity Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Prod\_Involved Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled **Encryption:** Update Requires Editor Access: No Default Value Formula: Prod\_Defect Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Field: Prod\_Mfg Keywords Datatype: Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Editable Field Type: **Check Boxes** Keyword User Interface: is insured manufacturer?|Y Allowable Keywords: Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Prod\_Mfg\_Name Datatype: Text [Not Assigned] Help Description: Field Type: Editable Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Field: Prod\_Dist Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma [Not Assigned] Help Description: Editable Field Type: Keyword User Interface: Check Boxes Is insured distributor?(Y Allowable Keywords: Sign When Mailing/In Section: No Disabled Encryption:

Update Requires Editor Access:	157	Mo
Default Value Formula:	, , ,	No -
, Field:		Prod_Dist_Name
Datatype:		Text .
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section: Encryption:		No Disabled
Update Requires Editor Access:		Disabled No
Default Value Formula:		en .
Field:		Prod_Used
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface: Allowable Keywords:		Radio Buttons
Allowable Neywords.		Work
		Home Other
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula: Field:		***
Datatype:		Prod_Purchased
Time Format:		Time
Help Description:		04/11/97 [Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		<b></b>
Datatype:		Prod_When_Used
Time Format:		Time 04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption: Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Drad Atland
Datatype:		Prod_Altered Keywords
input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		[Not Assigned]
Field Type: Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
		Was product changed / attered
Sign When Mailing/In Section:		In chain of distribution ? Y
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		•
Field:		Prod_Misused
Datatype: Input Multi-Value Separator(s):		Keywords
input mattradue separator(s):		Comma

158 Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: Keyword User Interface: **Check Boxes** Allowable Keywords: Was product misused by plaintiff?|Y No Sign When Mailing/In Section: Disabled Encryption: Undate Requires Editor Access: No Default Value Formula: Prod\_Misused\_How Field: Datatype: Text Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Undate Requires Editor Access:** No Default Value Formula: .Field: Prod Warn\_Label Keywords Datatype: Comma Input Multi-Value Separator(s): Display Multi-Value Separator: Comma [Not Assigned] Help Description: Field Type: Editable Keyword User Interface: **Check Boxes** Was warning label on product? Allowable Keywords: Sign When Mailing/In Section: Nο Encryption: Disabled Update Requires Editor Access: No Default Value Formula: Prod Warn Label Adequit Field: Keywords Datatype: Input Multi-Value Separator(s): Comma Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: **Check Boxes** Keyword User Interface: Allowable Keywords: Was warning label adequit?|Y Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Prod\_Safety\_Shts Datatype: Keywords Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Editable Field Type: Keyword User Interface: **Check Boxes** Did insured provide Material Allowable Keywords: Safety Data Sheets (MSDS)?[Y Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula:

Field:	159	Prod_Acess_To_Safety_Shts
Datatype:		Keywords
. Input Multi-Value Separator(s):		Comma
Display Multi-Value Separator:		Comma
Help Description:		
Field Type:		[Not Assigned]
Keyword User Interface:		Computed when composed
Allowable Konneder		Check Boxes
Allowable Keywords:		Did plaintiff have access to
01: 148 14 11		MSDS? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		**
Field:		Prod_ID_By_Plantiff
Datatype:		
Input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
VIIOMADIA VAAMOIOS:		Product ID made directly by
Cian Managara Ada III . II		plaintiff? (Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Prod ID Du Others
Datatype:		Prod_ID_By_Others
input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Keywords:		Check Boxes
Sign When Mailing/In Section:		Others? Y
Encryption:		No
		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		•
		Prod_ID_Made_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No ***
Field:		
Datatype:		Prod_Other_Contrib
input Multi-Value Separator(s):		Keywords
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
Keyword User Interface:		Editable
Allowable Karanada		Check Boxes
Allowable Keywords:		Other products that contributed
Ol 188		to injury/ disease?!Y
Sign When Mailing/In Section:		No
		• •

760	Dischlad
Encryption:	Disabled
Update Requires Editor Access:	No 
Default Value Formula:	
Field:	Prod_Other_Contrib_Desc
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	<b>80</b>
Field:	Prod_Satute_Repose
Datetype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
	Editable
Field Type:	Check Boxes
Keyword User Interface:	Statute of Repose defense
Allowable Keywords:	
	apply?[Y
Sign When Mailing/In Section:	No.
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No .
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	-
Form:	PL- Details - Shared
Last Modification:	11/02/96 02:59:51 PM
Type:	Document
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
	No
Automatically Refresh Fields:  Mail New Documents When Saving:	No
	No
Store Form in Documents:	No
Inherit Default Field Values:	
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Claimant
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

Encryption: /// Update Requires Editor Access:	Disabled
Default Value Formula:	<u>N</u> o
Field:	Loss_Date
Datatype:	Time
Time Format:	04/11/97
Help Description:	
Field Type:	[Not Assigned] Editable
Sign When Mailing/in Section:	
Encryption:	No Disabled
Update Requires Editor Access:	
Default Value Formula:	No m
Field:	Claimant Address
Datatype:	Claimant_Address Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No Disabled
Update Requires Editor Access:	Disabled
Default Value Formula:	No 
Field:	Claiment Phone
Datatype:	Claimant_Phone Text
Help Description:	
Field Type:	(Not Assigned) Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	
Default Value Formula:	No.
Field:	Claims_Facts
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	***
Field:	Claim_tn_Suit
Datatype:	Keywords
Input Multi-Value Separator(s):	Comma
Display Multi-Value Separator:	Comma
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Check Boxes
Allowable Keywords:	Claim In Suit? Y
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Default Value Formula:	No
Teld:	•
Datatype:	Liability_Claimant_Pct
	Number
Number Format:	General
Percentage (value * 100)%:	Yes
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	INULASSIONEOI

	/62 No	
Sign When Mailing/In Section:	/	
Encryption:	Disabled	
Update Requires Editor Access:	No	
Field:	Liability_Insured_Pct	
Datatype:	Number	
Number Format:	General	
Percentage (value * 100)%:	Yes	
Parentheses on Negative Numbers:	No	
Punctuated at Thousands:	No	
Help Description:	[Not Assigned]	
Field Type:	Editable	
Sign When Mailing/In Section:	No	
Encryption:	Disabled	
Update Requires Editor Access:	No	
Field:	Curr_Reserve_Loss	
Datatype:	Text	
Help Description:	[Not Assigned]	
· · · · · · · · · · · · · · · · · · ·	Editable	
Field Type: Sign When Mailing/In Section:	No	
——————————————————————————————————————	Disabled	
Encryption: Update Requires Editor Access:	No	
	Curr_Reserve_Exp	
Field:	Text	
Datatype:	[Not Assigned]	
Help Description:	Editable	
Field Type:	No	
Sign When Mailing/In Section:	Disabled	
Encryption:	No	
Update Requires Editor Access:	140	
Form.	PL - Coverage - Shared	
Form: Last Modification:	11/02/96 03:00:07 PM	
	Document	
Type: Include in Compose Menu:	No	
Include in Query by Form:	Yes	
Default Database Form:	No	
Automatically Refresh Fields:	No	
Mail New Documents When Saving:	No	
Store Form in Documents:	No	
Inherit Default Field Values:	No	
Updates Become Responses:	No	
Retain Prior Versions As Responses:	No	
	No	
Activate Objects When Composing: Activate Objects When Editing:	No	
Activate Objects When Reading:	No	
Document Encryption Keys:	[None Assigned]	
Composed Documents May Be Read By:	•	
Form May Be Composed By:	All Users	
	Coverage_Type	
Field:	Keywords	
Datatype:	[Not Assigned]	
Help Description:	Editable	
Field Type:		
Managed Liese interferes	Standard	
Keyword User Interface:	Standard No.	
Allow Values Not in List:	No	vtilde
	No Individual Professional Li	
Allow Values Not in List:	No	

Sing Man Maritime II - 2 - 11 /6	2
Sign when Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	
Field:	Covered_Individuals
Datatype: Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No Disabled
Update Requires Editor Access:	Disabled No
Default Value Formula:	190
Field:	Incident_Description
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Malling/In Section: Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	<u>_</u>
Datatype:	Exclusions
Help Description:	Keywords [Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not in List:	No
Allowable Keywords:	<none selected=""></none>
	Criminal act
	Proprietor - administrator -
	trustee of other facility
	injury to employee under WC
	Contractual liability
	For Vets - liability for theft on an
	animal; vehicle liability; injury
Cine 18th and 18 - W	due to fire
Sign When Malling/In Section:	No
Encryption: Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Oct De Old
Datatype:	Cost_Per_Claim
Number Format:	Number
Percentage (value * 100)%:	Currency (2 Decimal Places) No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description: Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	
Datatype:	Cost_Aggregate Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No

- u Alice Alice Alice bare	164
Parentheses on Negative Numbers:	No No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable .
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	011
	Cost_Expenses
Field:	Number
Datatype:	Currency (2 Decimal Places)
Number Format:	· · · · · · · · · · · · · · · · · ·
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	•••
Field:	Cost_Defense
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	
Update Requires Editor Access:	No
Default Value Formula:	<del></del> -
	at a true Shared
Form:	PL - Policy - Shared
Last Modification:	11/02/96 03:00:23 PM
Type:	Document
Include in Compose Menu:	No
include in Query by Form:	Yes
Default Database Form:	No 5
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
	All Users
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	· · · · · · · · · · · · · · · · · · ·
Field:	Insured_Entitles
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

	165 Bisship
Encryption:	763 Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Entities
Field:	Retro
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Retro_Date
Field:	PL_Ext_Period
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ext_Period
Field:	PL_Each_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Each_Limit
Field:	PL_Agg_Limit
Datatype:	Number
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula: Field:	PL_Aggegrate_Limit
Datatype:	PL_Personal_Limit
Number Format:	Number
	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description: Field Type:	[Not Assigned]
	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Personal_Limit
TOU.	PL_Ded_Ind

16	<b>6</b>
Datatype:	(40)(IDC)
Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No .
Punctuated at Thousands:	No
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	PL_Ded_Individual
Field:	PL_Ded_Comp
, 12.2.	Number
Datatype: Number Format:	Currency (2 Decimal Places)
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	(Not Assigned)
	Editable
Field Type:	No
Sign When Malling/In Section:	Disabled
Encryption:	No
Update Requires Editor Access: Default Value Formula:	PL_Ded_Company
	Endorsements
Field:	Text
Datatype:	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No
Update Requires Editor Access:	Endorsements
Default Value Formula:	
	Policy - All
Form:	12/16/96 10:04:03 AM
Last Modification:	Document
Type:	No
Include in Compose Menu:	Yes
Include in Query by Form:	No
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	[None Assigned]
Document Encryption Keys:	All Users
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	Ins_Policy
Field:	Text
Datatype:	[Not Assigned]
Help Description:	Editable
Field Type:	No
Sign When Malling/In Section:	
Encryption:	Disabled

	167	
Update Requires Editor Access:	/ > /	No
Default Value Formula:		Policy
Field:		Ins_Ctaim_Number
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		Np
Default Value Formula:		Claim
Field:		
		Ins_Policy_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Policy_Period_From
Datatype:		ins_Policy_To
<del>Z</del> '		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
Field:		
Datatype:		Ins_Policy_Holder
		Text
Help Description:		(Not Assigned)
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		
Datatype:		Address
		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		
Datatype:		City
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		
Datatype:		State
Help Description:		Text
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
		<del></del>

Update Requires Editor Access:	//a X
	/68 No
Default Value Formula:	Occurence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
	Disabled
Encryption:	
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Party
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
	No
Sign When Malling/In Section:	No Disabled
Sign When Mailing/In Section: Encryption:	Disabled
Sign When Malling/In Section: Encryption: Update Requires Editor Access:	Disabled No
Sign When Mailing/In Section: Encryption:	Disabled No Opposing_Counsel
Sign When Malling/In Section: Encryption: Update Requires Editor Access:	Disabled No
Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	Disabled No Opposing_Counsel
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:	Disabled No Opposing_Counsel Opposing_Counsel Text
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned]
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned]
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Last_Action
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Last_Action
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Last_Action TimesModified Number
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Number Format:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Last_Action TimesModified Number General
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype: Number Format: Percentage (value * 100)%:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Disabled No Computed No Disabled No Disabled No Disabled No Disabled No Disabled No Disabled No Last_Action TimesModified Number General No
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Number Format:	Disabled No Opposing_Counsel Opposing_Counsel Text [Not Assigned] Editable No Disabled No Insured_Address Last_Action Text [Not Assigned] Computed No Disabled No Last_Action TimesModified Number General

PCT/US97/07207 169 Help Description: The number of times that the document has been modified Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: @if(@IsNewDoc: 0: TimesModified != "": TimesModified + @IsDocBeingSaved: 0): Field: **PastAuthors** Datatype: Text input Multi-Value Separator(s): Semicolon Display Multi-Value Separator. Semicolon Help Description: This field will track the past authors Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @V2If(@IsDacBeingSaved: @V2If(TimesModified <= 0: @ProperCase(@Name((CN): @V3UserName)); PastAuthors: @Name(ICNI: @V3UserName)); PastAuthors) Field: **PastEditDates** Datatype: Text Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: Semicolon Help Description: This field will track the past edit dates Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** Formula: @V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0: @Text(@Now); PastEditDates: @Text(@Now)); PastEditDates) Field: Author Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @ProperCase(@Name([CN]; @V3UserName)) Created Datatype: Time

Field:

Time Format: Help Description: Field Type: Sign When Mailing/in Section: Encryption:

[Not Assigned] No

Computed when composed

04/11/97 01:28:57 PM

Disabled

	170	
Update Requires Editor Access:	·	No
Formula:		@Now
Field:		E1
Datatype:		Text .
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2If(@IsNew
		Doc; " "; @V2If(y >= 0;
		@Text(x - 1) + "."; " "))
Field:		A1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; * *;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -1); 1)))
Field:		D1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; * *;
		@V2If(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
		es; -1); 1); " "))
Field:		E2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
·		0;X := @Elements(PastAuthors)
		- 1;@V2lf(@lsNewDoc; " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
- ·		+ "."; " "))
Field:		A2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No Disabled
Encryption:		Disabled

Update Requires Editor Access:	171	No
Formula:		@V2lf(@IsNewDoc; * ";
•		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
<b></b>		set(PastAuthors; -2); 1)); " "))
Field:		D2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
Formula:		@V2lf(@IsNewDoc; " ":
		@V2lf(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
Field:		es; -2); 1); " "))
Datatype:		E3
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
··· <del>··</del>		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 2;@V2lf(@lsNewDoc; " ";
		@V2lf(X - 1 >= 0; @Text(x - 1) + ""; ""))
Field:		A3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
romua;		@V2If(@IsNewDoc; " ":
		@V2If(TimesModified >= 2;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -3); 1)); " "))
Datatype:		D3
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
		@V2lf(@IsNewDoc; " ";
•		@V2If(TimesModified >= 2;
		@Subset(@Subset(PastEditDat
Field:		es; -3); 1); " "))
Datatype:		E4
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display

Encryption:	172	Disabled
Update Requires Editor Access:	, .	No
Formula:		DEFAULT PastAuthors :=
1 0111.0.0.		0:DEFAULT TimesModified :=
		0;X := @Elements(PastÀuthors)
		- 3:@V2if(@lsNewDoc; * ";
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; " "))
Field:		<b>A4</b>
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2lf(TimesModified >= 3;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -4); 1)); " "))
Field:		D4
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; " ";
, omiana.		@V2If(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
		es; -4); 1); ""))
Field:		E5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
r Officia.		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 4;@V2lf(@IsNewDoc; " ";
		@V2if(X-1) = 0; @Text(x-1)
		+ "."; ""))
Field:		A5 "
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
rumula.		@V2II(@isNewDuc, , @V2If(TimesModified >= 4;
		@V211(1111165M0011160 >= 4, @ProperCase(@Subset(@Sub
Eiold.		set(PastAuthors; -5); 1)); " "))
Field:		D5
Datatype:		Text

		1777	
	Help Description:	173	[Not Assigned]
	Field Type:		Computed for display
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No .
	Formula:	•	@V2lf(@IsNewDoc; " ";
			@V2If(TimesModified >= 4;
			@Subset(@Subset(PastEditDat
			es; -5); 1); ""))
Fie	eld:		Status
	Datatype:		Text
	Help Description:		(Not Assigned)
	Field Type:		Computed when composed
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Formula:		"O"
Fie	old:		Date_Closed
	Datatype:		Time
	Time Format:		04/11/97 01:28:57 PM
	Help Description:		[Not Assigned]
	Field Type:		Computed when composed
	Sign When Malling/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Formula:		line .
Fie			Closed_By
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Computed when composed
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
<b>:</b> -	Formula:		••
Fie	·		ID_Claim
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Editable
	Sign When Mailing/In Section: Encryption:		No
			Disabled
-iel	Update Requires Editor Access:		No
	u. Datatype:		ID_Case
	Help Description:		Text
	Field Type:		[Not Assigned]
	Sign When Mailing/In Section:		Editable
	Encryption:		No
	Update Requires Editor Access:		Disabled
iek	d:		No
	Datatype:		ID_Budget
	Help Description:		Text
	Field Type:		[Not Assigned]
	Sign When Mailing/In Section:		Editable
	Encryption:		No
	Update Requires Editor Access:		Disabled
iek			No
			Document Author

PCT/US97/07207 174 **Author Names** Datatype: Comma Input Multi-Value Separator(s): Comma Display Multi-Value Separator: [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); "" @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); " @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote": Key1: Key2):@DbLookup(ClassCache ; Server : Database; View; Key; Document\_Editors **Author Names** Datatype: Input Multi-Value Separator(s): Comma, Semicolon Display Multi-Value Separator: Semicolon [Not Assigned] Help Description: Computed when composed

> No Disabled

No

**Document Readers** 

Reader Names

Field:

Field Type:

Sign When Mailing/In Section:

Encryption:

**Update Requires Editor Access:** 

Formula:

Field:

Datatype:

175 Input Multi-Value Separator(s): Comma. Semicolon Display Multi-Value Separator: Semicolon Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Formula: Field: Document\_Managers Datatype: Reader Names Input Multi-Value Separator(s): Comma, Semicolon Display Multi-Value Separator. Semicoton Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); \*\*\*; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"): View := @lf(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; 5); Field: Ins\_Company Datatype: Text Help Description:

[Not Assigned]

176 Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: DBName := Default Value Formula: @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @If(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Ctas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != \*\*\*; "Remote"; Hit2 != \*\*\*; "Server"; "NoAccess");View := @If(Direction = "Remote"; View1; View2);Key := @if(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company Name"); ins\_Contact Field: Text Datatype: [Not Assigned] Help Description: Computed Field Type: No Sign When Mailing/In Section: Disabled Encryption: No Update Requires Editor Access: @ProperCase(@Name([CN]; Formula: @V3UserName)); Ins\_Contact\_Phone Field: · Text Datatype: [Not Assigned] Help Description: Editable Field Type:

No Disabled

No

Sign When Mailing/In Section;

Update Requires Editor Access:

Encryption:

Field:

Datatype:

Field Type:

**Encryption:** 

Help Description:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

@Text(@DbName);Server := @Subset(DBName; 1);Path :=

DBName :=

Default Value Formula:

177

@LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); ""; @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @ff(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Phone"); ins\_Company\_Address Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ""; "!TPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName); View2 := "Server\_View";Key2 :=

178

Field:
Datatype:
Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:
Default Value Formula:

@Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); \*\*\*: @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*; @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"); View := @lf(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache Server : Database; View; Key; "Address"); Ins Company\_City Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = \*\*; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @if(@isError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); "" @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache: Server : Database; View2; Key2; 1)); " @DbLookup(ClassCache: Server : Database; View2;

Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != "";

179

"Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; Field: ins\_Company\_State Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled Update Requires Editor Access: No Default Value Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @if(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache: Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key:

"State"):

Text

Ins\_Company\_Zip

[Not Assigned]

Field:

Datatype:

Help Description:

Editable

180

Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:
Default Value Formula:

No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @If(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache": View1 := "Remote\_View";Key1 := Mame([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache: Server: Database: View1: Key1; 1));Hit2 := @if(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\*; @DbLookup(ClassCache: Server: Database: View2: Key2; 1));Direction := @lf(Hit1 != "": "Remote": Hit2 != "": "Server": "NoAccess"):View := @If(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Zip");

## Form:

Form Alias: Last Modification:

Type:

Window Title Formula:

Include in Compose Menu:
Include in Query by Form:
Default Database Form:
Automatically Refresh Fields:
Mall New Documents When Saving:
Store Form In Documents:
Inherit Default Field Values:
Updates Become Responses:
Retain Prior Versions As Responses:

## Professional Liability D&O

PL D&O

12/15/98 01:05:20 PM

**Document** 

SELECT "Professional Liability Claim - Directors and Officers"

No Yes No No No No

No No

	161	
Activate Objects When Composing:	181	No
Activate Objects When Editing:		No
Activate Objects When Reading:		No
Document Encryption Keys:		
Composed Documents May Be Read By:		[None Assigned]
Form May Be Composed By:		All Users
Field:		All Users
		Ins_Policy
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		• • •
Field:		Policy
Datatype:		Ins_Policy_From
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_From
Field:		Ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Policy_Period_To
Datatype:		Ins_Claim_Number
Help Description:		Text
Field Type:		[Not Assigned]
Sign Minor Mailing the Continue		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
Datatype:		FName
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Address
Datatype:		Text
		IGAL

WO 97/41524 182 [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Occurence Made City Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Occurence Made Default Value Formula: State Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Occurence\_Made Default Value Formula: Field: Zip **Text** Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/in Section: No Disabled Encryption: Update Requires Editor Access: No Occurence\_Made Default Value Formula: Caption Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Undate Requires Editor Access: Caption Default Value Formula: Jurisdiction Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Jurisdiction Default Value Formula: Opposing\_Counsel Field: Text Datatype: [Not Assigned] Help Description: Editable

> No Disabled

No

Text

Opposing\_Counsel

Opp\_Counsel\_Address

Field Type:

**Encryption:** 

Datatype:

Field:

Sign When Mailing/In Section:

Update Requires Editor Access:

Default Value Formula:

Hala Daggarintian	/83 Man Application 19
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/in Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	
Field:	Last_Action TimesModified
Datatype:	Number
Number Format:	
Percentage (value * 100)%:	General
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No
Help Description:	No
	The number of times that the
Field Type:	document has been modified
Sign When Mailing/In Section:	Computed
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
· ometa.	@lf(@lsNewDoc; 0;
	TimesModified != "";
	TimesModified +
Field:	@lsDocBeingSaved; 0);
<u> </u>	PastAuthors
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator: Help Description:	Semicolon
neip bescription:	This field will track the past
Field Type:	authors
	Computed
Sign When Mailing/In Section: Encryption:	No
	Disabled
Update Requires Editor Access:	No
romula:	@V2lf(@lsDocBeingSaved;
	@V2lf(TimesModified <= 0;
	@ProperCase(@Name([CN];
	@V3UserName)); PastAuthors
	@Name([CN];
Field:	@V3UserName)); PastAuthors
_	PastEditDates
Datatype:	Text
Input Multi-Value Separator(s):	Semicolon
Display Multi-Value Separator:	Semicolon
Help Description:	This field will track the past edit
Field Ton-	dates
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
	1 TW

	184	
Formula:	/ • <del>T</del>	@V2If(@IsDocBeingSaved:
• • • • • • • • • • • • • • • • • • • •		@V2If(TimesModified <= 0;
		@Text(@Now); PastEditDates :
		@Text(@Now)); PastEditDates)
Field:		Author
, , , , , ,		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
		Disabled
Encryption:		
Update Requires Editor Access:		No
Formula:		@ProperCase(@Name([CN];
, omas.		@V3UserName))
		Created
Field:		
Datatype:		Time
Time Format:		04/11/97 01:28:57 PM
*****		[Not Assigned]
Help Description:		
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
	•	No
Update Requires Editor Access:	•	
Formula:		@Now
Field:		E1
Datatype:		Text
		[Not Assigned]
Help Description:		
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	•	No
· · · · · · · · · · · · · · · · · · ·	'•	DEFAULT PastAuthors :=
Formula:		
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2If(@IsNew
		Doc; " "; @V2lf(y >= 0;
		@Text(x - 1) + "."; " "))
Field:		A1
		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Elicrypholi.		No
Update Requires Editor Access	S.	
Formula:		@V2If(@IsNewDoc; " ";
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -1); 1)))
		D1
Field:		<u> </u>
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Cin Mhas Mailineile Castion	•	No
Sign When Mailing/In Section:	•	
Encryption:		Disabled
Update Requires Editor Acces	s:	No
Formula:		@V2If(@IsNewDoc; * ";
i Villiaia.		@V2If(TimesModified >= 0;
		Carle in incoming - A
		@Subset(@Subset(PastEditDat

	185 Act - 41: 41: * **
Field:	es, -1), 1), ))
	<b>E2</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
romina.	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 1;@V2If(@IsNewDoc; " ";
	@V2If(X-1>=0; @Text(x-1)
Field:	+".";""))
Datatype:	A2
Help Description:	Text
Field Type:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	
	@V2If(@IsNewDoc; " ";
	@V2If(TimesModified >= 1;
	@ProperCase(@Subset(@Sub
Field:	set(PastAuthors; -2); 1)); " "))
	D2
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	
Formula:	No
	@V2If(@IsNewDoc; " ";
	@V2ff(TimesModified >= 1;
	@Subset(@Subset(PastEditDat
Field:	es; -2); 1); " "))
	E3
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No Sompared for display
Encryption:	• • • • • • • • • • • • • • • • • • • •
Update Requires Editor Access:	Disabled
Formula:	No
	DEFAULT PastAuthors :=
	0;DEFAULT TimesModified :=
	0;X := @Elements(PastAuthors)
	- 2;@V2lf(@lsNewDoc; " ";
	@V2if(X - 1 >= 0; @Text(x - 1)
P1-1-4.	+ "."; " "))
Field:	A3 "
Datatype:	
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No
Update Requires Editor Access:	Disabled
about wednings Editot Access:	No

	Formula:	186	@V2If(@IsNewDoc; " ";
	i viiiidia.		
			@V2If(TimesModified >= 2;
			@ProperCase(@Subset(@Sub
			set(PastAuthors; -3); 1)); " "))
Fi	eld:		D3
• •		•	Text
	Datatype:		
	Help Description:		[Not Assigned]
	Field Type:		Computed for display
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
			<b></b>
	Update Requires Editor Access:		No
	Formula:		@V2If(@IsNewDoc; " ";
			<pre> @V2If(TimesModified &gt;= 2;</pre>
			@Subset(@Subset(PastEditDat
			es; -3); 1); " "))
	eld:		E4
T1			
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Computed for display
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Formula:		DEFAULT PastAuthors :=
			0:DEFAULT TimesModified :=
			0;X := @Elements(PastAuthors)
			- 3;@V2If(@IsNewDoc; " ";
			@V2If(X - 1) = 0; @Text(x - 1)
			+ "."; " "))
Fi	eld:		A4
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Computed for display
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Formula:		@V2If(@IsNewDoc; " ";
			@V2If(TimesModified >= 3;
			@ProperCase(@Subset(@Sub
			set(PastAuthors; -4); 1)); " "))
F	ield:		D4
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Computed for display
			• • • • • • • • • • • • • • • • • • • •
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Formula:		@V2If(@IsNewDoc; " ";
			@V2If(TimesModified >= 3;
			@Subset(@Subset(PastEditDat
	•		es; -4); 1); " "))
F	ield:		E5
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Computed for display
	Sign When Mailing/In Section:		No
	Encryption:		Disabled

	100	
Update Requires Editor Access:	187	No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 4;@V2lf(@IsNewDoc; " ";
•		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; ""))
Field:		A5 "
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2lf(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -5); 1)); " "))
		D5
Datatype: Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
Field:		es; -5); 1); " "))
Datatype:		Status Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		"0"
		Date_Closed
Datatype: Time Format:		Time
Help Description:		04/11/97 01:28:57 PM
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
Field:		•
Datatype:		Closed_By
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No Disable d
Update Requires Editor Access:		Disabled
Formula:		No
Field:		
Datatype:		ID_Claim Text
		ICAL

188

[Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: No Update Requires Editor Access: **ID** Case Field: Text Datatype: Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: ID Budget Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Contact\_Name Field: Datatype: Text [Not Assigned] Help Description: Computed Field Type: No Sign When Mailing/In Section: Disabled **Encryption:** No Update Requires Editor Access: @If(LName != " & FName != Formula: "; LName + ", " + FName; LName = ""; FName; LName) Document\_Author Field: **Author Names** Datatype: Comma Input Multi-Value Separator(s): Display Multi-Value Separator: Comma [Not Assigned] Help Description: Computed when composed Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No DBName := Formula: @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @if(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName):Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); "";

189

Field:

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Formula:

Help Description:

Help Description:

Help Description:

input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

@If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*; @DbLookup(ClassCache; Server: Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @If(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; Document\_Editors **Author Names** Comma, Semicolon Semicolon [Not Assigned] Computed when composed No **Disabled Update Requires Editor Access:** No **Document Readers** Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled **Update Requires Editor Access:** No **Document Managers** Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled Update Requires Editor Access: No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 :=

@DbLookup(ClassCache: Server : Database; View1;

Key1; 1));Hit2 :=

190

"Remote\_View":Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); \*\*\*: @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @if(@isError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := @If(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; ins Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\"); Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"):ClassCache := "Notes" : "NoCache"; View1 := "Remote View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ™;

@DbLookup(ClassCache; Server : Database; View1;

@lf(@lsError(@DbLookup(Clas

Key1; 1));Hit2 :=

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

Update Requires Editor Access:

Default Value Formula:

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Help Description:

Help Description:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

sCache; Server : Database:

191

View2; Key2; 1)); ""; @DbLookup(ClassCache: Server : Database: View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"): View := @If(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache : Server : Database; View; Key; "Company\_Name"); Ins Contact Text [Not Assigned] Computed No Disabled No @ProperCase(@Name([CN]; @V3UserName)); Ins\_Contact\_Phone Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName):Server := @Subset(DBName; 1);Path ;= @LeftBack(@Subset(@DbNam e; -1); "\\"); Database := @If(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]: @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName):Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Kev1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1: Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2;

Key2: 1)):Direction := @If(Hit1

192

!= ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"):View := @lf(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1: Key2):@DbLookup(ClassCache : Server : Database: View; Key; "Phone"); Field: Insured\_Entities Datatype: Text Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Insured Entities Field: Retro Datatype: Text Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Retro Date PL\_Ext\_Period Field: Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Undate Requires Editor Access:** No Default Value Formula: PL Ext Period Field: PL\_Each\_Limit Datatype: Number Currency (2 Decimal Places) **Number Format:** Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Default Value Formula: PL Each Limit Field: PL\_Agg\_Limit Datatype: Number **Number Format:** Currency (2 Decimal Places) Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Disabled Encryption:

Hadata Danilina Editor Anna	193	
Update Requires Editor Access:	113	No
Default Value Formula:		PL_Aggegrate_Limit
Field:		PL_Personal_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		• •
Punctuated at Thousands:		No
Help Description:		No
Field Type:		[Not Assigned]
		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Personal_Limit
Field:		PL_Ded_Ind
Datatype:		Number
Number Format:		
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ded_Individual
Field:		
Datatype:		PL_Ded_Comp
Number Format:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		No
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ded_Company
Field:		Endorsements
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Endorsements
		Claimant
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Default Value Formula:		No 
Field:		
Datatype:		Loss_Date
,po.		Time

	19.1	
Time Format:	194	04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		nn
Field:		Claimant Address
· · · · · · · · · · · · · · · · · · ·		Claimant_Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		9990
Field:		Claimant_Phone
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		
		No Disable d
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Claims_Facts
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Claim_In_Suit
Datatype:		Keywords
Input Multi-Value Separator(s):		
Display Multi-Value Separator:		Comma
		Comma
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Claim In Suit? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Liability_Claimant_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		
		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Liability_Insured_Pct
Datatype:		Number

	10-	
Number Format:	195	General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		
Datatype:		Curr_Reserve_Loss
Help Description:		Text
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Exp
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Law_Activities
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Standard
Allow Values Not In List:		No
Allowable Keywords:		Lawyer
, , , , , , , , , , , , , , , , , , , ,		Administrator
		Conservator
		Executor
		Guardian
		Trustee
Sign When Mailing/In Section:		Fiduciary
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		•
		Law_Type
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Standard
Allow Values Not In List:		No
Allowable Keywords:		Individual
		Partnership
		Corporation or Association
•		Lawyers Previously Employed
		Lawyers Currently Employed
Sign When Malling/In Section:		No Surrelling Employed
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No
Field:		
		Law_Named

Datatype:	Text
Help Description:	[Not Assigned]
. Field Type:	Editable
Sign When Mailing/In Section:	No .
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	
F <del>iel</del> d:	Law_Dishonest
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occasion billion
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned] Computed when composed
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption: Update Requires Editor Access:	No No
Formula:	140
i omala.	
Form:	Professional Liability E&O
Form Alias:	PL_E&O
Last Modification:	12/15/96 01:06:42 PM
Type:	Document
Window Title Formula:	SELECT "Professional Liability
	Claim - Errors and Ornissions
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No No
Updates Become Responses: Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing:	No
Activate Objects When Reading:	No
Document Encryption Keys:	[None Assigned]
Composed Documents May Be Read By:	All Users
Form May Be Composed By:	All Users
Field:	Ins_Policy
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy
Field:	Ins_Policy_From
Datatype:	Text
Help Description:	[Not Assigned]

	197
Field Type:	Editable
Sign When Mailing/In Section:	No
. Encryption ·	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_From
Field:	Ins_Policy_To
Datatype:	Text
Help Description:	·
Field Type:	[Not Assigned] Editable
Sign When Mailing/In Section:	No
Encryption:	
Update Requires Editor Access:	Disabled
Default Value Formula:	No Ballon Basing To
Field:	Policy_Period_To
Datatype:	Ins_Claim_Number
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Claim
Datatype:	LName
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
Datatype:	FName
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
Datatype:	Address
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field.	Occurence_Made
Datatype:	City
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Occurence_Made
Datatype:	State
	Text
Help Description:	[Not Assigned]

	198 Editable
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No .
Default Value Formula:	Occurence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No Operation Coursel
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	NO Disabled
Encryption:	Disabled
Update Requires Editor Access:	No Insured_Address
Default Value Formula:	Last_Action
Field:	Text
Datatype:	[Not Assigned]
Help Description:	Computed
Field Type:	No
Sign When Mailing/In Section:	Disabled
Encryption:	No No
Update Requires Editor Access:	Last_Action
Formula:	Last_Action TimesModified
Field:	Number
Datatype:	General
Number Format:	General

Percentage (value * 100)%:	199	No
Parentheses on Negative Numbers:	. ,	No
Punctuated at Thousands:		No
Help Description:		
, , , , , , , , , , , , , , , , , , ,		The number of times that the
Field Type:		document has been modified
Sign When Mailing/In Section:		Computed
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
i onnula.		@lf(@lsNewDoc; 0;
		TimesModified != "";
		TimesModified +
Field:		@IsDocBeingSaved; 0);
		PastAuthors
Datatype:		Text
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		This field will track the past
Field Tone		authors
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved;
		@V2lf(TimesModified <= 0:
		@ProperCase(@Name([CN];
		@V3UserName)); PastAuthors :
		@Name([CN];
<b>*</b>		@V3UserName)): PastAuthors)
Field:		PastEdilDates
Datatype:		Text
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		This field will track the past edit
		dates
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved;
		@V2If(TimesModified <= 0;
		@Text(@Now); PastEditDates :
		@Text(@Now)); PastEditDates)
Field:		Author
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
		@ProperCase(@Name([CN];
Field:		@V3UserName))
Datatype:		Created
Time Format:		Time
Help Description:		04/11/97 01:28:58 PM
•		[Not Assigned]

Sign When Mailing/In Section: Encryption: Datalype: Help Description: Field: Datatype: Help Description: Field Description: Field: Datatype: Help Description: Field Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Sign When Mailing/In Section: Datatype: Help Description: Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field: Datatype: Help Description: Field: Datatype: Help Description: Field: Datatype: Help Description: Field Type: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field Type: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Disabled No Disable	Field Type.	200	Computed when composed
Disabled			·
Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No DEFAULT PastAuthors:  ODEFAULT PastAuthors:  ODEFAULT PastAuthors:  ODEFAULT TimesModified := O,X:= @Elements(PastAuthors) - 1.@V21((@IsNewDoc; **; @V21((X:IsNewDoc; **			
Formula: Field:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Disabled     No     DEFAULT TimesModified:     DEFAULT TimesModified:     DEFAULT TimesModified:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Encryption:     Update Requires Editor Access:     Formula:     Datatype:     Help Description:     Encryption:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Encryption:     Update Requires Editor Access:     Formula:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Encryption:     Update Requires Editor Access:     Formula:     Datatype:     Help Description:     Field Type:     Sign When Mailing/In Section:     Encryption:     Update Requires Editor Access:     Formula:     DEFAULT TimesModified = 0;     Systype:     Sign When Mailing/In Section:     Encryption:     Update Requires Editor Access:     Formula:     DEFAULT TimesModified = 0;     DEFAULT TimesModified = 0;			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Datatype: Datatype: Datatype: Datatype: Datat			@Now
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Disabled No			
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Field Type: Geryption: Update Requires Editor Access: Formula:  Field: Datalype:  Field: Datalype: Field: D			Text
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No DEFAULT PastAuthors:  O'DEFAULT TimesModified:  O'X:= @Elements(PastAuthors): O'Y:= X:- TimesModified: O'X:= @Update(ye)**21((y=0): O'Y:= X:- TimesModified: O'X:= O'X:= O'Y:= X:- O'Y:= X:- O'X:= O'			[Not Assigned]
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT TimesModified:  DISABLED  No  DISABLED  No  DISABLED  No  DISABLED  No  DISABLED  DISABLED  No  DISAB			
Encryption:     Update Requires Editor Access:     Formula:			No
DEFAULT PastAuthors:			Disabled
DEFAULT TimesModified := 0,X := @Elements(PastAuthors) -0,y := x - TimesModified: @V2lf(@IsNew Doc: "-@V2lf(y >= 0; @Text(x - 1) + "-" -"))	Update Requires Editor Access:		• • •
Disabled   Datatype:   Help Description:   Field Type:   Sign When Mailing/In Section:   Encryption:   Update Requires Editor Access:   Formula:   Datatype:   Text   Encryption:   Disabled   No   Disabled	Formula:		
- 0.y := x - TimesModified:@V2lf(@IsNew Doc; " : @V2lf(y >= 0; @Text(x - 1) + "." ")			
TimesModified:@V2lf(@IsNew Doc; "; @V2lf(y >= 0; @Text(x - 1) + ".", "))			
Doc: "-; @V2lf(y >= 0; @Text(x - 1) + ".", ")   Field:			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Pield Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1:@V2I((gisNewDoc; **; @V2II((gisNewDoc; **; @V2II((g			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Disabled No Dis			Doc; ""; @V2II(y >= 0;
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype:  Field: Datatype:  Field: Datatype:  Text  Field: Datatype:  Text  Text  Field: Datatype:  Text  Text  Text  Field: Datatype:  Text  Field: Datatype:  Text			
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datalype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Disabled No DEFAULT PastAuthors:= 0;DEFAULT PastAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT TimesModified:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT TimesModified:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT PiestAuthors:= 0;DEFAULT TimesModified:= 0;DEFAULT PiestAuthors:=			
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No DEFAULT PastAuthors:  0;DEFAULT PinnesModified: 0;DEFAULT PinnesModified: 0;DEFAULT PinnesModified: 1;@V2If(@IsNewDoc; * *; @V2If(X - 1 >= 0; @Text(x - 1) + * **; * * *)) Field: Datatype:  Field: Datatype:  Text			
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Disabled No Disa			
Encryption: Update Requires Editor Access: Formula:    Possible	Fign When Meiling/In Section:		•
Update Requires Editor Access: Formula:  Botaltype: Help Description: Encryption: Update Requires Editor Access: Formula:  ProperCase(@Subset(@Subset(@Subset(PastAuthors; -1); 1)))  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Pield: Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No Disabled N			
Formula:			No
GProperCase(@Subset(@Subset(@Subset(PastAuthors; -1); 1)))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No Disable			@V2If(@IsNewDoc; " ";
Datatype:	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		@ProperCase(@Subset(@Sub
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description:  Disabled No WV2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "," "))  Field: Datatype:  Field: Datatype:  Field: Datatype:  Text  A2 Text			
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description:  Disabled  WV2!I(@IsNewDoc; ""; @V2!I(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); ""))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT PastAuthors) -1;@V2!I(@IsNewDoc; ""; @V2!I(X - 1 >= 0; @Text(x - 1) + ""; ""))  Field: Datatype:  Field: Datatype:  Field: Datatype:  Text  A2 Text	Field:		<del>-</del> ·
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: ODEFAULT TimesModified := O;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + ""; " "))  Field: Datatype:  Field: A2 Text			
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  W2If(TimesModified >= 0; W2If(X - 1 >= 0; @Text(x - 1) + ""; ")) W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ") W2If(X - 1 >= 0; @Text(x - 1) + ""; ")			
Encryption: Update Requires Editor Access: Formula:  ### W21f(@IsNewDoc; ""; ### W21f(TimesModified >= 0; ### W21f(@IsNewDoc; ""; ### W21f(TimesModified >= 0; ### W21f(@IsNewDoc; ""; ### W21f(TimesModified >= 0; ### W21f(@IsNewDoc; ""; #### W21f(@IsNewDoc; ""; #### W21f(@IsNewDoc; ""; #### W21f(@IsNewDoc; ""; #### W21f(@IsNewDoc; ""; ##### W21f(@IsNewDoc; ""; ##################################	Field Type:		· · · · · · · · · · · · · · · · · · ·
Update Requires Editor Access: Formula:  ### V2If(@IsNewDoc; "; ### V2If(TimesModified >= 0; ### W2If(TimesModified >= 0; ### W2If(MoshewDoc; "; #### W2If(MoshewDoc; "; #### W2If(MoshewDoc; "; #### W2If(MoshewDoc; "; #### W2If(MoshewDoc; "; ###### W2If(MoshewDoc; "; ###################################			
Formula:  ### W2If(@IsNewDoc; ";  ### W2If(TimesModified >= 0;  ### W2If(TimesModified >= 0;  ### W2If(TimesModified >= 0;  ### W2If(TimesModified >= 0;  ### W2If(@Subset(PastEditDat es; -1); 1); ""))  #### ### ### ###  ### Example			
@V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); ""))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2If(@IsNewDoc; ""; @V2If(X - 1 >= 0; @Text(x - 1) + ""; "))  Field: Datatype:  Datat	· ·		
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled  No DEFAULT PastAuthors:  0;DEFAULT TimesModified:= 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; "; @V2lf(X - 1 >= 0; @Text(x - 1) + ""; ""))  Field: Datatype:  Datatype:	roiniula.		@V2If(TimesModified >= 0:
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;DEFAULT TimesModified:= O;X:= @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "": " "))  Field: Datatype:  Page 12:  Page 23:  Page 24:  Datatype:  A2  Datatype:  Text  Description:  No DEFAULT PastAuthors: O;X:= @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "": " "))  Field: Datatype:  Text			@Subset(@Subset(PastEditDat
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;DEFAULT TimesModified:= O;X:= @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype:  Text  Text  Text			es; -1); 1); " "))
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;DEFAULT TimesModified: O;X:= @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype:  Datatype:  Rot Assigned] Computed for display No Disabled No DEFAULT PastAuthors: - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))	Field:		E2
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  O;DEFAULT TimesModified := O;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype:  Rot Assigned] Computed for display No Disabled No DEFAULT PastAuthors := O;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))	Datatype:		
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype:  A2 Datatype:	Help Description:		
Encryption:  Update Requires Editor Access:  Formula:  DEFAULT PastAuthors :=  0;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  - 1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))  Field:  Datatype:  Disabled  No  DEFAULT PastAuthors :=  0;X := @Elements(PastAuthors)  - 1;@V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))			•
Update Requires Editor Access:  Formula:  DEFAULT PastAuthors :=  0;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  - 1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))  Field:  Datatype:  Datatype:  No  DEFAULT PastAuthors :=  0;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  - 1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))			
Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype:  A2 Text			<b></b>
0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype:  A2 Text			
0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:	Formula:		<del></del>
- 1;@V2lf(@lsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:			
@V2If(X - 1 >= 0; @Text(x - 1) + ":";""))  Field:	•		
Field: A2 Datatype: Text			
Field: A2 Datatype: Text			
Datatype: Text	Field:		
			[Not Assigned]

Field Type:	201	Computed for display
Sign When Mailing/In Section:	201	No
. Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc; " ";
	•	
		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -2); 1)); " "))
		D2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
Field:		es; -2); 1); " "))
Datatype:		<b>E</b> 3
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0:DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 2;@V2If(@IsNewDoc; * ":
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; ""))
Field:		A3 "
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No No
Encryption:		Disabled
Update Requires Editor Access:		
Formula:		No
		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 2;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -3); 1)); ""))
Datatype:		D3
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
i oinaia.		@V2If(@isNewDoc; * *;
		@V2If(TimesModified >= 2:
		@Subset(@Subset(PastEditDat
Field:		es; -3); 1); ""))
		E4
Datatype:		Text

Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:	262	[Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 3;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))
Field:		<u>A</u> 4 .
Datatype:		Text
Help Description: Field Type:		[Not Assigned] Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 3;
		@ProperCase(@Subset(@Sub set(PastAuthors; -4); 1)); " "))
Field:		D4
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No @V2lf(@lsNe <del>w</del> Doc; " ";
Politigia.		@V2If(TimesModified >= 3;
		@Subset(@Subset(PastEditDat
		es; -4); 1); " "))
Field:		E5
Datatype:		Text
Help Description:		[Not Assigned] Computed for display
Field Type: Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:	:	No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors) - 4;@V2If(@IsNewDoc; " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; ""))
Field:		A5 ,
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No Disabled
Encryption: Update Requires Editor Access		No
Formula:	•	@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 4;
		@ProperCase(@Subset(@Sub

Field:	A . A	set(PastAuthors, -5), 1)), " "))
Field:	203	D5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:	-	No
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
, omaid.		@V2If(@IsNewDoc; " ";
		@V2II(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
Field.		es; -5); 1); " "))
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No No
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
Field:		"0"
Datatype:		Date_Closed
Time Format:		Time
		04/11/97 01:28:58 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		IAO
Field:		Olerand D
Datatype:		Closed_By
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed
Encryption:		No
		Disabled
Update Requires Editor Access: Formula:		No
		**
Field:		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Field:		No
Datatype:		ID_Case
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section: Encryption:		No .
		Disabled
Update Requires Editor Access:		No
Field:		ID_Budget
Datatype:		Text
Help Description:		
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
		No

204 Encryption: Disabled **Update Requires Editor Access:** No . Field: Contact Name Datatype: Text [Not Assigned] Help Description: Field Type: Computed Sign When Mailing/In Section: No Disabled **Encryption: Update Requires Editor Access:** No Formula: @If(LName != " & FName != LName + ", " + FName: LName = ""; FName: LName) Field: Document\_Author Datatype: **Author Names** Input Multi-Value Separator(s): Comma Display Multi-Value Separator. Comma Help Description: [Not Assigned] Computed when composed Field Type: No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@isError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*"; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hil1 != ""; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key;

Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Document_Manager Reader Names Comma. Semicolon Semicolon Incomputed when con No Semicolon [Not Assigned] Computed when con No Disabled No DBName :=  @Text(@DbName); @Subset(DBName; @LeftBack(@Subse e; -1): "\\"):Database @If(path = ""; "ITPLAYER.NSF"; path of the path of th	on . omposed
Input Multi-Value Separator(s):  Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DBName :=  @Text(@DbName); @Subset(DBName; @LeftBack(@Subsete; -1): "\"):Database @If(path = "": "ITPLAYER.NSF"; pate "ITPLAYER.NSF"; pate "ITPLAYER.NSF"; pate "Nocach "Remote_View"; Key1 @Name([Abbreviate] @V3UserName); View "Server_View"; Key2 @Name([O]; @V3UserName); View "Server_View"; Key2 @Name([O]; @V3UserName); Hit1 @If(@IsError(@DbLc)	n Omposed
View1; Key1; 1)); ""; @DbLookup(ClassCa Server: Database; Vi Key1; 1));Hil2 := @If(@IsError(@DbLo sCache; Server: Data View2; Key2; 1)); "";	mposed  ;Server := ; 1);Path := et(@DbNam e :=  cath + "\\" +  ClassCache he";View1 := e]; ew2 := 1 := -ookup(Clas habase; hache; /iew1;

206

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

**Update Requires Editor Access:** 

Default Value Formula:

Field: Datatype:

Help Description:

Key2: 1)):Direction := @lf(Hit1 != ""; "Remote"; Hit2 != "". "Server"; "NoAccess"):View := @If(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache ; Server : Database, View; Key; Ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server :=

@Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(path = "";

"ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 :=

@Name([O];

@V3UserName);Hit1 :=

@II(@IsError(@DbLookup(Clas sCache; Server : Dalabase;

View1; Key1; 1)); "";

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hil2 :=

@lf(@lsError(@DbLookup(Clas sCache; Server : Database;

View2; Key2; 1)); "";

@DbLookup(ClassCache; Server : Database; View2;

Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View :=

@If(Direction = "Remote";

View1; View2);Key := @If(Direction = "Remote";

Key1;

Key2);@DbLookup(ClassCache ; Server : Database: View; Key;

"Company\_Name"):

ins\_Contact

Text

[Not Assigned]

207 Field Type: Computed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @ProperCase(@Name([CN]: @V3UserName)): Field: ins\_Contact\_Phone Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: DBName := @Text(@DbName):Server := @Subset(DBName: 1);Path := @LeftBack(@Subset(@DbNam e; -1): "\\"):Database := @lf(path = "": "ITPLAYER.NSF": path + "\\" + "ITPLAYER.NSF"):ClassCache := "Notes" : "NoCache":View1 := "Remote\_View":Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View":Key2 := @Name([O]: @V3UserName):Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View1: Key1; 1)); "". @DbLookup(ClassCache: Server: Database: View1: Key1: 1)):Hit2 := @lf(@lsError(@DbLookup(Clas sCache: Server : Database: View2; Key2; 1)); "": @DbLookup(ClassCache: Server: Database: View2: Key2; 1)):Direction := @lf(Hit1 != "": "Remote"; Hit2 != ""; "Server"; "NoAccess"): View := @If(Direction = "Remote": View1: View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database: View: Key: "Phone"): Field: Insured\_Entities Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled

No

**Update Requires Editor Access:** 

Default Value Formula:	108	4 <b>F</b> -191.
Field.	~ ' '	Insured_Entities
		Retro
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable .
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Retro_Date
- · · · · · · · · · · · · · · · · · · ·		PL_Ext_Period
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No S. A. D. S. A.
Field:		PL_Ext_Period
		PL_Each_Limit
Dalatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers	:	No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		
Sign When Mailing/In Section:		Editable
		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Each_Limit
Field:		PL_Agg_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers	•	No
Punctuated at Thousands:	·•	No
Help Description:		
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggegrate_Limit
Field:		PL_Personal_Limit
Datatype:		Number
Number Format:		
Percentage (value * 100)%:		Currency (2 Decimal Places)
Paranthagas on Manative Musel		No
Parentheses on Negative Numbers	):	No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
Default Value Formula:		No
		PL_Personal_Limit
Field:		PL_Ded_Ind
Datatype:		Number
Number Format:		Currency (2 Decimal Places)

	209	N1-
Percentage (value * 100)%:	201	No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ded_Individual
Field:		PL_Ded_Comp
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ded_Company
Field:		Endorsements
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Endorsements
Field:		Claimant
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		an .
Field:		Loss_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		-
Field:		Claimant_Address
Datatype:		Text
Help Description:		(Not Assigned)
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access.		No
Default Value Formula:		140
Field:		Claimant Phone
Datatype:		Claimanl_Phone Text
outdrypt.		ITAL

		PCT/US97/07
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula:	210	[Not Assigned] Editable No Disabled No
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claims_Facts Text [Not Assigned] Editable No Disabled No
Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Keyword User Interface: Allowable Keywords: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		Claim_In_Suit Keywords Comma Comma {Not Assigned} Editable Check Boxes Claim In Suit? Y No Disabled No
Field: Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Field:	i:	Liability_Claimant_Pcl Number General Yes No No [Not Assigned] Editable No Disabled No
Datatype: Number Format: Percentage (value * 100)%: Parentheses on Negative Numbers Punctuated at Thousands: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:	i:	Liability_Insured_Pct Number General Yes No No (Not Assigned) Editable No Disabled No Curr_Reserve_Loss Text (Not Assigned) Editable No Disabled
Field:		Curr_Reserve_Exp

	211
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
. Sign When Mailing/In Section:	No
Encryption:	Disabled .
Update Requires Editor Access:	No
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access: Formula:	No 
_	
Form:	Professional Liability Hosp
Form Alias:	PL_Hosp
Last Modification:	12/15/96 01:08:46 PM
Туре:	Document
Window Title Formula:	SELECT "Professional Liability
	Claim - Hospital"
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form in Documents:	No
Inherit Default Field Values:	No
Updates Become Responses:	No
Retain Prior Versions As Responses:	No
Activate Objects When Composing:	No
Activate Objects When Editing: Activate Objects When Reading:	No
Document Encryption Keys:	No
Composed Documents May Be Read By:	[None Assigned]
Form May Be Composed By:	All Users
Field:	All Users
Datatype:	Ins_Policy
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No Disabled
Update Requires Editor Access:	Disabled
Default Value Formula:	No Dalian
Field:	Policy
Datatype:	Ins_Policy_From
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No Disabled
Update Requires Editor Access:	Disabled
Default Value Formula:	No Delice Desired Fee
Field:	Policy_Period_From
Datatype:	Ins_Policy_To
Help Description:	Text
Field Type:	[Not Assigned]
riciu i ype.	Editable

	2/2
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Policy_Period_To
Field:	Ins_Claim_Number ·
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Claim
Field:	LName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	FName
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	City
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable

Sign When Mailing/In Section: 2/	'3 No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	27
Field:	Occurence_Made
Datatype:	Caption
Help Description:	Text
Field Type:	[Not Assigned]
	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned] Editable
Sign When Mailing/In Section:	
Encryption:	No Disable d
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Opposing_Counsel
Datatype:	Opp_Counsel_Address
Help Description:	Text
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Editable
Encryption:	No
Update Requires Editor Access:	Disabled
Default Value Formula:	No
Field:	Insured_Address
Datatype:	Lest_Action
Help Description:	Text
Field Type:	[Not Assigned]
	Computed
Sign When Mailing/In Section: Encryption:	No
	Disabled
Update Requires Editor Access:	No
Formula: Field:	Last_Action
10.0	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No ·
. Help Description:	The number of times that the
	document has been modified
Field Type:	
Sign When Mailing/In Section:	Computed
Encryption:	No Disable 4
Update Requires Editor Access:	Disabled
	No

Formula:	214	@II(@lsNewDee, 0 TimesMedified != '''. TimesMedified +
		@IsDocBeingSaved, 0).
Field:		PaslAuthors
Datetype:		Text
input Multi-Value Separator(	s):	Semicolon
Display Mulli-Value Separate	or:	Semicolon
Help Description:		This field will track the past
		authors
Field Typc:		Computed
Sign When Mailing/In Section	n:	No
Encryption:		Disabled
Update Requires Editor Acco	?\$\$:	Ne
Formule:		@V2II(@isDocBcingSaved. @V2II(TimesModified <= 0.
		@ProperCase(@Name(jCN).
		@V3UscrNamc)), PastAuthors .
		@Namc([CN].
		@V3UscrNamc)). PastAuthors)
Field:		PestEditDates
Datatypc:	1_1.	Text
Input Multi-Value Separator		Semicolon
Display Multi-Value Separat	OI;	Semicolon This field will track the past edil
Help Description:		dates
Field Type:		Computed
Sign When Mailing/In Section	on:	No
Encryption:		Disebled
Update Requires Editor Acc	ess:	No
Formula:		@V2II(@IsDocBcingSevcd.
		@V2II(TimesModified <= 0:
		@Tcxl(@Now): PastEditDates
		@Text(@Now)). PastEditDates
Field.		Author
Datatype:		Text
Help Description.		[Not Assigned]
Field Type. Sign When Mailing/In Secti	an .	Computed when composed No
Encryption.	Oit.	Disabled
Update Requires Editor Acc	rrss	No .
Formula.		@ProperCase(@Name([CN].
,		@V3Uscrivemc))
Field.		Created
Datatype:		Time
Time, Formal.		04/11/97 01.28:58 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Sect	ion:	No
Encryption:		Disabled
Update Requires Editor Ac	0033.	No
Formula:		®i∧o⊷
Field.		, <b>E1</b>
Dalatypc:		Text
Help Description:		[Not Assigned]
Field Type.		Computed for display

Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:	215	No Disabled No DEFAULT PastAuthors := 0:DEFAULT TimesModified := 0:X := @Elements(PastAuthors) - 0:y := x - TimesModified:@V2II(@IsNew: Doc: "": @V2II(y >= 0 @Text(x - 1) + ".", ".")
Field: Datatype: Help Description: Field Type:		A1 Text [Not Assigned]
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		Computed for display No Disabled No
Field:		@V2lf(@lsNcwDcc: " ": @ProperCase(@Subset(@Sub set(PastAuthors: -1): 1))) D1
Datatype: Help Description: Field Type: Sign When Mailing/In Section:		Text [Not Assigned] Computed for display No
Encryption: Update Requires Editor Access: Formula:		Disabled No @V2lf(@lsNewDoc: " ": @V2lf(TimesModified >= 0: @Subset(@Subset(PastEditDat
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:		cs: -1): 1): "")) E2 Text {Not Assigned} Computed for display
Encryption: Update Requires Editor Access: Formula:		No Disabled No DEFAULT PastAuthors := 0:DEFAULT TimesModified :=
		0:X := @Elements(PastAuthors) - 1:@V2II(@IsNewDoc: " ": @V2II(X - 1 >= 0; @Text(x - 1) + ".": " "))
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:		A2 Text [Not Assigned] Computed for display
Encryption: Update Requires Editor Access: Formula:		No Disabled No @VZII(@IsNewDoe; " "; @VZII(TimesModified >= 1;
Field:		@ProperCase(@Subset(@Sub set(PastAuthors: -2): 1)): " ")) D2

Datatype:	216	Toxt
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2II(@IsNewDoc; " ":
		@V2II(TimesModified >= 1;
		@Subsct(@Subsct(PastEditDnt
Field:		es: -2): 1): " "))
		E3 .
Datatype:		Text
Help Description:		[Not Assuned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0:DEFAULT TimesModified :=
		0:X := @Elements(PastAuthors)
		- 2:@V2II(@IsNcwDoc: " ";
		(2)V2II(X - 1) = 0; (2)Text(x - 1)
		+ ".": " "))
Field:		A3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@lsNewDoc: " ":
		@V2II(TimesModified >= 2:
		@ProperCase(@Subset(@Sub
		sct(PestAuthors: -3): 1)): ""))
Field:		D3
Datetype:		Text
Help Description:		(Not Assigned)
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2if(@isNewDoc: " ";
		@V2II(TimesModified >= 2;
		@Subset(@Subset(PastEditDat
		cs: -3): 1): " "))
Field:		E4
Datatype:		Text
Help Description:		
Field Type:		(Not Assigned)
Sign When Mailing/in Section:		Computed for display No
Encryption:		Disabled
Update Requires Editer Access.		
Formula:		No
· ominara.		DEFAULT PasiAuthors :=
		0:DEFAULT TimesModified :=
		0:X := @Elements(PastAuthors)
		- 3:@V2II(@IsNewDoc: " ";

	211	@(VZII(X - 1 >= 0, @) ! CX((x - 1
Field:		+ ".". " "))
Datatype:		A4
Help Description:		Text
		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:	•	No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
		@V2II(@IsNowDoc; * ".
		@V2II(TimesModified >= 3;
		@ProperCase(@Subset(@Sub
Field:		sct(PastAuthors: -4): 1)): " "))
Datatype:		D4
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
		Disabled
Update Requires Editor Access:		No
romula;		@V2If(@IsNewDoc: " ";
		@V2II(TimesModified >= 3:
		MSHPOOLWS LIBERT DOOR OF THE
_		@Subsct(@Subsct(PastEditDat
Field:		CS: -4): 1): " "))
Datatype:		E5
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display
Encryption:		No
Update Requires Editor Access:		Disabled
Formula:		No
		DEFAULT PastAuthors :=
		0:DEFAULT TimesModified :=
		0:X := @Elements(PastAuthors)
		- 4:@V2II(@IsNewDoc: " ":
		@V2II(X - 1 >= 0: @Tcxl(x - 1)
Field:		+ "."; ""))
		A5 "
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		
Sign When Mailing/In Section.		Computed for display
Encryption:		No Department
Update Requires Editor Access:		Disabled
Formula:		No
		@V2II(@IsNewDoc: " ":
		@V2II(TimesModified >= 4:
		@ProperCase(@Subset(@Sub
Field:		sct(PastAuthors: -5): 1)): " "))
Datatype:		D5
Help Description:		Text
Field Type:		[Not Assigned]
Sign Mines Assis		Computed for display
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
		@V2II(@IsNewDoc: " ":

	218	@VZII(1 imesModified >= 4, @Subset(@Subset(PastEditDa cs: -5): 1): 1 "))
Field:		Status
Datatype:		Text .
<u>.</u> ,		
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		<b>"0"</b>
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:58 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
_ =		
Encryption:		Disabled
Update Requires Editor Access:		No 
Formula:		
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		man.
Field:		tO_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		127 2
		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Rnggct
Datatype:		1 cxt
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Fickd:		Contact_Name
		<del>-</del>
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No

Formula: 2/9 @II(LName != "" & FName !=

Field:

Datetypc:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Hclp Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

Update Requires Editor Access:

Formula:

: LName + ", " + FName. LName = ""; FName; LName) Document\_Author **Author Names** Comme Comma **INct Assigned!** Computed when composed Disabled No DBNemc := @Text(@DbName):Server := @Subset(DBName: 1):Path := @LottBack(@Subsct(@DbNam c: -1). "\\").Databasc .= @lt(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NEF"): Class Cache := "Notes" : "NoCache";View1 := "Romoto\_View":Key1 := @Name(IAbbreviate). @V3UscrNamc):View2 := "Server View":Kev2 := @Namc([O]: @V3UscrNamc):Hit1 := @II(@IsError(@DbLookup(Clas sCache: Server : Database. Vicw1: Kcy1: 1)); \*\*\* @DbLookup(ClassCache: Server : Database: View1. Kcy1: 1)):Hit2 := @II(@IsError(@DbLookup(Clas sCacho: Server : Database. Vicw2: Kcy2, 1)), "" @DbLookup(ClassCache, Server : Database: View2: Key2. 1)):Direction := @H(Hit1 != "". "Remote". Hit2 != "". "Server", "NoAccess"):View := @It(Direction = "Remote". View1: View2);Key := @II(Direction = "Remote". Key1. Kcy2).@DbLookup(ClassCache . Sciver : Database: View, Key, Document\_Editors **Author Names** Cumma, Semicology Semicoton [Not Assigned] Computed when composed No

Disabled

Ficial.

Datatype.

input Multi-Value Separator(s).

Display Multi-Value Separator:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

. Server : Database, View: Key.

220 Update Requires Editor Access: No Formula: Ficid: Document\_Readers Datatype: Resder Names Input Multi-Value Separator(s): Comma. Semicoton Display Multi-Value Separator Semicolon Holp Description: **INot Assigned!** Field Type: Computed when composed Sign When Mailing/In Section: Encryption: Disabled Update Requires Editor Access: No Formula: Field: Document\_Managers Datatypo: Reader Names Input Multi-Value Separator(s): Comma. Semicoton Display Multi-Value Separator: Semicolon Help Description: INot Assigned) Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: DBName := @Text(@DbNeme):Server := @Subset(DBName: 1):Path := @LcttBack(@Subsct(@DbNam c: -1): "\\"):Databasc := @II(path = T) "ITPLAYER.NSF": path + "\\" + "ITPLAYER.NSF").ClassCache := "Notes" : "NoCache":View1 := "Remote\_View":Key1 := @Nemc([Abbreviate]: @V3UscrNamc):View2 := "Server\_View":Key2 := @Name(IO): @V3UserName);Hit1 := @III@IIError(@DbLockup(Clas sCache: Server : Database: Vicw1: Kev1: 1)); T; @DbLookup(ClassCache: Server : Database: View1: Kev1: 1)):Hit2 := 強用機能をError(他DbLookup(Clas sCache: Server : Database. View2: Key2: 1)); \*\* @DbLookup(ClassCache: Server : Database, View2, Kcy2: 1)):Direction := @#(Hit1 != "". "Remote": Hit2 != ""; "Server", "NoAccess");View := @IIIDirection = "Remote". View1. View2):Kev :\* @HDirection = "Remote": Kev1: Key#:@DbLookup(ClassCaone

221 Field: Ins\_Company Datatype: Text Help Desemption: (Not Assigned) Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No **Default Value Formula:** DBName := @Text(@DbName);Server := @Subset(DBName: 1):Path := @LeftBack(@Subset(@DbNom c. -1), "\\").Delebusc .-@ll(path = \*\*. "ITPLAYER.NSF", pulls + "\" + "ITPLAYER.NSF"), Class Cache := "Notes" . "NoCache".View1 .= "Remote\_View":Key1 := @Numc([Abbreviale]. @V3UserName).View2 := "Scive:\_View":Key2 := @Nume((O). @V3UsciName):Hit1 .= @II(@lsEnor(@DbLookup(Clus sCache, Server , Database, View1: Key1, 1)); =, @DbLookup(ClassCache. Server : Dalabase, View1, Kcy1. 1)).Hit2 := @II(@lbEnor(@DbLookup(Clas sCache, Server , Database, Vicw2: Key2: 1)); = @DbLookup(ClassCache, Server : Dulabase: View2: KeyZ: 1)).Direction := @H(Hit1 != ". "Remote", Hit2 != "". "Server", "NoAccess"),View := @II(Direction = "Remote", View1. View2);Key := @IIDirection = "Remote". Kev1. Key2):@DbLookup(ClassCache . Server : Database, View, Key, "Company\_Nume"), Ficki. ins\_Contact Dulutype: l czi Help Description: [Not Assigned] FICKL TYPE: Computed Sign When Mailing/In Section: NU Encivotion: Disabled Update Requires Editor Access. NU Funnulu: @ProperCase(@Name((CN). MAYSUFFINGERCH Ficki: hip Contact Phone Dulglype: i uzi Help Description. [Not Assigned]

Editable

222

Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access. Default Value Formula:

Field: Datatype: Help Description: Fictd Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Ficid: Datatype: Help Description: Field Type: Sign When Mailing/In Section. Encryption: Update Requires Editor Access: Default Value Formula:

No Disabled No DÉName :-@Hext@Dimane).Server = @Subset(DBName, 1), Path := @LellBack(@Subset(@DbNom c. -1). "\\").Dulubase .-(tàll(pull: = "". "ITPLAYER.NSH", pull: + "\\" + "ITPLAYER.NSF").ClassCache := "Notes" : "NoCuehe",View1 .= "Remote\_View";Kev1 .= @Name(IAbbreviate). @V3UscrName):View2 := "Server\_View":Key2 := @Namc((O): @V3UscrNamc);Hit1 := 個別個はError(他口bLookup(Clas sCache: Server : Database: View1: Key1: 1)); "" @DbLookup(ClassCache: Server : Database: View1; Kcv1: 1)):Hit2 := @II(@IsError(@DbLookup(Clas sCache: Server : Database: Vicw2: Kcy2; 1)); 1 @DbLookup(ClassCache: Server : Database: View2: Key2: 1)):Direction := @if(Hit1 != "": "Romoto": Hit2 != "": "Server": "NoAccess"):View := @If(Direction = "Remote": Vicw1. Vicw2):Key := @IffDirection = "Remote": Kcy1: Key2):@DbLookup(ClassCache : Server : Database: View: Key. "Phone"): Insured\_Entities 7 cxt (Not Assigned) Editable No Disabled No Insured\_Entities Retro Text **INot Assigned** Editable No Disabled

No

Rctro\_Date

Field:	223	DI Ew Donor
Datatype:	**	PL_Ext_Pened Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No.
Encryption:		Disabled
Update Requires Editor Access:		hic .
Default Value Formula:		PL_Ext_Ponoc
Ficht:		PL_Esch_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Misses)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		(Not Assigned)
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Octault Value Formula:		PL_Each_Limit
Field:		PL_Agg_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Hield Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggegrate_Limit
Field:		PL_Personal_Limit
Datatype: Number Hormat:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Hold Describtion:		No.
Field Type:		iNot Assignedj Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Detault Value Formula:		PL_Personal_Limit
Ficia:		PL_Ded_Ind
Datatype:		Number
Number Fermat:		Currency (2 Decimal Places)
Percentage (value * 1001%):		No
Parentheses on Negative Numbers:		No
Punctuated at I housends:		No
Help Desemblion:		thict Assigned;
Field lype:		Editable
Sign When Mailing/In Section:		NO
Encription:		Disabled
Update Headires Eatter Access:		No
Dotault Value Formula:		PL_Ded_Individue:

Field:	224	W Dog Com-
Datatype:		PL_Dea_Cemp Number
Number Format:		
Percentage (value * 100)%:		Currency (2 Decime: Places:
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No -
Help Description:		No
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Ficia:		PL_Dcd_Company
Datatype:		Endomements
Help Description:		cxt
Field Type:		[Not Assigned]
Sign When Mailing/in Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		Endorsements
Datatype:		Coverage_1 ype
Help Description:		Keywords
		[Not Assigned]
Field Type:		Editable
Keyword User Interface: Allow Values Not In List:		Standard
Allowable Kersesser		No
Allowable Keywords:		Individual Protessional Liability
		Partnership - Association -
Vian Mhon Marken III I I I I		Corporation
Sign When Mailing/In Section: Encryption:		No
Update Requires Editor Access:		Disabled
Detault Value Formula:		No
Field:		Mas .
Datetype:		Covered_Individuals
Help Desemption:		lext
Held Type:		[Not Assigned]
Con Minor Marken to a service		Editable
Sign When Mailing/In Section: Encryption:		No
		Disabled
Update Requires Editor Access: Detault Value Formula:		No
Field:		****
Datatype:		Incident_Description
Para December.		! ext
Holp Description: Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula: Field:		1100
		Exclusions
Datatype:		Keywords
Holp Description:		intot Assigned;
hick lype:		Editable
Keyword User Interface:		Standard
Allow Values Not in List:		NO
Allowable Keywords:		<pre><none selected=""></none></pre>

225	Common act Proprietor administrator trustee of other facility Injury to employee under WC law Communication incoming For Vets inability for their on an
	duc to inc
Sign When Muling/in Section.	••••
Encryption:	Linguisco
Updete Regunes Editor Access:	Nu
Delauli Value Formula.	****
Ficial:	Cost_Per_Claim
Dululype:	Number
Number Format:	Centricy (2 Decimal Places)
Percentage (value * 100)%:	No
Percriticaca on Negative Numbers:	No
Punctuated et Thousends: Help Description:	No.
·	Net Assigned)
hicid Type: Sign When Mailing/In Section.	Editable
Encryption:	Fig.
Update Regulies Editor Access:	Draubled No
Delacii Vaice Formula:	: tu
Fixid.	Cosi_Aggregate
Deletype:	Numbe:
Number Format:	Contact (2 Decimal Places)
Percentage (value * 100)%.	Nu
Perchilicaca on Negative Numbera:	Ne
Punctualed at Thousands:	No
Help Description:	įNet Assignes;
Field Type:	Editable
Sign When Mailing/In Section. Encryption:	Nu
Updale Heganes Edito: Access.	Orabica
Drivall Value Formula:	<u></u>
Fixid.	<u></u>
Dulutype:	Cosi_Expenses Number
Number Formul.	Currency (2 Decimal Places)
Percentage (velue * 100)%:	No
Parentheses on Negative Numbers.	No
Punciualed at Thousands.	110
Help Description:	[Not Assumed]
hvid Type:	Editable
Sign When Meding/in Section:	No
puciábria:	Drubicu
Update Regules Editor Access	No
Delault Value Formula.	<del></del>
Field:	Casi_Delense
Daletype: Namber Formul;	Number
Percentage (value * 100)%;	Continey (2 Decimal Places)
Parentineses on Negative Numbers:	Nu
Functualed at Thousands	Nu
Help Desemblion:	No
weight and the state of the sta	Not Assigned

		101/05
Field Type:	226	Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Clamoni
Datatype:	•	iexi
Help Description:		
incle description:		(Not Assignes)
Sign When Mailing/In Section:		Editable
		No
Encryption:		Disabled
Update Requires Editor Access:		No
Detault Value Formula:		
Field:		<u>Loss_Date</u>
Datatype:		Time
Time Format:		04/11/97
Help Description:		(Not Assigned)
Hield Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Detault Value Formula:		
Field:		Claimant_Address
Dalatype:		lexi
Help Description:		(Not Assigned)
Freld Type:		Editable
Sign When Mulling/In Section:		No
Encryption:		Disabled
Update Regulies Editor Access:		No
Default Value Formula:		***
Field:		Claimant_Phone
Datatype:		lexi
Hetp Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/in Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Clarms_Hacts
Datatype:		text
Help Description:		[Not Assigned]
Hield Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Regules Editor Access:		No
Detaeli Value Formula:		****
Field:		Claim: In Suit
Datatype:		Keywords
input Multi-Value Separator(s):		Continu
Display Multi-Value Separator:		Contine
Help Description:		jivot Assignedj
ried Type:		Editabic
Reyword User Interface:		
•		Check Boxes
Aliowabic Keywords:		Cienn in Suit?iY
Sign When Mailing/In Section:		No
Encryption:		Disabled

Update Requires Editor Access:	117	
Default Value Formula:	227	No
Field:		
Datatype:		Laubility_Classicant_Pri
Number Format:		Numbe:
Percentage (value * 100)%;		General .
Parentheses on Negative Numbers:		tus **
Punctuated at Thousands:		No
Help Description:		Nu
Field Type:		(Nai yandunan)
Sign When Mailing/in Section:		Editabis
Encryption:		No .
Update Requires Editor Access.		Ursubied
Field:		No
Datatype:		Labelity_insured_Pot
Number Formet:		Number
Percentage (value * 100)%;		Ceneral
Percultuses on Negative Numbers:		Yes
Punctualed at Thousands:		No :
Help Description:		No.
Field Type:		[Not Assigned]
Sign When Mening/in Section:		Editable
Encryption:		No
Update Regunes Editor Access:		Orsebied
Freid:		No.
Dulutype:		Can_Heserve_Less
Help Desemption:		lNoi Assignedi
Field Type:		Editable
Sign When Maling/in Section:		Mo
Encryption:		Disabled
Update Requires Editor Access:		ivio
hick:		Cun_Reserve_Exp
Dalatype:		i exi
Help Description:		[Not Assigned]
hold i ype:		Editable
Sign When Mailing/In Section:		No
Emryption.		Disabled
Update Requires Editor Access:		No
Field:		Med_Insured
Datatype:		icxi
Help Description:		(Not Assigned)
Field Type:		Editable
Sign When Mailing/in Section: Encryption:		No
Update Requires Editor Access:		Disabicd
Default Veige Formula:		No
Ficki:		***
Dulmype:		Med_ineident
Help Description:		Keywords
Field Type:		įNot Assignedj
Keyword User interface:		Editable
Allow Values Not in List.		Standard
Allowable Keywords:		Nu
stracte ite juoide.		<b>Partners</b>
		Exceptive Officers
		Facility Administrator
		Stockholders

Directors

	228	liustees
	•	Covenors
Sign When Mailing/In Section:		No
Encryption:		Disabled .
Update Requires Editor Access:		fyo
Default Value Formule:		****
Field:		Med_Cost_Pc:
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Numbe:
Datatype: Number Format:		Currency (2 December Places)
		No
Percentage (value * 100)%. Parentheses on Negative Numbers.		No
Parcialization of Negative (44) Dels.		No
		[Not Aveigned]
Help Description:		Editabic
Field Type:		
Sign When Mailing/in Section:		No
Encryption:		Drabicu
Update Reguires Editor Access:		No.
Default Value Formula:		
Ficid:		Mod_Cool_Aggicquic
Daletype:		Number
Number Formui:		Cenency (2 Decimal Places)
Percentage (value * 100)%:		No
Perentheses on Negative Numbers:		No
Pandayled et Thousends.		Nu
Help Description:		[Not Assigned]
Field Type:		Editabic
Sign When Maning/In Section:		No
Encryption:		Disabicti
Update Regunes Editor Access:		No
Default Value Formula:		***
Ficid:		Med_Cool_Expenses
Datetype:		Number
Humber Formai:		Currency (2 Decimal Places)
Percentage (value * 100)%.		h <del>i</del> :
Parentheses on Negative Numbers:		Ne
Penetasted at Thousands:		No
Help Description:		[Not Assigned]
Held Type:		Editable
Sign When Maling/in Section:		No
Encryption:		Drabicd
Update Regules Editor Access.		No
Delevii Velec Fermula.		
Fixid:		Med_Cost_Delense
Datetype:		Number
Number Formut:		Concney (2 Decimel Places)
Percentage (value * 100)%.		<u>.</u>
Parentheses on Negative Numbers.		<b>14.</b>
Panetuated vi Thousunds:		No
Help Description:		(Not Assigned)
Ficial Type:		Editable
Sian When Mailing/In Section:		No.
•		Drubici
Encryption:		No
Update Regunes Editor Access.		170
Default Value Formula:		<u></u>
+:::!:1.		Mcd_Blood_Bunk

2.29	
Datatype:	Keywords
Help Description:	[Not Assigned]
Field Type:	Editable
Keyword User Interface:	Standard
Allow Values Not In List:	No
Allowabie Keywords:	Clinical-pathological
•	exam
	Diagnosis
	X-ray process
Sign When Mailing/In Section:	No.
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	140
Field:	Med_Incident_Includes
Datatype:	Text
Help Description:	,
Field Type:	[Not Assigned] Editable
Sign When Mailing/In Section:	
Encryption:	No Disabled
Update Requires Editor Access:	Disabled
Default Value Formula:	No ""
Field:	
	Med_Property_Damage
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	NP
Field:	ScratchHist
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed when
	composed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	**
Form:	Destauries II in hiller
i om.	Professional Liability
Form Alias:	Lawyers
Last Modification:	PL_Lawyer
	12/15/96 01:09:27 PM
Type: Window Title Formula:	Document
Milidom Line Lotunia:	SELECT "Professional
tentula to O	Liability Claim - Lawyers
Include in Compose Menu:	No
Include in Query by Form:	Yes
Default Database Form:	No
Automatically Refresh Fields:	No
Mail New Documents When Saving:	No
Store Form In Documents:	No
Inherit Default Field Values:	No
Undates Recome Responses:	Na

	230	
Retain Prior Versions As Responses:	~5*	No
Activate Objects When Composing:		No
Activate Objects When Editing:		No
Activate Objects When Reading:		No
Document Encryption Keys:		[None Assigned]
Composed Documents May Be Read By:		All Users
Form May Be Composed By:		All Users
Field:		Ins_Policy
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		Policy Ins_Policy_From
Datatype:		
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Policy_Period_Fro
		Ins_Policy_To
Datatype:		Text
Help Description: Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
Field:		Ins_Claim_Number
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		FName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No

23/	
Default value Formula:	Occurence_Made
Field:	Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section.	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	City
Datatype:	Text
Help Description:	(Not Assigned)
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	State
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Zip
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No

Encryption:	232	Disabled
Update Requires Editor Access:		No
Default Value Formula:		Opposing_Counsel
Field:		Opp_Counsel_Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		Ng
Default Value Formula:		Insured_Address
Field:		Last_Action
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		Last Action
Field:		TimesModified
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		The number of times that
rieip Description.		the document has been
		modified
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@lf(@lsNewDoc: 0;
i Officia.		TimesModified != "";
		TimesModified +
		@lsDocBeingSaved: 0);
Field:		PastAuthors
Datatype:		Text
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		This field will track the
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		past authors
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
•		@V2H(@IsDocB
		eingSaved;
		@V2H(TimesModified <=
		0:
		@ProperCase(@Name([
		CN]; @V3UserName));
		PastAuthors:

@Name([CN]:

233 @V3UserName)): PastAuthors) Field: **PastEditDates** Datatype: Text Input Multi-Value Separator(s): Semicalon Display Multi-Value Separator: Semicolon Help Description: This field will track the past edit dates Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @V2lf(@lsDocB eingSaved; @V2lf(TimesModified <= 0: @Text(@Now): PastEditDates: @Text(@Now)): PastEditDates) Field: **Author** Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed . Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @ProperCase( @Name([CN]: @V3UserName)) Field: Created Datatype: Time Time Format: 04/11/97 01:28:59 PM Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @Now Field: E1 Datatype: Text Help Description: Not Assigned Field Type: Computed for display Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: **DEFAULT PastAuthors:=** 0:DEFAULT TimesModified := 0:X := @Elements(PastAuthors)

- 0:v := x -234 TimesModified:@V2If(@I sNewDoc: " ": @V2lf(y >= 0; @Text(x - 1) + "."; ".")) Field: A1 Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: Encryption: Disabled Update Requires Editor Access: No Formula: @V2lf(@lsNewDoc: " "; @ProperCase(@Subset( @Subset(PastAuthors; -1): 1))) Field: D1 Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No @V2If(@IsNewDoc: "": Formula: @V2lf(TimesModified >= @Subset(@Subset(Past EditDates: -1); 1); "")) Field: E2 Text Datatype: Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: Encryption: Disabled Update Requires Editor Access: No Formula: DEFAULT PastAuthors := 0:DEFAULT TimesModified := 0:X := @Elements(PastAuthors) - 1;@V2If(@IsNewDac; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; "")) Field: **A2** Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No @V2lf(@IsNewDoc; " ": Formula: @V2lf(TimesModified >= @ProperCase(@Subset( @Subset(PastAuthors: -2): 1)): " "))

Field:

D2

235

Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display.
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2lf(@lsNewDoc: " ":
	@V2If(TimesModified >=
	1:
	@Subset(@Subset(Past
Field:	EditDates; -2); 1); " "))
	<b>E3</b>
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	DEFAULT PastAuthors :=
	0:DEFAULT
	TimesModified := 0:X :=
	@Elements(PastAuthors)
	- 2;@V2lf(@lsNewDoc; "
	": @V2H(X - 1 >= 0;
	@Text(x - 1) + "."; " "))
Field:	A3
Datatype:	Text
Help Description:	
Field Type:	[Not Assigned]
Sign When Mailing/In Section:	Computed for display
Encryption:	No
Update Requires Editor Access:	Disabled
Formula:	No
i dinidia.	@V2lf(@lsNewDoc: " ";
	@V2lf(TimesModified >=
	2;
	@ProperCase(@Subset(
	@Subset(PastAuthors:
- ·	-3); 1)); " "))
Field:	D3
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed for display
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula:	@V2lf(@lsNewDoc: " ";
	@V2If(TimesModified >=
	2;
	@Subset(@Subset(Past
Field:	EditDates: -3): 1): ""))
Datatype:	E4
Help Description:	Text
a.p o aso ipuoli.	[Not Assigned]

236 Field Type: Computed for display Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: Nο Formula: DEFAULT PastAuthors := 0:DEFAULT TimesModified := 0:X := @Elements(PastAuthors) - 3;@V2lf(@lsNewDoc; " ": @V2lf(X - 1 >= 0; @Text(x - 1) + "."; "")) Field: A4 Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @V2lf(@lsNewDoc: " ": @V2lf(TimesModified >= 3: @ProperCase(@Subset( @Subset(PastAuthors; -4): 1)): " ")) D4 Field: Datatype: Text [Not Assigned] Help Description: Computed for display Field Type: Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No @V2If(@IsNewDoc: " "; Formula: @V2lf(TimesModified >= @Subset(@Subset(Past EditDates; -4): 1): "")) **E**5 Field: Text Datatype: Help Description: [Not Assigned] Field Type: Computed for display No Sign When Mailing/In Section: Disabled Encryption: Update Requires Editor Access: No **DEFAULT PastAuthors** := Formula: 0:DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc: \* "; @V2H(X - 1 >= 0; @Text(x - 1) + "."; " ")) **A5** Field: Text Datatype: [Not Assigned] Help Description: Computed for display Field Type:

237 Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: Nο Formula: @V2lf(@lsNewDoc: " "; @V2lf(TimesModified >= @ProperCase(@Subset( @Subset(PastAuthors: -5); 1)); " ")) Field: **D5** Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: @V2If(@IsNewDoc: " ": @V2lf(TimesModified >= @Subset(@Subset(Past EditDates: -5): 1); "")) Field: Status Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: Field: Date\_Closed Datatype: Time Time Format: 04/11/97 01:28:59 PM Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: Field: Closed\_By Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: Field: ID Claim Datatype: Tend Help Description: [Not Assigned] Field Type: Editable

No

Sign When Mailing/In Section:

@Name([Abbreviate]; @V3UserName):View2 := "Server\_View";Key2 :=

@Name([O];

238

Encryption: Disabled **Update Requires Editor Access:** No Field: ID\_Case Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Field: ID\_Budget Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Field: Contact\_Name Datatype: Text Help Description: [Not Assigned] Field Type: Computed Sign When Mailing/In Section: Nο Encryption: Disabled Update Requires Editor Access: No Formula: @lf(LName != " & FName != "": LName + ", " + FName: LName = "": FName; LName) Field: Document\_Author Datatype: **Author Names** Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: DBName := @Text(@DbName):Serv er := @Subset(DBName; 1):Path := @LeftBack(@Subset(@ DbName; -1); "\\");Database := @ff(path = "": "ITPLAYER.NSF": path + "\\" + "ITPLAYER.NSF"):Class Cache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 :=

239

@ff(@isError(@DbLooku p(ClassCache; Server : Database: View1; Key1; 1)): "": @DbLookup(ClassCach e: Server : Database: View1; Key1; 1)):Hit2 := @lf(@lsError(@DbLooku p(ClassCache; Server : Database: View2; Key2: 1)): "": @DbLookup(ClassCach e: Server : Database: View2; Key2; 1)):Direction := @lf(Hit1 != "": "Remote": Hit2 != ""; "Server": "NoAccess"):View := @lf(Direction = "Remote"; View1; View2):Key := @If(Direction = "Remote": Key1; Key2):@DbLookup(Clas sCache; Server: Database: View: Key: 2): Document\_Editors **Author Names** Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Readers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Managers Reader Names Comma, Semicoton Semicolon [Not Assigned]

@V3UserName):Hit1 :=

Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula: Field: Datatype: Input Multi-Value Separator(s): Display Multi-Value Separator: Help Description:

Field:

Datatype:

Field Type:

240

Sign When Mailing/In Section: Encryption: Update Requires Editor Access:

Formula:

Computed when composed No Disabled No DBName := @Text(@DbName):Serv er := @Subset(DBName: 1):Path := @LeftBack(@Subset(@ DbName; -1); "\\"):Database := @lf(path = "": "TPLAYER.NSF": path + "\\" + "ITPLAYER.NSF");Class Cache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]: @V3UserName):View2

241

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

Update Requires Editor Access:

Default Value Formula:

"Server\_View";Key2 :=

@Name([O];

@V3UserName);Hit1 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View1: Key1; 1)); "";

@DbLookup(ClassCache:

Server : Database; View1;

Key1; 1));Hit2 :=

@lf(@isError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); "";

@DbLookup(ClassCache;

Server : Database; View2;

Key2; 1));Direction := @If(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View :=

@lf(Direction = "Remote";

View1; View2);Key :=

@If(Direction = "Remote";

Key1;

Key2);@DbLookup(ClassCache

; Server : Database; View; Key;

Ins\_Company

Text

[Not Assigned]

Editable

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(path = "";

"ITPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=

"Server\_View";Key2 :=

@Name([O];

@V3UserName);Hit1 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View1; Key1; 1)); ™;

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hit2 :=

@If(@IsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); \*\*\*

@DbLookup(ClassCache;

242

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Help Description:

Help Description:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

Key2; 1)):Direction := @If(Hit1 != ""; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := @lf(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database: View; Key; "Company\_Name"); ins Contact Text [Not Assigned] Computed No Disabled No @ProperCase(@Name([CN]; @V3UserName)); Ins\_Contact\_Phone Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @If(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache: Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Ctas sCache; Server : Database: View2; Key2; 1)); " @DbLookup(ClassCache: Server : Database; View2: Key2; 1)); Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"): View :=

Server : Database; View2:

	243	@if(Direction = "Remote"; View1; View2);Key :=
	~/5	
•		@If(Direction = "Remote";
		Key1;
		Key2);@DbLookup(ClassCache
		; Server : Database: View; Key;
Field:		"Phone");
		Coverage_Ind
Datatype:		Text
Help Description: Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No
		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		Retro_Date
		Coverage_Firm
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula: Field:		Retro_Date
		PL_Ext_Period
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula: Field:		PL_Ext_Period
		PL_Each_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Each_Limit
Field:		PL_Agg_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Aggegrate_Limit
Field:		PL_Personal_Limit
		· 0.50101_FIIIII

		244	
	Datatype:		Number
	Number Format:		Currency (2 Decimal Places)
	Percentage (value * 100)%:		No
ı	Parentheses on Negative Numbers:		No .
•	Punctuated at Thousands:		No
	Help Description:		[Not Assigned]
	Field Type:		Editable
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Default Value Formula:		PL_Personal_Limit
Fie			PL Ded_Ind
FIE	Datatype:		Number
	Number Format:		Currency (2 Decimal Places)
	Percentage (value * 100)%:		No
	Parentheses on Negative Numbers:		No
	Punctuated at Thousands:		No
	Help Description:		[Not Assigned]
			Editable
	Field Type: Sign When Mailing/in Section:		No
			Disabled
	Encryption:		No
	Update Requires Editor Access:		PL_Ded_Individual
	Default Value Formula:		PL_Ded_Comp
Fit	eld:		Number
	Datatype:		Currency (2 Decimal Places)
	Number Format:		No
	Percentage (value * 100)%:		No
	Parentheses on Negative Numbers:		No
	Punctuated at Thousands:		
	Help Description:		[Not Assigned]
	Field Type:		Editable
	Sign When Mailing/In Section:		No Disabled
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Default Value Formula:		PL_Ded_Company
Fi	eld:		Endorsements
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Editable
	Sign When Mailing/In Section:		No Disabled
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Default Value Formula:		Endorsements
F	ield:		Claimant
	Datatype:		Text
	Help Description:		[Not Assigned]
	Field Type:		Editable
	Sign When Mailing/In Section:		No
	Encryption:		Disabled
	Update Requires Editor Access:		No
	Default Value Formula:		•••
F	ield:		Loss_Date
•	Datatype:		Time
	Time Format:		04/11/97
	Help Description:		[Not Assigned]
	Field Type:		Editable

245

Sign When Mailing/In Section: No Disabled Encryption: Update Requires Editor Access: No Default Value Formula: Claimant\_Address Field: Text Datatype: [Not Assigned] Help Description: Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Claimant\_Phone Field: Text Datatype: Help Description: [Not Assigned] Editable Field Type: Sign When Mailing/In Section: No Disabled Encryption: **Update Requires Editor Access:** No Default Value Formula: Claims\_Facts Field: Text Datatype: [Not Assigned] Help Description: Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Claim In Suit Datatype: Keywords Input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Editable Keyword User Interface: **Check Boxes** Allowable Keywords: Claim In Suit?IY Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Liability\_Claimant\_Pct Datatype: Number General **Number Format:** Percentage (value \* 100)%: Yes Parentheses on Negative Numbers: No Punctuated at Thousands: No Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: Nο Encryption: Disabled **Update Requires Editor Access:** No Field: Liability\_Insured\_Pct Datatype: Number **Number Format:** General Percentage (value \* 100)%: Yes Parentheses on Negative Numbers: No

	246	
Punctuated at Thousands:	~ / •	No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Loss
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Exp
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Field:		Law_Activities
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		
Allow Values Not in List:		Standard
· · · · · · · ·		No
Allowable Keywords:		Lawyer
		Administrator
		Conservator
		Executor
		Guardian
		Trustee
Class Manager & Continue		Fiduciary
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		Law Type
Datatype:		
		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Standard
Allow Values Not In List:		No
Allowable Keywords:		Individual
•		Partnership
		Corporation or Association
		Lawyers Previously Employee
		Lawyers Currently Employed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		***
Field:		I my Named
		Law_Named
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable

247 Sign When Mailing/In Section: Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: Law\_Dishonest Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Field: **ScratchHist** Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: Form: Professional Liability PS&D Form Alias: PL\_PS&D Last Modification: 12/15/96 01:11:40 PM Type: Document Window Title Formula: **SELECT "Professional Liability** Claim - Phys, Surg, Dent." Include in Compose Menu: No Include in Query by Form: Yes Default Database Form: No **Automatically Refresh Fields:** No Mail New Documents When Saving: No Store Form in Documents: No Inherit Defautt Field Values: No **Updates Become Responses:** No Retain Prior Versions As Responses: No Activate Objects When Composing: No Activate Objects When Editing: No Activate Objects When Reading: No **Document Encryption Keys:** [None Assigned] Composed Documents May Be Read By: All Users Form May Be Composed By: All Users Field: Ins\_Policy Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: **Policy** Field: Ins\_Policy\_From Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No

Disabled

Encryption:

WO 97/41524

## PCT/US97/07207

	248	
Update Requires Editor Access:	278	No
Default Value Formula:		Policy_Period_From
Field:		Ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
Field:		Ins_Claim_Number
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No Disabled
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
		FName
Datatype:		Text
Help Description: Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
		No Disabled
Encryption: Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
		Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type: Sign When Mailing/In Section:		Editable
		No Disabled
Encryption: Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
		City
Datatype: Help Description:		Text
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Default Value Formula:		No
		Occurence_Made
Field:		State
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled

Update Requires Editor Access:	249 No
Default Value Formula:	Occurence_Made
Field:	Zip
Datatype:	Zip Text
Help Description:	
·	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Occurence_Made
Field:	Caption
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Caption
Field:	Jurisdiction
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Jurisdiction
Field:	Opposing_Counsel
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Opposing_Counsel
Field:	Opp_Counsel_Address
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Editable
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Default Value Formula:	Insured_Address
Field:	Last_Action
Datatype:	Text
Help Description:	[Not Assigned]
Field Type:	Computed
Sign When Mailing/In Section:	No
Encryption:	Disabled
Update Requires Editor Access:	No
Formula: Field:	Last_Action
	TimesModified
Datatype:	Number
Number Format:	General
Percentage (value * 100)%:	No
Parentheses on Negative Numbers:	No
Punctuated at Thousands:	No

250 Help Description: The number of times that the document has been modified Computed Field Type: Sign When Mailing/In Section: No Disabled **Encryption: Update Requires Editor Access:** No @lf(@lsNewDoc; 0; Formula: TimesModified != ""; TimesModified + @IsDocBeingSaved; 0); Field: **PastAuthors** Datatype: Text Input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: Semicolon Help Description: This field will track the past authors Computed Field Type: Sign When Mailing/In Section: No Disabled **Encryption**: **Update Requires Editor Access:** No Formula: @V2If(@IsDocBeingSaved; @V2If(TimesModified <= 0: @ProperCase(@Name([CN]; @V3UserName)); PastAuthors: @Name([CN]; @V3UserName)); PastAuthors) PastEditDates Field: Datatype: Text input Multi-Value Separator(s): Semicolon Display Multi-Value Separator: Semicolon Help Description: This field will track the past edit dates Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No @V2If(@IsDocBeingSaved: Formula: @V2If(TimesModified <= 0: @Text(@Now); PastEditDates: @Text(@Now)); PastEditDates) Field: Author Datatype: Text [Not Assigned] **Help Description:** Field Type: Computed when composed Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: @ProperCase(@Name([CN]; @V3UserName)) Field: Created Datatype: Time Time Format: 04/11/97 01:28:59 PM Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: No **Encryption:** Disabled

Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Update Requires Editor Access: Formula:  Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Disabled No DEFAULT TestAuthors:  OEFFAULT PastAuthors:  OEFFAULT PastAuthors:  OEFFAULT PastAuthors:  OEFFAULT PastAuthors:  OEFFAULT TimesModified: OX:: @Elements(PastAuthors)  - 1:@V2lf(@IsNewDoc; " ": @V2lf(@IsNewDoc; " ": @V2lf(WIsnewDoc; " "	Update Requires Editor Access: Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:	25/	No @Now E1 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 0;y := x - TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0; @Text(x - 1) + " "; " "))
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: No Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field: Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/I	Field:		
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  ProperCase(@Subset			
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No	•		
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Encryption: Update Requires Editor Access: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled  Doisabled  Doisabled  No Disabled  Doisabled  No Disabled  No Disabled  No DEFAULT TimesModified := 0;X := @Cipermetts(PastAuthors) := 0;DEFAULT TimesModified := 0;X := @Ciper			
Encryption: Update Requires Editor Access: Formula:  Update Requires Editor Access: Formula:  ProperCase(@Subset(@Subset(@Subset(@Subset(@Subset(PastAuthors; -1); 1)))  Prietd: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Prietd: Datatype: Help Description: Update Requires Editor Access: Formula:  Prietd: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Prietd: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  ODEFAULT TimesModified: ODEFAULT TimesMod	Sign When Mailing/In Section:		
Formula:  ### W22!f(@IsNewDoc; " *; ### @ProperCase(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(@Subset(PastAuthors; -1); 1)))  #### Datatype: #### Computed for display ### No  #### Disabled #### Update Requires Editor Access: #### No  #### Datatype: #### Datatype: #### Description: #### Piekd: #### Datatype: ##### Description: ##### India Assigned ##### Description: ####################################			Disabled
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: - 1;@VZIf(@IsNewDoc; " "; @VZIf(X - 1 >= 0; @Text(x - 1) + ""," "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:	Update Requires Editor Access:		No
Field:  Datatype: Help Description: Field Type: Update Requires Editor Access: Formula:  Field Type: Help Description: Field Type:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: No DEFAULT PastAuthors: - 1;@VZIf(@IsNewDoc; "*; @VZIf(X - 1 >= 0; @Text(x - 1) + **;" *))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field: Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Formula:  One Paul T PastAuthors = 0; DEFAUL T TimesModified := 0; X := @Elements(PastAuthors) - 1; @VZIf(X - 1 >= 0; @Text(x - 1) + **," *)  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section:	Formula:		@V2lf(@isNewDoc: " ":
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: - 1:@V2If(@IsNewDoc; " "; @V2If(@IsNewDoc;			@ProperCase(@Subset(@Sub
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: -1;@V2lf(@IsNewDoc; " "; @Valf(X - 1) = 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:			
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Formula: Disabled No Disabled No DEFAULT PastAuthors: -1:@VEIf(@IsNewDoc; " "; @V2If(X - 1) = 0; @Text(x - 1) + " "; " ")  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: No			D1 '
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Hetp Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Update Requires Editor Access: Formula:  Field: Datatype: Field: Datatype: Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:			Text
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  W2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " "))  E2 Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: - 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1)  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:			[Not Assigned]
Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 0; @Subset(@Subset(PastEditDat es; -1); 1); " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No Disabled In Valid (			Computed for display
Update Requires Editor Access: Formula:  ### Computed Frield:    Datatype:			No
Formula:  @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 0; @Subset(@Subset(PastEditDat) es; -1); 1); " "))  E2  Datatype: Hetp Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0; DEFAULT TimesModified := 0; X := @Elements(PastAuthors) - 1; @V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype: Hetp Description: Field Type: Sign When Mailing/In Section: No  OVERALL Text  [Not Assigned] Computed for display No			Disabled
Field:  Datatype: Help Description: Encryption: Update Requires Editor Access: Formula:  Datatype:  Datatype:  Datatype:  Datatype:  Datatype:  Datatype:  Datatype:  Datatype:  Datatype:  Disabled  No  Disabled  No  DEFAULT PastAuthors :=  0;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  - 1;@V2If(@IsNewDoc; " ";  W2If(ImesModified)  Datatype:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Datatype: Computed for display No			•••
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype:  Datatype:  Datatype:  Datatype:  Field:  Datatype: Help Description:  Datatype: Help Description: Field:  Datatype: Help Description: Field Type:  Computed for display No DEFAULT PastAuthors:  O;X := @Elements(PastAuthors)  - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1))  + ""; " ")) Field:  Datatype: Help Description: Field Type: Computed for display No	romula:		
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + ""; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Example Section:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Example Section:			
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;DEFAULT TimesModified: O;X:= @Elements(PastAuthors) -1:@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  E2 Text [Not Assigned] Computed for display No			@Subset(@Subset(PastEditDat
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:= 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Invatable  Invatable Inva	Field:		
Help Description:  Field Type:  Sign When Mailing/In Section:  Encryption:  Update Requires Editor Access:  Formula:  DEFAULT PastAuthors:=  0;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  - 1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + "."; " "))  Field:  Datatype:  Help Description: Field Type: Sign When Mailing/In Section:  [Not Assigned] Computed for display No			<del></del>
Field Type:  Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  0;DEFAULT TimesModified: 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Inot Assigned] Computed for display No			
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  0;DEFAULT TimesModified: 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  No  Disabled No  DEFAULT PastAuthors: -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) - "."; " "))  Computed for display No			
Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  Disabled No  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Computed for display No			
Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  No  No	Encryption:		
Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Computed for display No			
O;DEFAULT TimesModified :=  O;X := @Elements(PastAuthors)  -1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  O;DEFAULT TimesModified :=  0;X := @Elements(PastAuthors)  -1;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + " "; " "))  A2  Text  [Not Assigned] Computed for display No	Formula:		
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  0;X := @Elements(PastAuthors) - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  A2  Text [Not Assigned] Computed for display No			
Field:  Datatype:  Help Description: Field Type: Sign When Mailing/In Section:  - 1;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Text [Not Assigned] Computed for display No			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section:  QV2If(X - 1 >= 0; @Text(x - 1) + "."; ""))  A2  Text [Not Assigned] Computed for display No			
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:  + "."; " "))  Computed for display No			
Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No			
Datatype: Text Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No			
Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: No			
Field Type: Computed for display Sign When Mailing/In Section: No			
Sign when Mailing/In Section: No			
Engantian.			
	Encryption:		Disabled

Update Requires Editor Access: Formula:	252	No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 1; @ProperCase(@Subset(@Subset(PastAuthors; -2); 1)); " "))
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 1; @Subset(@Subset(PastEditDat
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		es; -2); 1); " ")) E3 Text [Not Assigned] Computed for display No Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 2;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		A3 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 2; @ProperCase(@Subset(@Subset(PastAuthors; -3); 1)); " "))
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:		D3 Text [Not Assigned] Computed for display No Disabled No @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 2; @Subset(@Subset(PastEditDates; -3); 1); " "))
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:		E4 Text [Not Assigned] Computed for display No

Field:	Encryption: Update Requires Editor Access: Formula:	253	Disabled No DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 3;@V2If(@IsNewDoc: " ": @V2If(X - 1 >= 0; @Text(x - 1) + "."; " "))
Help Description: Field Type: Sign When Malling/In Section: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Malling/In Section: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  -4:@VZII(@IsNewDoc; ""; @VZII(X - 1 >= 0; @Text(x - 1) + ""; ")) Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Disabled No D	Field:		The state of the s
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Update Requires Editor Access: Formula:  Datatype: Help Description: Update Requires Editor Access: Formula:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Help Description: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled No Disab	Datatype:		Text
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Past  Gerproper Case(@Subset(@			[Not Assigned]
Encryption: Update Requires Editor Access: Formula:    Power   Proper	Field Type:		Computed for display
Update Requires Editor Access: Formula:    Poper	Sign When Mailing/In Section:		No
Formula:			Disabled
### Pick			
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Disabled No  @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @ProperCase(@Subset(@	Formula:		@V2If(TimesModified >= 3; @ProperCase(@Subset(@Sub
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  OEFAULT TimesModified:  OX::= @Elements(PastAuthors):  - 4;@V2lf(X - 1 >= 0; @Text(x - 1) + "".""))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: No Disabled  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: No Disabled No Disabled No Disabled No Disabled No OV2lf(@IsNewDoc; ""; @V2lf(@IsNewDoc; ""; @V2lf(ImesModified >= 4; @ProperCase(@Subset(Subset(Subset(Subset(Su	Field:		D4
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Formula:  Field:  Datatype: Help Description: Encryption: Update Requires Editor Access: Help Description: Update Requires Editor Access: Formula:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:  OEFAULT TimesModified := O;X := @Elements(PastAuthors) - 4;@V2lf((X · 1 >= 0; @Text(x - 1) + * ":" "))  Field:  Field Type: Sign When Mailing/In Section: Update Requires Editor Access: Formula:  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: No  Disabled  No  OEFAULT TimesModified := O;X := @Elements(PastAuthors) - 4;@V2lf((X · 1 >= 0; @Text(x - 1) + * ":" "))  Field:  Field:  Field:  Field:  Computed for display No Disabled No OEV2lf((@IsNewDoc; " "; OV2lf((@IsNewDoc; " "; OV2lf((ImesModified >= 4; OEV2lf((ImesModified >= 4; OEV2lf((I			
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  ### W21ff(@isNewDoc; " ";  ### W21ff(ImesModified >= 3;  ### @Subset(@Subset(PastEditDat es; -4); 1); " "))  ### Field:  ### Datatype: Help Description: Encryption: Update Requires Editor Access: Formula:  #### DEFAULT PastAuthors :=  ### O;DEFAULT TimesModified :=  ### O;X := ### @Elements(PastAuthors)  ### - 4;# W21ff(@isNewDoc; " ";  ### W21ff(@isNewDoc; " ";  ### W21ff(WisNewDoc; " ";  ###			
Encryption: Update Requires Editor Access: Formula:  @V2!f(@IsNewDoc; " "; @V2!f(IrmesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " "))  Fleld:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 4;@V2!f(@IsNewDoc; " "; @V2!f(X - 1 >= 0; @Text(x - 1) + " "; " "))  Fleld:  Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2!f(@IsNewDoc; " "; @V2!f(WisnewDoc; " "; @V2!f(WisnewDoc; " " ")			· · · · · · · · · · · · · · · · · · ·
Update Requires Editor Access: Formula:  @V2lf(([is]NewDoc; ""; @V2lf([TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); ""))  Fleld:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -4;@V2lf(([is]NewDoc; ""; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; "))  Fleld: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(([is]NewDoc; ""; @V2lf(([is]NewDoc; ");			
Formula:  @V2If(@IsNewDoc: " "; @V2If(TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " "))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -4:@V2If(@IsNewDoc; " "; @V2If(X - 1 >= 0; @Text(x - 1) + ";" "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2If(@IsNewDoc; " "; @V2If(@IsNewDoc; " "); @V2If(@IsNewDoc; "			
@V2lf(TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " "))  Fleld:			1.5
Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Field: Datatype: Help Description:  Disabled No DEFAULT PastAuthors: O;DEFAULT TimesModified: O;X:= @Elements(PastAuthors): -4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled V2lf(@IsNewDoc; " "; Wo V2lf(ImesModified >= 4; Wo ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:	. Omele.		@V2lf(TimesModified >= 3; @Subset(@Subset(PastEditDat
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors: O;DEFAULT TimesModified: O;X:= @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  We like the computed for display No Disabled Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(@IsNewDoc; " "; @V2lf(@IsNewDoc; " "; @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Sub	Field:		E5
Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:= 0; X := @Elements(PastAuthors) - 4:@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled  No  Wozlf(X - 1) - " " ")  Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:	••		
Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors:= 0;DEFAULT TimesModified:= 0;X := @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc; ""; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; ""))  Field:  A5 Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; ""; @V2lf(@IsNewDoc; ""; @V2lf(@IsNewDoc; ""; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); ""))  Field:	·		
Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field:  A5  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(@IsNewDoc; " "; @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:			
Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:  Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:  D5			
Formula:  DEFAULT PastAuthors:= 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors) -4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + " "; " "))  Field:  Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  DEFAULT PastAuthors := 0;DEFAULT TimesModified := 0;X := @Elements(PastAuthors)  Text [Not Assigned] Computed for display No Disabled Update Requires Editor Access: No Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:			
O;DEFAULT TimesModified :=  O;X := @Elements(PastAuthors)  - 4;@V2lf(@IsNewDoc; " ";  @V2lf(X - 1 >= 0; @Text(x - 1)  + "."; " "))  Field:  Datatype: Help Description: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  O;X := @Elements(PastAuthors)  Text  [Not Assigned] Computed for display  No Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:	· ·		
O;X := @Elements(PastAuthors) - 4;@V2lf(@IsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:  Datatype: Help Description: [Not Assigned] Field Type: Computed for display Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@IsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:	, ominata.		
- 4;@V2lf(@lsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:  Datatype: Help Description: [Not Assigned] Computed for display Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  @V2lf(@lsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  W2lf(X - 1 >= 0; @Text(x - 1) + "."; " "))  Field:  Text [Not Assigned] Computed for display No Disabled No W2lf(@lsNewDoc; " "; @V2lf(@lsNewDoc; " "; @V2lf(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:			
Field:  Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  W2If(@IsNewDoc; ""; @V2If(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); "")) Field:			
Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Encryption: Update Requires Editor Access: Formula:  Disabled W2If(@lsNewDoc; " "; @V2If(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " ")) Field:			
Help Description:  Field Type:  Sign When Mailing/In Section:  Encryption:  Update Requires Editor Access:  Formula:  W2If(@IsNewDoc; "";  @V2If(TimesModified >= 4;  @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); ""))  Field:	Field:		A5
Field Type:  Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Formula:  Disabled  No  W2If(@lsNewDoc; " "; @V2If(TimesModified >= 4; @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:			
Sign When Mailing/In Section:  Encryption:  Update Requires Editor Access:  Formula:			
Encryption: Update Requires Editor Access: Formula:  ### WY2If(@IsNewDoc; " ";  @V2If(TimesModified >= 4;  @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " "))  Field:  ### Disabled  No  @V2If(TimesModified >= 4;  @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " "))			• •
Update Requires Editor Access: Formula:  @V2If(@IsNewDoc; " "; @V2If(TimesModified >= 4; @ProperCase(@Subset(@Subset(PastAuthors; -5); 1)); " ")) Field:  D5			
Formula: @V2If(@IsNewDoc; " ";			
@V2If(TimesModified >= 4; @ProperCase(@Subset(@Subset(@Subset(PastAuthors; -5); 1)); " ")) Field:  D5			
@ProperCase(@Subset(@S	· Villipiu.		
Set(PastAuthors; -5); 1)); " ")) Field:  D5			
Field: D5			
Datatype: Text	Field:		
	Datatype:		Text

	2 🖘 /	
Help Description:	254	[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Formula:		@V2If(@IsNewDoc; " ";
i Olimaia.		• •
		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
		es; -5); 1); " "))
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		
		Disabled
Update Requires Editor Access:		No
Formula:		<b>"0"</b>
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:28:59 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
•		No
Formula:		_
Field:		Closed_By
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		•
Field:		ID_Claim
Datatype:		Text
Help Description:		
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		
		No ID. Durdoot
Field:		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Fleki:		Contact_Name
· result.		Onitaor 1401116

Datatype: 255 Text Help Description: [Not Assigned] Field Type: Computed Sign When Mailing/In Section: No Encryption: Disabled Update Requires Editor Access: No Formula: @If(LName != " & FName != ""; LName + ", " + FName; LName = ""; FName; LName) Field: Document\_Author Datatype: **Author Names** input Multi-Value Separator(s): Comma Display Multi-Value Separator: Comma Help Description: [Not Assigned] Field Type: Computed when composed Sign When Malling/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Formula: DBName := @Text(@DbName);Server := @Subset(DBName: 1):Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @lf(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache":View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]: @V3UserName):Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache: Server : Database: View1: Key1; 1));Hit2 := @if(@lsError(@DbLookup(Clas sCache; Server : Database: View2; Key2; 1)); ""; @DbLookup(ClassCache: Server: Database: View2: Key2; 1));Direction := @If(Hit1 != "": "Remote": Hit2 != "": "Server"; "NoAccess"); View := @If(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote": Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; 2); Field: Document Editors Datatype:

**Author Names** 

257 Input Multi-Value Separator(s): Comma, Semicolon Display Multi-Value Separator: Semicolon Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: Encryption: Disabled **Update Requires Editor Access:** No Formula: Field: Document\_Readers Datatype: Reader Names Input Multi-Value Separator(s): Comma, Semicolon Display Multi-Value Separator: Semicolon Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: Encryption: Disabled **Update Requires Editor Access:** No Formula: Field: Document\_Managers Datatype: Reader Names Input Multi-Value Separator(s): Comma, Semicolon Display Multi-Value Separator: Semicolon Help Description: [Not Assigned] Field Type: Computed when composed Sign When Mailing/In Section: Encryption: Disabled **Update Requires Editor Access:** No Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([Q]; @V3UserName);Hit1 := @if(@isError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); "" @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); \*\*\* @DbLookup(ClassCache; Server : Database; View2; Key2; 1)); Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""

"Server"; "NoAccess"); View :=

257

@If(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache : Server : Database: View: Key: Ins\_Company Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1):Path := @LeftBack(@Subset(@DbNam e; -1); "\\"):Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF");ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1)):Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != " "Server"; "NoAccess"):View := @lf(Direction = "Remote"; View1; View2);Key := @lf(Direction = "Remote"; Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); Ins Contact Text [Not Assigned] Computed No Disabled

Field:

Datatype:

Field Type:

Encryption:

Help Description:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

Field: Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

Encryption:

258 **Update Requires Editor Access:** No Formula: @ProperCase(@Name([CN]; @V3UserName)); Field: Ins\_Contact\_Phone Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No **Encryption:** Disabled **Update Requires Editor Access:** No Default Value Formula: DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @lf(path = ""; "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache";View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database: View1; Key1; 1)); ™; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ™ @DbLookup(ClassCache; Server : Database; View2: Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != "" "Server"; "NoAccess"); View := @lf(Direction = "Remote"; View1; View2);Key := @If(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Phone"); Field: Insured\_Entities Datatype: Text Help Description: [Not Assigned] Field Type: Editable Sign When Mailing/In Section: No Encryption: Disabled **Update Requires Editor Access:** No Default Value Formula: Insured\_Entities Field: Retro Datatype:

Text

Help Description:	259	[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Default Value Formula:		Retro_Date
Field:		PL_Ext_Period
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		PL_Ext_Period
Field:		PL_Ext_Fellod PL_Each_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		
Parentheses on Negative Numbers:		No No
Punctuated at Thousands:		No
Help Description:		
Field Type:		[Not Assigned] Editable
Sign When Mailing/In Section:		
Encryption:		No Disabled
Update Requires Editor Access:		Disabled No
Default Value Formula:		• • • •
Field:		PL_Each_Limit PL_Ago_Limit
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No No
Punctuated at Thousands:		
Help Description:		No
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No Disabled
Update Requires Editor Access:		
Default Value Formula:		No
Field:		PL_Aggegrate_Limit PL_Personal_Limit
Datatype:		Number
Number Format:		***************************************
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		
Encryption:		No Disabled
Update Requires Editor Access:		Disabled No
Default Value Formula:		***
Field:		PL_Personal_Limit
Datatype:		PL_Ded_Ind
Number Format:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No

Links Barrellon	260	
Help Description:	200	[Not Assigned]
Field Type:		Editable
. Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No.
Default Value Formula:		
Field.		PL_Ded_Individual
Datatype:		PL_Ded_Comp
Number Format:		Number
		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		
Field:		PL_Ded_Company
Datatype:		Endorsements
Help Description:		Text
		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Endorsements
Field:		Coverage_Type
Datatype:		Keywords
Help Description:		[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Standard
Allow Values Not In List:		No
Allowable Keywords:		
·		Individual Professional Liability
		Partnership - Association -
Sign When Mailing/In Section:		Corporation
Encryption:		No
		Disabled
Update Requires Editor Access:		No
Default Value Formula:		MM
Field:		Covered_Individuals
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		an an
Field:		Insident Description
Datatype:		Incident_Description
Help Description:		Text
Field Type:		[Not Assigned]
		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
		110
Default Value Formula:		m
Default Value Formula: Field:		

Datatype: Help Description: Field Type: Keyword User Interface: Allow Values Not In List: Allowable Keywords:	26/	Keywords [Not Assigned] Editable Standard No <none selected=""> Criminal act Proprietor - administrator - trustee of other facility Injury to employee under WC law Contractual liability</none>
Sign When Mailing/In Section: Encryption:		For Vets - liability for theft on an animal; vehicle liability; injury due to fire No Disabled
Update Requires Editor Access:		No
Default Value Formula:		•••
Datatype:		Cost_Per_Claim
Number Format:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Number	re.	No
Punctuated at Thousands:	13.	No
Help Description:		No
Field Type:		[Not Assigned] Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		**
Field:		Cost_Aggregate
Datatype:		Number
Number Format:		Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbe	rs:	No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Default Value Formula:		No
Field:		
Datatype:		Cost_Expenses
Number Format:		Number
Percentage (value * 100)%:		Currency (2 Decimal Places)
Parentheses on Negative Number		No
Punctuated at Thousands:	5.	No
Help Description:		No
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Editable
Encryption:		No Disabled
Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		
		Cost_Defense

Detetions	262	Number
Datatype: Number Format:	~~~	Currency (2 Decimal Places)
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No .
Punctuated at Thousands:		No .
		[Not Assigned]
Help Description:		Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption: Update Requires Editor Access:		No
Default Value Formula:		40
Field:		Claimant
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		R#
Field:		Loss_Date
Datatype:		Time
Time Format:		04/11/97
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		## '
Field:		Claimant_Address
Datatype:		Text
Datatype: Help Description:		Text [Not Assigned]
Help Description: Field Type:		
Help Description:		[Not Assigned]
Help Description: Field Type:		[Not Assigned] Editable
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access:		[Not Assigned] Editable No
Help Description: Field Type: Sign When Malling/In Section: Encryption:		[Not Assigned] Editable No Disabled No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access:		[Not Assigned] Editable No Disabled No Claimant_Phone
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		[Not Assigned] Editable No Disabled No Claimant_Phone Text
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned]
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:		[Not Assigned] Editable No Disabled No "" Claimant_Phone Text [Not Assigned] Editable
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section:		[Not Assigned] Editable No Disabled No "" Claimant_Phone Text [Not Assigned] Editable No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		[Not Assigned] Editable No Disabled No "" Claimant_Phone Text [Not Assigned] Editable No Disabled No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:		[Not Assigned] Editable No Disabled No "" Claimant_Phone Text [Not Assigned] Editable No Disabled No "" Claims_Facts
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:		[Not Assigned] Editable No Disabled No "" Claimant_Phone Text [Not Assigned] Editable No Disabled No "" Claims_Facts Text
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled No Claims_Facts Text [Not Assigned]
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled No Text Claims_Facts Text [Not Assigned] Editable No Text Editable No Text Editable No Text Editable Editable Editable Editable
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field: Sign When Mailing/In Section: Field: Sign When Mailing/In Section:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled No Text Claims_Facts Text [Not Assigned] Editable No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Field Type: Sign When Mailing/In Section: Encryption:		[Not Assigned] Editable No Disabled No ""  Claimant_Phone Text [Not Assigned] Editable No Disabled No ""  Claims_Facts Text [Not Assigned] Editable No ""
Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Update Requires Editor Section: Encryption: Update Requires Editor Access:		[Not Assigned] Editable No Disabled No Claimant_Phone Text [Not Assigned] Editable No Disabled No "" Claims_Facts Text [Not Assigned] Editable No ""
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula:		[Not Assigned] Editable No Disabled No ""  Claimant_Phone Text [Not Assigned] Editable No Disabled No ""  Claims_Facts Text [Not Assigned] Editable No ""
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field:		[Not Assigned] Editable No Disabled No ""  Claimant_Phone Text [Not Assigned] Editable No Disabled No ""  Claims_Facts Text [Not Assigned] Editable No ""  Claims_Facts Text [Not Assigned] Editable No Disabled No ""  Claims_Facts Text [Not Assigned] Editable No Disabled No Disabled No Disabled No Disabled No
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:		[Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Text [Not Assigned] Editable No Claims_Facts Text [Not Assigned] Editable No Disabled No Claim_In_Suit Keywords
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Input Multi-Value Separator(s):		[Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Claims_Facts Text [Not Assigned] Editable No Text [Not Assigned] Editable No Text [Not Assigned] Editable No Claims_Facts Text [Not Assigned] Editable No Disabled No Claim_In_Suit Keywords Comma
Help Description: Field Type: Sign When Malling/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype: Help Description: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field Type: Sign When Mailing/In Section: Encryption: Update Requires Editor Access: Default Value Formula: Field: Datatype:		[Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Disabled No Text [Not Assigned] Editable No Text [Not Assigned] Editable No Claims_Facts Text [Not Assigned] Editable No Disabled No Claim_In_Suit Keywords

Type:

	263	
Help Description:	~**	[Not Assigned]
Field Type:		Editable
Keyword User Interface:		Check Boxes
Allowable Keywords:		Claim In Suit? Y
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		•••
Field:		Liability_Claimant_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Liability_Insured_Pct
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		Yes
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Loss
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		Curr_Reserve_Exp
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Field:		ScratchHist
Datatype:		Text
Help Description:		[Not Assigned]
Field Type: Sign When Mailing/In Section:		Computed when composed
		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		•
E		
Form:		Property
Last Modification:		12/15/96 01:12:16 PM

Document

10 C 1 THE PARTY IN	264	SELECT "Proporty"
Window Title Formula:	• • •	SELECT "Property"
Include in Compose Menu:		No Van
Include in Query by Form:		Yes
Default Database Form:		No
Automatically Refresh Fields:		No
Mail New Documents When Saving:		No
Store Form In Documents:		No
Inherit Default Field Values:		No
Updates Become Responses:		No
Retain Prior Versions As Responses:		No
Activate Objects When Composing:		No
Activate Objects When Editing:		No
Activate Objects When Reading:		No
Document Encryption Keys:		[None Assigned]
Composed Documents May Be Read By:		All Users
Form May Be Composed By:		All Users
Field:		Ins_Policy
Datatype:		Text
• •		[Not Assigned]
Help Description:		Editable
Field Type:		No
Sign When Mailing/In Section:		Disabled
Encryption:		
Update Requires Editor Access:		No Delicu
Default Value Formula:		Policy
Field:		Ins_Policy_From
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_From
Field:		Ins_Policy_To
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Malling/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Policy_Period_To
Field:		Ins_Claim_Number
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Claim
Field:		LName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
		No
Sign When Mailing/In Section:		Disabled
Encryption:		No
Update Requires Editor Access:		
Default Value Formula:		Occurence_Made

	2. —	
Field:	265	FName
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		City
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption: Update Requires Editor Access:		Disabled
Default Value Formula:		No
Field:		Occurence_Made
Datatype:		State
Help Description:		Text
Field Type:		[Not Assigned] Editable
Sign When Mailing/In Section:		
Encryption:		No Disabled
Update Requires Editor Access:		
Default Value Formula:		No Common Made
Field:		Occurence_Made Zip
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Occurence_Made
Field:		Caption
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Caption
Field:		Jurisdiction
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Jurisdiction

	- //	
Field:	266	Opposing_Counsel
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:	•	Disabled
Update Requires Editor Access:		• • • • • • • • • • • • • • • • • • • •
		No
Default Value Formula:		Opposing_Counsel
Field:		Opp_Counsel_Address
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Default Value Formula:		Insured_Address
Field:		Last_Action
		Text
Datatype:		
Help Description:		(Not Assigned)
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		Last_Action
Field:		TimesModified
Datatype:		Number
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers:		No
Punctuated at Thousands:		No
		The number of times that the
Help Description:		***************************************
Flata Time.		document has been modified
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@lf(@lsNewDoc; 0;
		TimesModified != "";
		TimesModified +
		@IsDocBeingSaved; 0);
Field:		PastAuthors
Datatype:		Text
Input Multi-Value Separator(s):		Semicolon
Display Multi-Value Separator:		Semicolon
Help Description:		
rielp Description:		This field will track the past
		authors
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsDocBeingSaved;
		@V2lf(TimesModified <= 0;
		@ProperCase(@Name([CN];
		@V3UserName)); PastAuthors :
		@Name((CN);
		@V3UserName)); PastAuthors)

Field:	267	DestEd#Dates
Datatype:	<i>,</i>	PastEditDates
. Input Multi-Value Separator(s):		Text
Display Multi-Value Separator:		Semicolon
Help Description:		Semicolon
Troip Description.	•	This field will track the past edit dates
Field Type:		
Sign When Mailing/In Section:		Computed No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2lf(@IsDocBeingSaved;
		@V2If(TimesModified <= 0:
		@Text(@Now); PastEditDates :
		@Text(@Now)); PastEditDates)
Field:		Author
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@ProperCase(@Name([CN];
Ciold:		@V3UserName))
Field:		Created
Datatype: Time Format:		Time
Help Description:		04/11/97 01:29:00 PM
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed when composed No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@Now
Field:		E1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
t official.		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 0;y := x -
		TimesModified;@V2If(@IsNew Doc; " "; @V2If(y >= 0;
		@Text(x - 1) + "."; " ")
Field:		A1
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
romula:		@V2lf(@lsNewDoc; " ";
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -1); 1)))

Field:	268	D1
Datatype:		Text
<u>.</u> •		[Not Assigned]
Help Description:		Computed for display .
Field Type:		, , ,
Sign When Mailing/In Section:	-	No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2lf(TimesModified >= 0;
		@Subset(@Subset(PastEditDat
		es; -1); 1); " "))
Field:		E2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 1;@V2lf(@IsNewDoc; " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; " "))
Field:		A2 "
		Text
Datatype:		
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 1;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -2); 1)); " "))
Field:		D2
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Malling/In Section:		No
		Disabled
Encryption:		
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 1;
		@Subset(@Subset(PastEditDat
		es; -2); 1); " "))
Field:		E3
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
rumula.		
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)

	269	- 2;@V2lf(@lsNewDoc; " "; @V2lf(X - 1 >= 0; @Text(x - 1)
·		+ "."; " "))
Field:		A3 .
Datatype:	•	Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
romula:		@V2If(@IsNewDoc; " ";
		@V2lf(TimesModified >= 2;
		@ProperCase(@Subset(@Sub
Field:		set(PastAuthors; -3); 1)); " "))
Datatype:		D3 .
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Malling/In Section:		Computed for display
Encryption:		No Disabled
Update Requires Editor Access:		Disabled No
Formula:		
		@V2lf(@lsNewDoc; " "; @V2lf(TimesModified >= 2;
		@Subset(@Subset(PastEditDat
		es; -3); 1); " "))
Field:		E4
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access: Formula:		No
Formula.		DEFAULT PastAuthors :=
		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 3;@V2lf(@lsNewDoc; " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
Field:		+ "."; " ")) A4
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		@V2If(@IsNewDoc; " ";
		@V2If(TimesModified >= 3;
		@ProperCase(@Subset(@Sub
Field: ·		set(PastAuthors; -4); 1)); " "))
Datatype:		D4
Help Description:		Text
Field Type:		[Not Assigned]
Sign When Mailing/In Section:		Computed for display No
Encryption:		No Disabled
Update Requires Editor Access:		No
		1.10

Formula:	270	@V2If(@IsNewDoc: " "; @V2If(TimesModified >= 3; @Subset(@Subset(PastEditDat es; -4); 1); " "))
Field:		E5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		DEFAULT PastAuthors :=
Folinata.		0;DEFAULT TimesModified :=
		0;X := @Elements(PastAuthors)
		- 4;@V2lf(@lsNewDoc; " ";
		@V2If(X - 1 >= 0; @Text(x - 1)
		+ "."; ""))
Field:		A5 "
		Text
Datatype:		[Not Assigned]
Help Description:		Computed for display
Field Type: Sign When Mailing/In Section:		No
		Disabled
Encryption: Update Requires Editor Access:		No
Formula:	•	@V2If(@IsNewDoc; " ";
Formula.		@V2If(TimesModified >= 4;
		@ProperCase(@Subset(@Sub
		set(PastAuthors; -5); 1)); ""))
Field:		D5
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed for display
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	•	No
Formula:	•	@V2lf(@lsNewDoc; " ";
· Viiiidia.		@V2If(TimesModified >= 4;
		@Subset(@Subset(PastEditDat
		es; -5); 1); " "))
Field:		Status
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	<b>:</b>	No
Formula:		"0"
Field:		Date_Closed
Datatype:		Time
Time Format:		04/11/97 01:29:00 PM
Help Description:		[Not Assigned]
Field Type:		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access	s:	No
Formula:	<del>-</del> :	

	27/	
Field:	~ / /	Closed_By
Datatype:		Text
. Help Description:		
Field Type:		[Not Assigned]
		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		an an
Field:		
-		ID_Claim
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Field:		No
		ID_Case
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		2.7
Update Requires Editor Access:		Disabled
Field:		No
· · · · · · · · ·		ID_Budget
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Editable
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Field:		No
		Contact_Name
Datatype:		Text
Help Description:		[Not Assigned]
Field Type:		Computed
Sign When Mailing/In Section:		No
Encryption:		
Update Requires Editor Access:		Disabled
Formula:		No
i dilitald.		@lf(LName != "" & FName !=
		""; LName + ", " + FName;
		LName = ""; FName; LName)
Field:		Document_Author
Datatype:		Author Names
Input Multi-Value Separator(s):		_
Display Multi-Value Separator:		Comma
Help Description:		Comma
Field Type:		[Not Assigned]
		Computed when composed
Sign When Mailing/In Section:		No
Encryption:		Disabled
Update Requires Editor Access:		No
Formula:		
		DBName :=
		@Text(@DbName);Server :=
		@Subset(DBName; 1):Path :=
		@LeftBack(@Subset(@DbNam
		e; -1); "\\");Database :=
		@lf(path = "";
		"ITPLAYER.NSF"; path + "\\" +
		"ITDLAYED NOR" OF
		"ITPLAYER.NSF"):ClassCache

272

Field:

Field:

Field:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Formula:

Datatype:

Field Type:

Encryption:

Help Description:

Help Description:

Help Description:

Input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Input Multi-Value Separator(s): Display Multi-Value Separator:

Sign When Mailing/In Section:

**Update Requires Editor Access:** 

input Multi-Value Separator(s):

Display Multi-Value Separator:

Sign When Mailing/In Section:

@Name([Abbreviate]; @V3UserName);View2.:= "Server\_View";Key2 := @Name([O]: @V3UserName):Hit1 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); ""; @DbLookup(ClassCache: Server : Database; View1: Key1; 1));Hit2 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server : Database; View2; Key2: 1)):Direction := @lf(Hit1 != "": "Remote"; Hit2 != ""; "Server": "NoAccess"); View := @If(Direction = "Remote": View1; View2);Key := @If(Direction = "Remote"; Key1; Key2);@DbLookup(ClassCache : Server : Database; View; Key; 2); Document Editors **Author Names** Comma, Semicolon Semicolon [Not Assigned] Computed when composed Disabled No Document\_Readers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled No Document\_Managers Reader Names Comma, Semicolon Semicolon [Not Assigned] Computed when composed No Disabled

:= "Notes" : "NoCache": View1 :=

"Remote View"; Key1 :=

273

Update Requires Editor Access: Formula:

Field:

Datatype:

Help Description:

Field Type:

Sign When Mailing/In Section:

**Encryption:** 

**Update Requires Editor Access:** 

Default Value Formula:

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam

e; -1); "\\"); Database :=

@lf(path = "";

"ITPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF");ClassCache

:= "Notes" : "NoCache"; View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate];

@V3UserName);View2 :=

"Server\_View";Key2 :=

@Name([O];

@V3UserName);Hit1 :=

@lf(@lsError(@DbLookup(Clas

sCache; Server : Database;

View1; Key1; 1)); "";

@DbLookup(ClassCache;

Server : Database; View1;

Key1; 1));Hit2 :=

@lf(@lsError(@DbLookup(Clas

sCache; Server : Database;

View2; Key2; 1)); "";

@DbLookup(ClassCache;

Server : Database; View2;

Key2; 1));Direction := @lf(Hit1

!= ""; "Remote"; Hit2 != "";

"Server"; "NoAccess"); View :=

@If(Direction = "Remote";

View1; View2);Key :=

@lf(Direction = "Remote":

Key1;

Key2);@DbLookup(ClassCache

; Server : Database; View; Key;

5);

Ins\_Company

**Text** 

[Not Assigned]

Editable

No

Disabled

No

DBName :=

@Text(@DbName);Server :=

@Subset(DBName; 1);Path :=

@LeftBack(@Subset(@DbNam

e; -1); "\\");Database :=

@lf(path = \*\*:

"ITPLAYER.NSF"; path + "\\" +

"ITPLAYER.NSF"); ClassCache

:= "Notes" : "NoCache": View1 :=

"Remote\_View";Key1 :=

@Name([Abbreviate]:

QV3UserName):View2 :=

274

"Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas sCache; Server : Database; View1; Key1; 1)); "" @DbLookup(ClassCache: Server : Database; View1; Key1: 1)):Hit2 := @If(@IsError(@DbLookup(Clas sCache; Server : Database; View2; Key2; 1)); "" @DbLookup(ClassCache: Server: Database: View2: Key2; 1));Direction := @lf(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @If(Direction = "Remote"; View1; View2);Key := Off(Direction = "Remote"; Key1: Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Company\_Name"); Ins\_Contact Text [Not Assigned] Computed No Disabled No @ProperCase(@Name([CN]; @V3UserName)); ins Contact Phone Text [Not Assigned] Editable No Disabled No DBName := @Text(@DbName);Server := @Subset(DBName; 1);Path := @LeftBack(@Subset(@DbNam e; -1); "\\");Database := @lf(path = "": "ITPLAYER.NSF"; path + "\\" + "ITPLAYER.NSF"); ClassCache := "Notes" : "NoCache"; View1 := "Remote\_View";Key1 := @Name([Abbreviate]; @V3UserName);View2 := "Server\_View";Key2 := @Name([O]; @V3UserName);Hit1 := @lf(@lsError(@DbLookup(Clas

Field:
Datatype:
Help Description:
Field Type:
Sign When Mailing/In Section:
Encryption:
Update Requires Editor Access:
Formula:

Field:
Datatype:
Help Description:
Field Type:
Sign When Mailing/In Section:

**Update Requires Editor Access:** 

Default Value Formula:

**Encryption:** 

sCache; Server : Database: 275 View1; Key1; 1)); ""; @DbLookup(ClassCache; Server : Database; View1; Key1; 1));Hit2 := @if(@lsError(@DbLookup(Cias sCache; Server : Database; View2; Key2; 1)); ""; @DbLookup(ClassCache; Server: Database; View2; Key2; 1));Direction := @If(Hit1 != ""; "Remote"; Hit2 != ""; "Server"; "NoAccess"); View := @lf(Direction = "Remote": View1; View2);Key := @lf(Direction = "Remote": Key1; Key2);@DbLookup(ClassCache ; Server : Database; View; Key; "Phone"): Field: **ScratchHist** Datatype: Text Help Description: [Not Assigned] Field Type: Computed when composed Sign When Malling/in Section: No Encryption: Disabled **Update Requires Editor Access:** No Formula: **View Information:** View Name: All Claims|All\_By\_Client Last Modification: 04/11/97 01:19:27 PM Default Database View: No No Response Hierarchy: Disabled Categories Initially: Expanded Unread Marks: None Refresh Frequency: **Automatic** Discard Index: Never View May Be Used By: All Users Time Relative Formulae: No Selection Formula: SELECT @Ali Column Number: Column Title: Claim Number Column Formula: Ins\_Claim\_Number Column Width: 10 Characters List Separator: Hidden: No Responses Only: No Icon: Nο Number Format: General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: Time Format: 04/11/97 01:29:00 PM Sorting: **Ascending** 

276

Justification: Left None Totals: **Hide Detail Values:** No Column Number: 2 Column Title: Insured Ins Policy Holder Column Formula: 11 Characters Column Width: List Separator: No Hidden: Responses Only: No No Icon: General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: Sorting: No Left Justification: None Totals: **Hide Detail Values:** No Column Number: **Policy** Column Title: Ins\_Policy Column Formula: **8 Characters** Column Width: List Separator: No Hidden: Responses Only: No No icon: General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: No Sorting: Justification: Left Totals: None Hide Detail Values: No Column Number: Column Title: Claim Type Column Formula: Form 10 Characters Column Width: List Separator: Hidden: No Responses Only: No No Icon: General **Number Format:** Percentage (value \* 100)%: Nο Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: No Sorting: Justification: Left None Totals: Hide Detail Values: No Column Number: **Last Action** Column Title:

Column Formula.	211	_
Column Formula:	•	Last_Action
Column Width:		10 Characters
List Separator:		
Hidden:		No
Responses Only:		
Icon:		No
700		No
Number Format:		General
Percentage (value * 100)%:		No
Parentheses on Negative Number	rs:	No
Punctuated at Thousands:		No
Time Format:		04/11/97 01:29:00 PM
Sorting:		
Justification:		No
		Left
Totals:		None
Hide Detail Values:		No
View Name:		Closed
		Claims Closed_By_Client
Last Modification:		12/15/96 03:43:56 PM
Default Database View:		No No
No Response Hierarchy:		
Categories Initially:		Disabled
Unread Marks:		Expanded
		None None
Refresh Frequency:		Automatic
Discard Index:		Never
View May Be Used By:		All Users
Time Relative Formulae:		No
Selection Formula:		SELECT Status = "3";
Column Number:		SELECT Status ~ 3;
Column Title:		1
Column Formula:		Claim Number
· · - · <del>- · ·</del>		Ins_Claim_Number
Column Width:		10 Characters
List Separator:		
Hidden:		No
Responses Only:		No
Icon:		No
Number Format:		
Percentage (value * 100)%:		General
Parentheses on Negative Number		No
Punctuated at Thousands:	<b>5</b> :	No
		No
Time Format:		04/11/97 01:29:00 PM
Sorting:		Ascendina
Justification:		Left
Totals:		None
Hide Detail Values:		
Column Number:		No
Column Title:		2
		insured
Column Formula:		Ins_Policy_Holder
Column Width:		11 Characters
List Separator:		
Hidden:		No
Responses Only:		No
Icon:		No
Number Format:		No
		General
Percentage (value * 100)%:		No
Parentheses on Negative Numbers	s:	No
		• • •

278

Punctuated at Thousands: 04/11/97 01:29:00 PM Time Format: No Sorting: Justification: Left Totals: None **Hide Detail Values:** No Column Number: 3 **Policy** Column Title: Ins Policy Column Formula: 8 Characters Column Width: List Separator. No Hidden: No Responses Only: Icon: No General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: 04/11/97 01:29:00 PM Time Format: Sorting: No Left Justification: None Totals: **Hide Detail Values:** No Column Number: Column Title: Claim Type Column Formula: Form 10 Characters Column Width: List Separator. No Hidden: Responses Only: No Icon: No General **Number Format:** Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: 04/11/97 01:29:00 PM Time Format: Sorting: No Justification: Left None Totals: Hide Detail Values: No Column Number: **Last Action** Column Title: Last\_Action Column Formula: 10 Characters Column Width: List Separator: Hidden: No Responses Only: No No Icon: General Number Format: Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: No Sorting: Left Justification: None Totals:

Hidden:

icon:

Responses Only:

Number Format:

279 Hide Detail Values: No View Name: Open Claims|Open\_By\_Client Last Modification: 12/16/96 02:55:43 PM Default Database View: No No Response Hierarchy: Disabled Categories Initially: Expanded Unread Marks: None Refresh Frequency: **Automatic** Discard Index: Never View May Be Used By: All Users Time Relative Formulae: No Selection Formula: SELECT Status = "0": Column Number: Column Title: Claim Number Column Formula: Ins\_Claim\_Number Column Width: 10 Characters List Separator: Hidden: No Responses Only: No icon: No **Number Format:** General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Time Format: 04/11/97 01:29:00 PM Sorting: Ascending Justification: Left Totals: None Hide Detail Values: No Column Number: 2 Column Title: Insured Column Formula: Ins\_Policy\_Holder Column Width: 11 Characters List Separator: Hidden: No Responses Only: No Icon: No **Number Format:** General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: Time Format: 04/11/97 01:29:00 PM Sorting: No Justification: Left Totals: None Hide Detail Values: No Column Number: Column Title: Policy Column Formula: Ins\_Policy Column Width: 8 Characters List Separator:

No

No

No

General

280

Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: Sorting: No Justification: Left Totals: None Hide Detail Values: No Column Number: Column Title: Claim Type Column Formula: Form Column Width: 10 Characters List Separator: Hidden: No Responses Only: No Icon: No **Number Format:** General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No Time Format: 04/11/97 01:29:00 PM Sorting: No Justification: Left Totals: None Hide Detail Values: No Column Number: Column Title: **Last Action** Column Formula: Last\_Action Column Width: 10 Characters List Separator: Hidden: No Responses Only: No tcon: No Number Format: General Percentage (value \* 100)%: No Parentheses on Negative Numbers: No Punctuated at Thousands: No 04/11/97 01:29:00 PM Time Format: Sorting: No Justification: Left Totals: None

No

**Hide Detail Values:** 

We Claim:

5

10

15

1. A method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub, comprising the steps of:

entering new claim information relating to a new litigation into a source new claims databases associated with the source;

transmitting a new claim signal in response to the entry of the new claim information into the source new claim database to a central processing means associated with the central hub and interfaced to a plurality of subscriber processing means each being associated with one of the plurality of subscribers;

selecting one of the plurality of subscribers in response to the transmission of the new claim signal and defining said subscriber as a selected subscriber;

transmitting at least some of the new claim information to the selected subscriber; and

automatically storing the new claim information so transmitted in a subscriber new cases database accessible by the subscriber processing means associated with the selected subscriber.

- The method of claim 1. further comprising the steps of:
   verifying that no conflict exists within the selected subscriber based on the new case information stored in the subscriber new cases database; and generating an electronic response indicative of the verification and transmitting the same to the source.
- 3. The method of claim 2, further comprising the steps of:

  selecting a different one of the plurality of subscribers if based on the electronic response a conflict exists; and

  defining said different subscriber as the selected subscriber.
  - 4. The method of claim 1, further comprising the steps of:

    preparing a litigation proposal based on the new claim information stored

in the subscriber new claims database;

transmitting proposal data indicative of the litigation proposal to the source:

storing the proposal data in the source new claims database; and
transmitting a proposal response to the selected subscriber indicating
whether the litigation proposal is acceptable.

- 5. The method of claim 4, wherein the proposal response is representative of any one of a proposal acceptance, a proposal denial, and a request for more information.
- 10 6. The method of claim 4, further comprising the step of:

  electronically transmitting additional claim-related information from the

  source to the selected subscriber if the litigation proposal is acceptable; and

  storing the additional claim-related information in the subscriber case

  database associated with the selected subscriber along with the new claim information.
- 15 7. A method of managing litigation using an automated litigation management system networking a source of the litigation to a plurality of subscribers through a central hub, comprising the steps of:

generating a request for approval to perform a litigation activity;
transmitting the request for approval from a subscriber processing means
associated with one of the plurality of subscribers to a source processing means
associated with the source;

transmitting an activity response indicative of a decision to approve or deny the activity request; and

updating a subscriber authorization database accessible by a subscriber 25 processing means associated with the one subscriber.

8. The method of claim 7, further comprising the steps of:
generating a request for payment associated with the activity when the activity is completed;

- 283 -

enabling a transmission of the request for payment if the activity request is approved; and

disabling the transmission of the request for payment if the activity request is denied.

- 5 9. A litigation management system interconnecting at least one source of information and a plurality of subscribers, each of the plurality of subscribers having an associated office litigation administration system for facilitating the administration of litigation by the subscriber, the system comprising:
- a source system for providing source information relating to new and ongoing litigations and for receiving subscriber information relating to the same litigations;
- a plurality of subscriber interfaces configured to receive source information and store the source information in the associated office litigation administration systems and to retrieve subscriber information from the associated office litigation administration systems and transmit the subscriber information so retrieved to the source system; and
  - a central processing means interfaced to receive source information from the source system and subscriber information from the plurality of subscriber interfaces for establishing authorized links between the source and the plurality of subscribers based on predetermined criteria.
  - 10. The system of claim 9, further comprising:

20

- a subscriber database interfaced with the central processing means for storing data relating to each of the plurality of subscribers; and
- wherein the central processing means comprises a selection means for selecting one of the plurality of subscribers based on at least some of the source information and the data stored in the subscriber database.
  - 11. The system of claim 10, wherein the predetermined criteria includes the location of the subscriber.

- 284 -

12. The system of claim 9, wherein the source system comprises:

5

25

a new claims database for storing new case information relating to new litigations, the source system transmitting at least some of the new claim information as source information to the central processing means thereby initiating a procedure to establish one authorized link.

- 13. The system of claim 9, wherein the plurality of subscribers require authorization to carry out predefined activities, the source system comprising:
- a database means for storing subscriber information relating to the authorization of the predefined activities carried out by each subscriber connected to the source through one of the authorized links established by the central processing means.
  - 14. The system of claim 9, wherein each of the plurality of subscriber interfaces comprises:
- a new cases database for storing source information received from the

  central processing means to establish one authorized link between the subscriber associated with the same subscriber interface, the source information so stored relating to new litigation and defining new case information,

the same subscriber interface transferring the new case information from the new cases database to the associated office litigation administration system after the central processing means establishes the one authorized link.

- 15. The system of claim 9, wherein the plurality of subscribers require authorization to carry out predefined activities and each of the plurality of subscriber interfaces comprises:
- a database means for storing source information relating to the authorization of the predefined activities received from the source system; and
- a billing verification means for generating a request for payment after the completion of each predefined activity and for transmitting the request for payment based on information stored in the authorizations database.




FIGURE 1




FIGURE 2





FIGURE 3

WO 97/41524 PCT/US97/07207








FIGURE 4B




FIGURE 5




FIGURE 6




Figure 7




Figure 7A








Figure 8











15/36









Figure 11







Figure 13






Figure 15







Figure 15A









WO 97/41524

27/36

Policy Number	BA222	Claim Number	C0011	Case ID	
Insured	Jone's Market				
Caption	Martin v. Jone's Market				
Opposing Party	Jane Martin		Opposing Counsel	Tony Stevens	
Lest Action	Test Laurent from Roh	Vunto of IC2 Te	et Insurant on MJ22J97		·

overlor Comments:


Please provide a status report on developments on this claim.


- I. Nature of the claim
- II. Facts/Evidence Update
- III. Damage Update
- IV. Liability Update
- V. Verdict Potential/Settlement Update
- VI. Current Status

225


- A. Exit Stategy
- B. Investigation
- C. Discovery
- D. Procedural
- E. Other
- VII. Recommended Activity
- A. New/revised exit strategy
- B. Additional investigation
- C. Additional discovery
- D. Additional experts
- E. ADR F. Other
- VIII. Pre-Trial Litigation Plan and Budget Updates
- IX. Comments

IC2 Solutions, Inc. 1996 All Rights Reserved.










WO 97/41524 PCT/US97/07207






Figure 20

Policy Number	BA222	Claim Number	C0011	Case ID
Insured	Jone's Market			<del></del>
Caption	Martin v. Jone's Market			
Opposing Party	Jane Martin		Opposing Counsel	Tony Stevens
Last Action:				
	2 Test Lawyer1 from Bob	Vuoto of IC2 Te	st InsurerF on 04/22/97	


Requestor Comments:

Please complete this Pre-Trial Report as case is proceeding to trial.

- I. Trial Schedule/Venue
- A. Trial Date
- B. Venue/forum/judge
- C. Jury or non-jury trial
- D. Trial counsel
- II. Nature of the Case
- III. Summary of Issues to be Tried
- A. Claiment's issues
- B. Defense issues
- C. Other parties' issue
- **IV.** Witnessess
- A. Claiment's witnesses
- **B. Defense witnesses**
- C. Other parties
- V. Trial Strategy
- VI. Liability Analysis
- VII. Damage Analysis
- VIII. Verdict Potential/Settlement
- A. Probable verdict range
- B. Settlement value range
- C. Current settlement posture
- D. Setoffs, liens or other factors affecting settlement
- E. Insured's consent to settle
- F. Negotiation strategy
- G. Use of ADR
- IX. Trial Preparation
- A. Additional investigation recommended
- B. Additional experts recommended
- C. Necessary research/trial memoranda
- D. Subpoenas to be served
- E. Demonstrative evidence proposed
- F. Pre-trial motions
- G. Anticipated length of trial
- H. Other

#### Comments

IC2 Solutions, Inc. 1996 All Rights Reserved.






Figure 22

## INTERNATIONAL SEARCH REPORT

International application No. PCT/US97/07207

A. CLASSIFICATION	A. CLASSIFICATION OF SUBJECT MATTER						
IPC(6) :G06F 17/60; G06G 7/52							
US CL :395/209 According to International Patent Classification (IPC) or to both national classification and IPC							
B. FIELDS SEARCHE							
	arched (classification system followed	by classification symbols)					
U.S. : 395/209							
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched							
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  APS, DIALOG							
C. DOCUMENTS CON	SIDERED TO BE RELEVANT						
Category* Citation of	Relevant to claim No.						
col. 3, lin col. 6, lin through c through c	US 5,182,705 A (BARR et al.) 26 January 1993; abstract; col. 3, lines 29-51; col. 5, line 61 through col. 6, line 50; col. 6, lines 59-67; col. 13, lines 54-61; col. 22, line 62 through col. 23, line 50; col. 32, lines 57-67; col. 59, line 56 through col. 61, line 46.						
CIO: The	Pritchard-Schoch, Teresa; "The Law Librarian's First Step To CIO: The Conflicts Database"; Database; v16; n6; December 1993; page 106, col. 1-3.						
client, co	Garner, Rochelle; "Law Office Manager helps attorneys track client, court information"; MacWEEK; v5; n39; 12 November 1991; abstract; page 1, lines 35-45.						
Further documents are listed in the continuation of Box C. See patent family annex.							
Special categories of cited documents:			ation but cited to understand the ention				
"E" earlier document published on or after the international filing date		"X" document of particular relevance; the					
cited to establish the	throw doubts on priority claim(s) or which is publication date of another citation or other	when the document is taken alone  'Y' document of particular relevance; the	e claimed invention cannot be				
special reason (as specified)  *O* document referring to an onal disclosure, use, exhibition or other		considered to involve an inventive combined with one or more other suc being obvious to a person skilled in the	step when the document is high documents, such combination				
	ior to the international filing date but later than	"&" document member of the same patent					
Date of the actual completion of the international search  17 JUNE 1997		Date of mailing of the international second 8 JUL 1997	arch report				
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks BCX PCT		Authorized officer  GAILLO: HAYES					
Washington, D.C. 20231		Telephone No. (703) 305-9711					

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:		
☐ BLACK BORDERS		
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES		
☐ FADED TEXT OR DRAWING		
BLURRED OR ILLEGIBLE TEXT OR DRAWING		
☐ SKEWED/SLANTED IMAGES		
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS		
☐ LÎNES OR MARKS ON ORIGINAL DOCUMENT		
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY		
OTHER:		

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.